Phytopathology

An International Journal

Official Organ of

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 61

JANUARY-DECEMBER 1971

Editor-in-Chief
ROBERT AYCOCK

Senior Editors
PAUL NELSON
A. R. WEINHOLD
R. L. MILLAR

Associate Editors

C. H. BECKMAN
R. J. COOK
E. B. COWLING
O. J. DICKERSON
R. S. DICKEY
J. W. ECKERT
B. Y. ENDO
L. R. FAULKNER
J. C. HANCOCK, JR.
W. W. HARE
T. T. HEBERT
R. B. HINE
C. S. HODGES, JR.
J. A. HOFFMANN
B. W. KENNEDY
T. KOSUGE
H. H. LUKE
F. L. LUKEZIC
C. A. MARTINSON
D. E. MATHRE
M. R. NELSON
A. O. PAULUS
T. P. PIROME
D. E. PURCIFULL
A. E. RICH
C. W. ROANE
M. N. SCHROTH
E. G. SHARVELLE
C. G. SHAW
R. T. SHERWOOD
J. T. SLYKHUIS
R. C. STAPLES
G. STROBEL
D. C. TORGESON
E. J. TRIONE
P. H. WILLIAMS
P. J. WUEST

Business Manager
R. J. TARLETON

CONTENTS OF VOLUME 61, 1971

No. 1—JANUARY

AUTHOR'S GUIDE FOR MANUSCRIPT PREPARATION 1

RUTH ALLEN AWARD 4

FELLOWS OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 5

Inhibition of the multiplication of bromegrass mosaic virus in barley by the antibiotic Blasticidin S
J. KUMMERT AND J. SEMAL 10

The tracing of ingested TMV ^{125}I in the aphid Myzus persica ..... W. G. LANGENBERG AND H. F. SCHROEDER 15

Effect of detached leaf treatment in tobacco mosaic virus multiplication in tobacco and bean leaves
Y. NAKAGAKI AND T. HIRAI 22

A form of Pyrenophora trichostoma pathogenic to wheat and other grasses ..... R. M. HOSFORD, JR. 28

Pathological changes in ultrastructure: tobacco roots infected with Phytophthora parasitica var. nicotianae
P. HANCHEY AND H. WHEELER 33

Effect of Heterodera schachtii infection on sugarbeet leaf growth .... D. L. DONEY, E. D. WHITNEY, AND A. E. STEELE 40

Fungitoxic spectrum of benzimidazole compounds ..... L. V. EDGINGTON, K. L. KHEW, AND G. L. BARRON 42

Isolation of tobacco ringspot virus from rose ..... G. L. MCDANIEL, G. J. BUCK, AND R. E. FORD 45

Nature of a factor causing interstrain lethality in Ustilago maydis ..... L. HANKIN AND J. E. PUHALLA 50

Eyespot of maize, a disease new to North America
D. C. ARNY, E. B. SMALLEY, A. J. ULLSTRUP, G. L. WORF, AND R. W. AHRENS 54

A new leaf disease of Ilex spp. caused by Cylindrocladium avesiculatum sp. nov.
D. L. GILL, S. A. ALFIERI, JR., AND E. K. SOBERS 58

Response of Monilinia fructicola conidia to individual and combined treatments of anoxia and heat
J. BUSSEL, M. MIRANDA, AND N. F. SOMMER 61

Flavones, isoflavones, and coumestans in alfalfa infected by Ascochyta imperfecta ... A. F. OLAH AND R. T. SHERWOOD 65

Quality of light required for sporulation by Leptosphaerulina ..... K. T. LEATH 70

Relation of leaf age to the reaction of tobacco to Alternaria alternata ..... J. R. STAVELY AND L. J. SLANA 73

Studies on biosynthesis of phaseollin in excised pods of Phaseolus vulgaris
S. L. HESS, L. A. HADWIGER, AND M. E. SCHWOCHAU 79

The perfect stage of Pyricularia grisea ..... T. T. HEBERT 83

Germination of spores of wood-decay fungi on wood ..... E. R. TOOLE 88

Transport of benomyl into various plant organs ..... C. A. PETERSON AND L. V. EDGINGTON 91

Effect of soil temperature and soil amendments on Thielaviopsis root rot of sesame ..... P. B. ADAMS 93

Biological effect of Panogen PX in soil on common root rot and growth response of wheat seedlings ... S. H. F. CHINN 98

A preliminary evaluation of Rumex rust as a biological control agent for curly dock ..... R. E. INMAN 102

Survival of endoconidia and chlamydospores of Thielaviopsis basicola as affected by soil environmental factors
G. C. PAPAVIZAS AND J. A. LEWIS 108

Some effects of Uromyces phaseoli on the transpiration rate and stomatal response of bean leaves
J. M. DUNIWAY AND R. D. DURBIN 114

PHYTOPATHOLOGICAL NOTES

Influence of temperature and light on spore production of Puccinia graminis tritici
A. S. PRABHU AND J. R. WALLIN 120

Clostridium sp. associated with discolored tissues in living oaks .... A. L. SHIGO, J. STANKEWICH, AND B. J. COSENZA 122

Interaction of mold and decay fungi on wood in laboratory tests ..... E. R. TOOLE 124

No. 2—FEBRUARY

ABSTRACTS OF THE 1970 ANNUAL MEETING OF THE NORTHEASTERN DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 127

Cellulolytic enzymes of Stereum gausapatum ..... K. F. JENSEN 134

Ascospore survival in Mycosphaerella musicola ..... R. H. STOVER 139

The effect of hoja blanca virus on its insect vector ..... P. R. JENNINGS AND A. PINEDA T. 142

Black-butt disease of Black Wattle caused by Phytophthora nicotianae var. parasitica ..... F. C. J. Zeijlemaker 144
Bioassay of Pyrenochaeta terrestris inoculum in soil ..... S. R. Siemer and E. K. Vaughan 146
Resistance to Dothistroma pini within geographic sources of Pinus nigra ..... G. W. Peterson and R. A. Read 149
Dodder transmission of a mycoplasma from ash witches'-broom ..... C. R. Hibben and B. Wolanski 151
The sporangium of Pythium ultimum as a survival structure in soil ..... M. E. Stanghellini and J. G. Hancock 157
Radial extent of the bean spermosphere and its relation to the behavior of Pythium ultimum
M. E. Stanghellini and J. G. Hancock 165
Genetics and nutritional requirements of Endothia parasitica ..... J. E. Puhalla and S. L. Anagnostakis 169
Terpenoid accumulation as a biochemical response of the potato tuber to Phytophthora infestans
J. L. Varns, J. Kuć, and E. B. Williams 174
Suppression of rishitin and phytuberin accumulation and hypersensitive response in potato by compatible races of Phytophthora infestans ..... J. L. Varns and J. Kuć 178
Evaluation of wood preservatives using crushing strength ..... E. R. Toole 182
Soil fertilization, fumigation, and temperature affect severity of black root rot of slash pine ..... S. J. Rowan 184
Observation on the size and morphology of cauliflower mosaic virus deoxyribonucleic acid
R. J. Shepherd and R. J. Wakeman 188
Soil moisture effects on control of Pythium ultimum or Rhizoctonia solani with methyl bromide
D. E. Munnecke, B. J. Moore, and F. Abu-El-Haj 194
Endopolygalacturonase: evidence against involvement in Verticillium wilt of cotton ..... N. T. Keen and D. C. Erwin 198
Relation of air temperature to development of Verticillium wilt on cotton in the field .... R. H. Garber and J. T. Presley 204
Effect of sulfur-containing volatile compounds and vapors from cabbage decomposition on Aphanomyces euteiches
J. A. Lewis and G. C. Papavizas 208
Effect of amendments and fungicides on Aphanomyces root rot of peas ..... G. C. Papavizas and J. A. Lewis 215
A necrotic leaf blotch and fruit rot of apple caused by a strain of Glomerella cingulata ..... J. Taylor 221
Host specialization in the complex species, Tilletia fusca ..... J. A. Hoffmann and J. P. Meiners 225
Physical properties and host ranges of viruses latent in and mechanically transmitted from jasmine .. H. E. Waterworth 228
Relative sensitivity of red, jack, and white pine seedlings to ozone and sulfur dioxide ..... C. R. Berry 231
Mycoplasmalike organisms in sieve tube elements of plants infected with blueberry stunt and cranberry false blossom
T. A. Chen 233

Phytopathological Notes

Quantitative interferometry of epidermal nuclei of Podophyllum peltatum in response to Puccinia podophylli
F. B. Kulfinski and A. J. Pappelis 237
An efficient method of inducing sporulation of Alternaria solani in pure culture ... D. R. Douglas and J. J. Pavek 239
Transmission of corn stunt mycoplasma by the leafhopper Baldulus tripsaci .. R. R. Granados and R. F. Whitcomb 240
Effect of galactose on polygalacturonase production and pathogenesis by Fusarium oxysporum f. sp. lycopersici
W. L. Biehn and A. E. Dimond 242
Effect of storage on the rate of incorporation of uridine into ribonucleic acid by germinating uredospores
L. Ramakrishnan and R. C. Staples 244
Heat-stable strains of potato leaf roll virus ..... F. C. Mellor and R. Stace-Smith 246
Canker of loquat caused by Pseudomonas sp. ..... M. Lai, W. O. McCartney, and C. W. Morin 248
Modified sampler accurately measures heavy spore production of Fomes marmoratus ..... F. I. McCracken 250

No. 3—MARCH

Inheritance of resistance to melon mosaic virus in cucumbers ..... S. Cohen, E. Gertman, and N. Kedar 253
The effects of root knot nematodes on bacterial wilt in alfalfa
O. J. Hunt, G. D. Griffin, J. J. Murray, M. W. Pedersen, and R. N. Peaden 256
Repeated germination and sporulation of microsclerotia of Verticillium albo-atrum in soil
J. D. Farley, S. Wilhelm, and W. C. Snyder 260
Rate of lesion development in relation to sporulating potential of Pseudoperonospora cubensis in cucumber
Y. Cohen and J. Rotem 265
Borax: its toxicity to Fomes annosus in wood and its diffusion, persistence, and concentration in treated stumps of southern pines ..... J. W. Koenigs 269

XUM

Relativity of limiting and optimum inoculum loads, wetting durations, and temperatures for infection by Phytophthora infestans ..... J. Rotem, Y. Cohen, and J. Putter 275

Tristeza virus in Citrus reticulata and C. tankan ..... M-h. Chen, T. Miyakawa, and C. Matsui 279

Induction of auxotrophic mutants in Phytophthora by ultraviolet light
J. Castro F., G. A. Zentmyer, and W. L. Belser, Jr. 283

Microslide Ouchterlony technique for serological detection of potato virus X
R. C. McCrum, J. C. Studenroth, and D. Olszewska 290

Metabolic changes associated with systemic induced resistance to tobacco mosaic virus in Samsun NN tobacco
T. J. Simons and A. F. Ross 293

The response of sapwood of Norway spruce to infection by Fomes annosus ..... L. Shain 301

Effects of time of inoculation with tobacco ringspot virus on the chemical composition and agronomic characteristics of soybean ..... J. W. Demski, H. B. Harris, and M. D. Jellum 308

The etiology and histopathology of Helminthosporium blister canker of pear ..... G. N. Acedo and G. N. Agrios 312

Permeability alterations in detached carnation leaf tissue inoculated with Pseudomonas caryophylli and Corynebacterium sp. ..... C. W. D. Brathwaite and R. S. Dickey 317

Phytoalexin induction in beans resistant or susceptible to Fusarium and Thielaviopsis ..... R. E. Pierre 322

Stunt of beans incited by peanut stunt virus ..... E. Echandi and T. T. Hebert 328

Phytopathological Notes

Soil transmission and electron microscopy of wheat spindle streak mosaic ..... M. V. Wiese and G. R. Hooper 331

Natural infection of coriander plants by a strain of clover yellow vein virus .... R. P. Singh and D. López-Abella 333

Nitrogen gas suppresses microorganisms on cranberries in short term storage
C. L. Lockhart, F. R. Forsyth, R. Stark, and I. V. Hall 335

Studies on the nucleic acids of avirulent, attenuated, and virulent isolates of Agrobacterium tumefaciens
P. O. Larsen and M. Zaitlin 337

Trehalose and polyols as carbon sources for Verticillium spp. ..... R. R. Vega and D. Le Tourneau 339

Properties of soil-borne wheat mosaic virus ..... R. P. Pacumbaba, W. H. Sill, Jr., and O. J. Dickerson 341

A rapid technique for studying Fusarium wilt of peas ..... D. D. Roberts and J. M. Kraft 342

Sensitivity of postharvest rot fungi of bananas to chlorine ..... P. A. Arneson 344

The effect of methionine on the development of apple powdery mildew ..... R. P. Covey, Jr. 346

No. 4—APRIL

An ultrastructural study of syncytium development in soybean roots infected with Heterodera glycines
I. Gipson, K. S. Kim, and R. D. Riggs 347

Effect of bean leaf detachment on susceptibility to tobacco mosaic virus infection ..... Y. Nakagaki and C. Matsui 354

The role of Pythium in feeder roots of diseased and symptomless peach trees and in orchard soils in peach tree decline
S. M. Mircetich 357

Protease production during pathogenesis of bacterial leaf spot of alfalfa and by Xanthomonas alfalfae in vitro
M. N. Reddy, D. L. Stuteville, and E. L. Sorensen 361

Alteration of sugar translocation in aspen by Hypoxylon mammatum ..... A. L. Schipper, Jr., and G. W. Anderson 366

Resistance and tolerance to alfalfa mosaic virus in alfalfa ..... P. Crill, E. W. Hanson, and D. J. Hagedorn 369

Biology of four viruses affecting Cicer arietinum in Iran ..... W. J. Kaiser and D. Danesh 372

Development of American isolates of Puccinia graminis f. sp. tritici on an artificial medium
W. R. Bushnell and D. M. Stewart 376

Dimethyl sulfoxide inhibition of aflatoxin synthesis by Aspergillus flavus
G. A. Bean, W. L. Klarman, G. W. Rambo, and J. B. Sanford 380

Haustorial sheath formation in cowpea leaves immune to rust infection ..... M. C. Heath 383

Comparative study of five mosaic virus isolates infecting corn, Johnson grass, and sorghum in the United States
N. Zummo and D. T. Gordon 389

Synthesis of nucleic acids at infection sites of soybean roots parasitized by Heterodera glycines ..... B. Y. Endo 395

Fixation and incorporation of CO_2 into ribonucleic acid by germinating uredospores of Uromyces phaseoli
G. F. Stallknecht and C. J. Mirocha 400

The mode of Sclerospora sorghi infection of sorghum bicolor leaves ..... B. L. Jones 406

Infection of Austrian, Scots, and ponderosa pines by Diplodia pinea ..... L. W. Brookhouser and G. W. Peterson 409
Chlorotic mottle: a newly recognized disease of chrysanthemum .... A. W. Dimock, C. M. Geissinger, and R. K. Horst 415
Disease-induced toxin production in Helminthosporium oryzae ..... G. D. Lindberg 420

Phytopathological Notes

Selective medium for enumerating Erwinia species commonly found in vegetable packinghouse waters R. H. Segall 425
Helminthosporium maydis in seeds of Minnesota-grown field corn ..... W. F. Crosier and S. W. Braverman 427
A new adaption of tissue implantation for the study of virus and mycoplasma diseases A. W. Dimock, C. M. Geissinger, and R. K. Horst 429
Some characteristics of a virus from Virginia crab apple ..... M. Weintraub and H. W. J. Ragetli 431
Control of Verticillium wilt of cotton by spraying foliage with benomyl and Thiabendazole solubilized with hydrochloric acid ..... H. Buchenauer and D. C. Erwin 433
Pathogenic and nonpathogenic Verticillium species from south central Washington ..... C. B. Skotland 435
Direct observation of fungal activities on soil ..... Wen-hsiung Ko 437
Relationship of age of soybean seedlings and inoculum to infection by Pythium ultimum F. A. Laviolette and K. L. Athow 439

No. 5—MAY

Gideon Herman Boewe, 1895-1970 ..... J. C. Carter and R. A. Evers 441
Harry Curtis Young, 1888-1970 ..... H. C. Young, Jr., L. J. Alexander, and H. F. Winter 442
Serology and pathology of Pseudomonas syringae ..... J. D. Otto and H. English 443
Etiology of virus-induced wilt of Cicer arietinum ..... W. J. Kaiser and D. Danesh 453
Qualitative inheritance of fungicide tolerance in a natural population of Cochliobolus carbonum D. R. MacKenzie, H. Cole, and R. R. Nelson 458
Infection process of Cercospora beticola in sugarbeet in relation to susceptibility ..... Z. Solel and G. Minz 463
Diseases of Douglas-fir seedlings caused by Fusarium oxysporum ..... W. J. Bloomberg 467
Quantitative inheritance of fungicide tolerance in a natural population of Cochliobolus carbonum D. R. MacKenzie, R. R. Nelson, and H. Cole 471
Role of cellular permeability alterations and pectic and cellulolytic enzymes in the maceration of carnation tissue by Pseudomonas caryophylli and Corynebacterium sp. ..... C. W. D. Brathwaite and R. S. Dickey 476
Calcium suppression of electrolyte loss from pepper leaves inoculated with Xanthomonas vesicatoria A. A. Cook and R. E. Stall 484
The relationship of insects to infection of cotton bolls by Aspergillus flavus L. J. Ashworth, Jr., R. E. Rice, J. L. McMeans, and C. M. Brown 488
Cyanide tolerance in Stemphylium loti ..... W. E. Fry and R. L. Millar 494
Development of cyanide tolerance in Stemphylium loti ..... W. E. Fry and R. L. Millar 501
The effects of growth regulating compounds on healthy and blister rust-infected tissue cultures of Pinus monticola A. E. Harvey, J. L. Grasham, and C. C. Waldron 507
Factors involved with the reaction of alfalfa to root rot caused by Phytophthora megasperma G. C. Marks and J. E. Mitchell 510
Phytoalexinlike compounds apparently involved in strawberry resistance to Phytophthora fragariae H. W. Mussell and R. C. Staples 515
Physiological responses of susceptible and resistant cucumber to Erwinia tracheiphila .. C. E. Main and J. C. Walker 518
Systemic uptake of ^{14}C-labeled 2-(4′-thiazolyl)benzimidazole in soybean ..... L. E. Gray and J. B. Sinclair 523
Systematic-host assay of sugarcane mosaic virus ..... J. L. Dean 526
Comparative properties of necrotic ringspot virus from peach and cherry ..... R. F. Bozarth 532
Hemolymph as a reservoir for the cowpea strain of southern bean mosaic virus in the bean leaf beetle S. A. Slack and H. A. Scott 538
Reaction of Nicotiana species to Alternaria alternata ..... J. R. Stavely, G. W. Pittarelli, and G. B. Lucas 541
Effect of leaf wetness duration and air temperature on Cercospora beticola infection of sugarbeet J. R. Wallin and D. V. Loonan 546
Apparent resistance to establishment of infection by curly top virus in tomato breeding lines P. E. Thomas and M. W. Martin 550

Effects of some phenolic compounds on the growth of Phialophora melinii and Fomes connatus
W. C. Shortle, T. A. Tattar, and A. E. Rich 552

Sequence of microorganisms and changes in constituents associated with discoloration and decay of sugar maples infected with Fomes connatus ..... T. A. Tattar, W. C. Shortle, and A. E. Rich 556

Pycnidial release and survival of Diplodia natalensis spores ..... G. E. Brown 559

The effect of various peptone sources on germ tube elongation in Uromyces phaseoli ..... R. M. Niles and A. E. Rich 562

Virulence of Cephalosporium gregatum and Verticillium dahliae in soybeans ..... H. Tachibana 565

Factors affecting manual transmission, purification, and particle lengths of wheat spindle streak mosaic virus
J. T. Slykhuis and Z. Polák 569

A black, readily sporulating mutant of Stemphylium solani ..... H. D. Wells, I. Forbes, and C. R. Markham 575

Phytopathological Notes

Inheritance of downy mildew resistance in two plant introductions of Lactuca sativa
L. Sequeira and J. B. Raffray 578

Isolation of Pseudomonas phaseolicola from bean leaves exhibiting systemic symptoms
D. C. Hildebrand and M. N. Schroth 580

Failure of aphids to transmit the Odontoglossum ringspot and Cymbidium mosaic viruses to orchid plantlets derived from meristem cultures ..... R. Namba and M. Ishii 582

Detection of phytoalexin in soybean roots .. W. A. Meyer, P. N. Thapliyal, J. A. Frank, and J. B. Sinclair 584

Dieback of carrot roots caused by Pythium debaryanum ..... F. D. McElroy, H. S. Pepin, and D. J. Ormrod 586

Effect of time of inoculation with potato virus Y on yield and quality of Burley tobacco ..... R. C. Sievert 588

A device for measuring bean plant anchorage and its relation to root rot severity
S. R. Siemer and E. K. Vaughan 590

Cultural characteristics of Polyporus amarus ..... W. W. Wilcox 592

The effect of darkness and moisture on sporulation of Pseudoperonospora cubensis in cucumbers
Y. Cohen, M. Perl, and J. Rotem 594

Persistence of Pythium myriotylum in soils ..... K. H. Garren 596

Mycoplasmalike bodies associated with Likubin-diseased Ponkan citrus
Ming-hsiung Chen, T. Miyakawa, and C. Matsui 598

No. 6—JUNE

George Flippo Gravatt, 1891-1969 ..... C. May 599

Symposium on dynamics of host-pathogen interactions and applications in plant improvement 600

Introductory remarks ..... J. F. Schafer 600
Systems analysis and the dynamics of epidemics ..... J. C. Zadoks 600
Host-pathogen dynamics of tobacco mosaic virus on tomato ..... L. J. Alexander 611
Genes for specific resistance: powdery mildew of barley ..... J. G. Moseman 617
Relationship of general resistance: late blight of potato ..... H. D. Thurston 620

Fusarium wilt of susceptible and resistant tomato isolines: spore transport
M. E. Mace, J. A. Veech, and F. Hammerschlag 627

Nutrient content of artificially defoliated branches of Betula papyrifera ..... H. L. Gross and M. J. Larsen 631

An inhibitor of tobacco mosaic virus produced by Physarum polycephalum ..... D. E. Mayhew and R. E. Ford 636

Pathological changes in ultrastructure: effects of victorin on resistant oat roots ..... H. Wheeler 641

Ribonucleic acids in spore germination of Ustilago maydis
F. K. Lin, F. L. Davies, R. K. Tripathi, K. Raghu, and D. Gottlieb 645

Infection structure differentiation by wheat stem rust uredospores in suspension ..... L. D. Dunkle and P. J. Allen 649

Ultrastructure of chrysanthemum stunt virus-infected and stunt-free mistletoe Chrysanthemum
R. H. Lawson and S. S. Hearon 653

Relation of age, sex, and mating of Macrosteles fascifrons to transmission of aster yellows ..... K. G. Swenson 657

Prevalence and pathogenicity of fungi associated with achenes of sycamore in the field and in storage
G. A. Fakir, R. E. Welty, and E. B. Cowling 660

Epidemiology and control of bean white mold ..... J. J. Natti 669

Ascochyta tritici on wheat ..... A. L. Scharen and J. M. Krupinsky 675

Incorporation of thymidine-^{3}H into carnation etched ring virus .. I. Fujisawa, M. Rubio-Huertos, and C. Matsui 681

Induced resistance to Cytospora in Prunus persica ..... J. W. Braun and A. W. Helton 685
Preservation of Corynebacterium insidiosum in a sterile soil mix without loss of virulence
R. B. Carroll and F. L. Lukezic 688
Partial characterization and use of a host-specific toxin from Helminthosporium sacchari on sugarcane
G. W. Steiner and R. S. Byther 691
Effects of tetracycline on the transmission and pathogenicity of the Western X disease agent in its insect and plant hosts ..... P. W. Amin and D. D. Jensen 696
A type of stable resistance to blast disease of rice ..... S. H. Ou, F. L. Nuque, T. T. Ebron, and V. A. Awoderu 703
A selective medium for the quantitative determination of Rhizoctonia solani in soil ..... W.-H. Ko and F. K. Hora 707
Mode of entry by Pythium perniciosum into strawberry roots ..... S. Nemec 711
Growth of Pseudomonas glycinea on the surface of soybean leaves ..... T. W. Mew and B. W. Kennedy 715
Effects of ambient sulfur dioxide and ozone on eastern white pine in a rural environment ..... A. C. Costonis 717
Induced resistance to Cytospora in bearing trees of Prunus domestica ..... A. W. Helton and J. W. Braun 721
Interference microscopy of onion epidermal nuclei in response to Botrytis allii infection
F. B. Kulfinski and A. J. Pappelis 72[illegible]
Influence of temperature on Phymatotrichum sclerotial formation and disease development
S. D. Lyda and E. Burnett [illegible]28
Relationships of molecular structure of 1,4-oxathiin fungicides to chemotherapeutic activity against rust and smut fungi in grasses ..... J. R. Hardison 731

Phytopathological Notes

Field and growth chamber approach to epidemiology of Pseudoperonospora cubensis in cucumbers
Y. Cohen and J. Rotem 736
The systemic fungicidal activity of triphenyl tin acetate against Cercospora beticola on sugarbeet .... Z. Solel 738
Growth stimulation of Sporobolus poiretii by Aphelenchoides besseyi ..... R. B. Marlatt and V. G. Perry 740
Wind dissemination of waterborne Erwinia amylovora from Pyrus to Pyracantha and Cotoneaster
R. J. Bauske 741
Occurrence of Perithecia of Gibberella sp. on carnation .... P. E. Nelson, B. L. White, and T. A. Toussoun 743
Effect of pectin source and sugars on polygalacturonase production by Ceratocystis ulmi
W. L. Biehn and A. E. Dimond 745
Transmission of Helminthosporium maydis race T by infected corn seed ..... C. W. Boothroyd 747
Transmission of barley yellow dwarf virus by different stages of the greenbug ... B. E. Halstead and C. C. Gill 749
Immunoelectrophoretic comparisons of three plant-parasitic nematodes ..... H. A. Scott and R. D. Riggs 751
Variation in transmission of an isolate of barley yellow dwarf virus by Rhopalosiphum padi
R. D. Price, I. Muller, and W. F. Rochow 753
Longevity of tobacco ringspot virus in soybean seed ..... F. A. Laviolette and K. L. Athow 755

No. 7—JULY

Tobacco streak virus isolated from strawberry infected with necrotic shock ... R. Stace-Smith and N. W. Frazier 757
Distribution of tobacco mosaic virus in etiolated tobacco leaf cells infected with two viruses .. Y. Hondo and C. Matsui 759
Filiform enations in virus-infected soybeans ..... S. S. Quiniones and J. M. Dunleavy 763
Growth of fungi in sorghum grain stored at high moisture contents ..... R. Burroughs and D. B. Sauer 767
Histopathology and cytology of Cronartium ribicola in tissue cultures of Pinus monticola
A. E. Harvey and J. Y. Woo 773
Biological control of seedling root rot of papaya caused by Phytophthora palmivora ..... W-H Ko 780
Studies with benomyl and Thiabendazole on control of cotton diseases ..... C. D. Ranney 783
Effects of oxygen and carbon dioxide tensions on growth of several species of Phytophthora
D. J. Mitchell and G. A. Zentmyer 787
Physiologic and environmental factors that effect the severity of snow mold of wheat .. G. W. Bruehl and B. Cunfer 792
Maize dwarf mosaic virus predisposes corn to root rot infection ..... J. C. Tu and R. E. Ford 800
Basal stem and root rot of Christmas cactus caused by Phytophthora parasitica .. S. A. Alfieri, Jr., and J. W. Miller 804
Effects of oxygen and carbon dioxide tensions on sporangium and oospore formation by Phytophthora spp.
D. J. Mitchell and G. A. Zentmyer 807

XUM

Influence of environment on Albizzia julibrissin root exudation and exudate effect on Fusarium oxysporum f. sp. perniciosum in soil ..... C. B. Redington and J. L. Peterson 812

A comparison of the modes of action of three benzimidazoles ..... J. Bartels-Schooley and B. H. MacNeill 816

Races of the aster-wilt Fusarium ..... G. M. Armstrong and J. K. Armstrong 820

The transmission of pea seed-borne mosaic virus by three aphid species ..... L. C. Gonzalez and D. J. Hagedorn 825

An optimum environment for the culturing of Coryneum carpophilum ..... R. E. Williams and A. W. Helton 829

Properties of a strain of bean pod mottle virus ..... B. J. Moore and H. A. Scott 831

Fusarium wilt of susceptible and resistant tomato isolines: host colonization ..... M. E. Mace and J. A. Veech 834

Phenolic extractives in Norway spruce and their effects on Fomes annosus ..... L. Shain and W. E. Hillis 841

A common gene for resistance to bean yellow mosaic virus and watermelon mosaic virus 2 in Pisum sativum
W. T. Schroeder and R. Provvidenti 846

Reduction of bacterial wilt by early harvest of tomato transplants
S. M. McCarter, T. H. Barksdale, and C. A. Jaworski 849

Pathogenic and nutritional variation in the halo blight group of fluorescent pseudomonads of bean
M. N. Schroth, V. B. Vitanza, and D. C. Hildebrand 852

Changes in carbon dioxide levels during sclerotial formation by Phymatotrichum omnivorum
S. D. Lyda and E. Burnett 858

Electron microscopy of cell wall thickening in local lesions of potato virus-M infected red kidney bean
J. C. Tu and C. Hiruki 862

Effect of plant hormones on virus-replacing capacity of cotton infected with tobacco mosaic virus .... P. C. Cheo 869

Phytopathological Notes

Immunodiffusion assay for potato virus M infection
J. F. Shepard, J. W. Jutila, J. E. Catlin, F. S. Newman, and W. H. Hawkins 873

Resistance of Libocedrus decurrens to Phoradendron boleanum subspecies pauciflorum ..... L. S. Felix 875

Local lesion formation in tobacco tissue culture ..... R. N. Beachy & H. H. Murakishi 877

Relationship of postinoculation humidity to bacterial leaf blight development on soybean
B. W. Kennedy and T. W. Mew 879

Effect of alanine on development of Verticillium wilt in cotton cultivars with different levels of resistance
D. Singh, L. A. Brinkerhoff, and G. Guinn 881

No. 8—AUGUST

Abstracts of Papers Accepted for Publication at the Sixty-Third Annual Meeting of The American Phytopathological Society, Philadelphia, Pennsylvania, 15-19 August 1971 883

Effect of infection by Verticicladiella wagenerii on the physiology of Pinus ponderosa
J. A. Helms, F. W. Cobb, Jr., and H. S. Whitney 920

Bearded iris mosaic virus: transmission, purification, inclusions, and its differentiation from bulbous iris mosaic
O. W. Barnett, G. A. de Zoeten, and G. Gaard 926

The effect of temperature on the pathogenicity of Pythium aphanidermatum, P. debaryanum, and P. ultimum on soybean ..... T. B. Thomson, K. L. Athow, and F. A. Laviolette 933

Systemic fungistatic activity of 1,1,1-trichloro-3-nitro-2-propanol against smut fungi in grasses .... J. R. Hardison 936

Sporadic development of Ustilago striiformis in axillary buds from stolen nodes of perennially infected Agrostis palustris ..... C. F. Hodges 940

Sodium azide as a protectant of serological activity and infectivity of plant viruses
G. V. Gooding, Jr., and J. P. Tsakiridis 943

Effects of air pollutants on Nicotiana cultivars and species used for virus studies
J. J. Grosso, H. A. Menser, G. H. Hodges, and H. H. McKinney 945

Basidiospore discharge in Gymnosporangium ..... S. M. Pady and C. L. Kramer 951

An inducer of soybean phytoalexin and its role in the resistance of soybeans to Phytophthora rot
J. A. Frank and J. D. Paxton 954

Epidemiology of stem blight of Vinca minor incited by Phoma exigua var. exigua
G. A. Paulson and D. F. Schoeneweiss 959

Detection of the systemic fungicide, Thiabendazole, in cotton plants and soil by chemical analysis and bioassay
D. C. Erwin, J. J. Sims, D. E. Borum, and J. R. Childers 964

Specificity of rishitin and phytuberin accumulation by potato ..... J. L. Varns, W. W. Currier, and J. Kuć 968

Resistance to Corynebacterium michiganense measured in six Lycopersicon accessions ..... B. D. Thyr 972
The survival of Phytophthora palmivora in a cacao plantation during the dry season ..... P. T. Onesirosan 975
Residual Dexon and the persistent effect of soil treatments for control of pea root rot caused by Aphanomyces euteiches ..... J. E. Mitchell and D. J. Hagedorn 978
Comparison of plant-pathogenic pseudomonads by disc-gel electrophoresis ..... B. C. Palmer and H. R. Cameron 984
Pathogenesis as influenced by the interaction of two virulent strains of Pseudomonas solanacearum in inoculated tobacco plants ..... E. I. Zehr 987
Comparative anatomy of healthy and exocortis virus-infected citron plants A. E.-S. A. Fudl-Allah, E. C. Calavan, and P. R. Desjardins 990
A new perspective of the axenic culture of Puccinia graminis f. sp. tritici from uredospores ..... P. G. Williams 994
Correlation of isolability of the oak wilt pathogen with leaf wilt and vascular water flow resistance G. F. Gregory 1003
Characterization of a virus-inhibiting polysaccharide from Phytophthora infestans F. A. Wood, R. P. Singh, and W. A. Hodgson 1006
Differences in virus-replicating capacity among plant species inoculated with tobacco mosaic virus P. C. Cheo and J. S. Gerard 1010
Influence of season on organisms infecting untreated southern pine stakes ..... E. R. Toole 1013
An ultrasonic inoculation method for tobacco mosaic virus bioassay C. R. Lamborn, G. W. Cochran, and J. L. Chidester 1015
Meiotic products from natural infections of Ustilago maydis ..... P. R. Day and S. L. Anagnostakis 1020
Abstracts of the 1971 Annual Meeting of the North Central Division of The American Phytopathological Society 1022

Phytopathological Notes

A technique for cryogenic storage of the Septoria leaf blotch pathogen of barley W. H. Anderson and B. Skovmand 1027
Epidemiology and symptomatology of apple bitter rot ..... J. Taylor 1028
Isolation and characterization of ribosomes from nongerminated conidia of Erysiphe graminis f. sp. tritici J. V. Leary and A. H. Ellingboe 1030
The state and infectivity of tobacco mosaic virus in flue-cured tobacco tissue G. E. Harman, G. V. Gooding, Jr., and T. T. Hebert 1032
A local lesion host for potato spindle tuber virus ..... R. P. Singh 1034
Mycoplasmas associated with X-disease in various Prunus species ..... A. L. Granett and R. M. Gilmer 1036
Effects of Meloidogyne arenaria, Aspergillus flavus, and curing time on infection of peanut pods by Aspergillus flavus ..... D. K. Bell, N. A. Minton, and Ben Doupnik, Jr. 1038

No. 9—SEPTEMBER

Lee Homer Person, 1904-1970 ..... G. B. Lucas and P. R. Miller 1041
Populations of Fusarium oxysporum f. sp. cepae in organic soils in New York .... G. S. Abawi and J. W. Lorbeer 1042
Relationship of inoculum density and soil types to severity of Fusarium wilt of sweet potato S. N. Smith and W. C. Snyder 1049
The inheritance of factors in Cochliobolus sativus conditioning lesion induction on gramineous hosts D. M. Kline and R. R. Nelson 1052
Interaction of Cronartium fusiforme and Cronartium quercuum with Quercus velutina ..... L. David Dwinell 1055
Purification and serology of maize dwarf mosaic and sugarcane mosaic viruses T. E. Snazelle, J. B. Bancroft, and A. J. Ullstrup 1059
Modification of tolerance of oats to crown rust by mutation induced with ethyl methanesulfonate ..... M. D. Simons 1064
Low-level jet winds, aphid vectors, local weather, and barley yellow dwarf virus outbreaks J. R. Wallin and D. V. Loonan 1068
Control of common and dwarf bunt of wheat by seed treatment with Thiabendazole ..... J. A. Hoffmann 1071
Biology and control of ergot on male sterile wheat and barley ..... S. B. Puranik and D. E. Mathre 1075
Pathogenic specialization of Cercospora beticola ..... Z. Solel and I. Wahl 1081
6a-Hydroxyphaseollin: an antifungal chemical induced in soybean hypocotyls by Phytophthora megasperma var. sojae N. T. Keen, J. J. Sims, D. C. Erwin, E. Rice, and J. E. Partridge 1084

XUM

Influence of sugarcane mosaic virus Strain H and Pythium graminicola on growth of sugarcane
H. Koike and S. Yang 1090

Independent inheritance of avirulence and dodine resistance in Nectria haematococca var. cucurbitae
A. Kappas and S. G. Georgopoulos 1093

Association of two Cylindrocladium species with "short life" of peach trees in Georgia ..... D. J. Weaver 1095

Failure of Ditylenchus dipsaci to promote infection by an antagonistic strain of Corynebacterium insidiosum
G. A. Nelson and E. J. Hawn 1097

Influence of powdery mildew infection on ^{35}S and ^{45}Ca accumulations in leaves of apple seedlings
J. Wieneke, R. P. Covey, Jr., and N. Benson 1099

Rate of spread and effect of tomato ringspot virus on red raspberry in the field
R. H. Converse and R. Stace-Smith 1104

A second antifungal polyacetylene compound from Phytophthora-infected safflower
E. H. Allen and C. A. Thomas 1107

Induced resistance to bean anthracnose at a distance from the site of the inducing interaction
J. E. Elliston, J. Kuć, and E. B. Williams 1110

Mode of inhibition of Rhizoctonia solani in chitin-amended soil ..... B. Sneh, J. Katan, and Y. Henis 1113

Pectic enzymes produced by Diplodia gossypina in vitro and in infected cotton bolls
Sy-ying C. Wang and J. A. Pinckard 1118

Influence of nutrition on stalk rot development of Zea mays ..... T. S. Abney and D. C. Foley 1125

Phytophthora blight, a new disease of Macadamia ..... J. E. Hunter, R. K. Kunimoto, and K. G. Rohrbach 1130

Absorption and movement of benomyl into cotton bolls and control of boll rot
R. B. Hine, L. J. Ashworth, Jr., A. O. Paulus, and J. L. McMeans 1134

Temporary symptom remission of strawberry June yellows and witches'-broom by use of oxytetracycline
D. P. Huhtanen and R. H. Converse 1137

Effect of pesticides on growth and sclerotial production of Sclerotium rolfsii .... G. A. Bozarth and B. G. Tweedy 1140

Phytopathological Notes

A numerical index for rating trees with oak wilt ..... R. L. Anderson and O. H. Calvert 1143

The control of black rot of sweet potatoes by the use of fungicide dips at various temperatures
R. H. Daines 1145

Isoenzymes of Victoria blight-resistant oat lines selected from susceptible cultivars
H. Wheeler, A. Novacky, and H. H. Luke 1147

Pythium aphanidermatum oospore germination as affected by time, temperature, and pH ..... P. B. Adams 1149

No. 10—OCTOBER

Helen Hart, 1900-1971 ..... C. J. Eide 1151
Clarence John Humphrey, 1882-1970 ..... H. N. Humphrey and M. W. Gardner 1152
The production of a noninfectious lettuce root rot under controlled environmental and soil conditions
J. P. Hartnett and J. W. Lorbeer 1153
Component ratio differences in strains of alfalfa mosaic virus .... F. W. Schwenk, S. H. Smith, and H. E. Williams 1159
Pathological histology of four onion cultivars infected by Fusarium oxysporum f. sp. cepae
G. S. Abawi and J. W. Lorbeer 1164
Phyllosticta maydis species nova, the incitant of yellow leaf blight of maize ..... D. C. Arny and R. R. Nelson 1170
Sucrose in virus transmission ..... C. E. Yarwood 1173
Mycoplasmalike bodies in periwinkle: their cytology and transmission by pear psylla from pear trees affected with pear decline ..... G. H. Kaloostian, H. Hibino, and H. Schneider 1177
Relationship of harvesting methods and laboratory drying procedures to fungal populations and aflatoxins in peanuts in Oklahoma ..... G. L. Barnes and H. C. Young, Jr. 1180
Ceratocystis fagacearum not transmitted by ambrosia beetles ..... H. W. Wertz, J. M. Skelly, and W. Merrill 1185
Effect of soil solution and two soil pseudomonads on sporangium production by Phytophthora cinnamoni
W. A. Ayers and G. A. Zentmyer 1188
Proliferation of Aspergillus flavus in artificially infested windrow-dried peanut fruit in Virginia
D. Morris Porter and F. Scott Wright 1194
Translocation of benomyl in creeping bentgrass ..... W. A. Meyer, J. F. Nicholson, and J. B. Sinclair 1198
Physiologic specialization and sources of resistance to wheat leaf rust in Kenya ..... D. E. Harder 1201
Influence of air temperature on brown stem rot of soybean ..... D. V. Phillips 1205
Ozone injury to plants as influenced by air velocity during exposure ..... A. S. Heagle, W. W. Heck, and D. Body 1209
Symptomless carriers of the tomato Fusarium wilt pathogen ..... J. Katan 1213

Inheritance of resistance to powdery mildew in cucumber
S. Shanmugasundaram, P. H. Williams, and C. E. Peterson 1218
Properties of a virus isolated from golden elderberry, Sambucus nigra aurea ..... A. J. Hansen and R. Stace-Smith 1222
Acquisition through artificial membranes and transmission of oat blue dwarf virus by Macrosteles fascifrons
Donna L. Long and R. G. Timian 1230
Some factors affecting the occurrence and development of foot rot on citrus trees ..... J. O. Whiteside 1233
The influence of races of Heterodera glycines on nodulation and nitrogen-fixing capacity of soybean
P. S. Lehman, D. Huisingh, and K. R. Barker 1239
Structural integrity of the cotton fruit and infection by microorganisms ..... L. J. Ashworth, Jr., and R. B. Hine 1245
Histology and ultrastructure of flax crinkle ..... E. E. Banttari and R. J. Zeyen 1249
Effect of inoculum density of Sclerotium cepivorum and some soil environmental factors on disease severity
P. B. Adams and G. C. Papavizas 1253
Vector preference, a factor of resistance to curly top virus in certain tomato cultivars
P. E. Thomas and M. W. Martin 1257
Changes in phenol metabolism associated with induced systemic resistance to tobacco mosaic virus in Samsun NN tobacco ..... T. J. Simons and A. F. Ross 1261
Dimorphism in Verticillium albo-atrum as affected by initial spore concentration and antisporulant chemicals
N. T. Keen, M. C. Wang, Margaret Long, and D. C. Erwin 1266
Relative differential efficiency of buds and root chips in transmitting the causal agent of peach stem pitting and incidence of necrotic ringspot virus in pitted trees ..... S. M. Mircetich, E. L. Civerolo, and H. W. Fogle 1270
Effects of gaseous hydrogen fluoride on oxidative enzymes of Pelargonium zonale leaves
B. W. Poovaiah and H. H. Wiebe 1277
Analyses involving inoculum density of soil-borne plant pathogens in epidemiology ..... R. Baker 1280
Identification of four Phytophthora isolates previously unreported from Arizona ... J. E. Wheeler and A. M. Boyle 1293

Phytopathological Notes
Interaction of Macrophomina phaseolina and Meloidogyne javanica on Ligustrum japonicum
S. A. Alfieri, Jr., and D. E. Stokes 1297
An improved bioassay for Pyrenochaeta terrestris in soil ..... F. L. Pfleger and E. K. Vaughan 1299
Translocation of benomyl, carboxin, and chloroneb in soybean seedlings .... P. N. Thapliyal and J. B. Sinclair 1301
Occurrence of a strain of tobacco streak virus in North Carolina ..... G. V. Gooding, Jr. 1303
Viburnum calico caused by a strain of alfalfa mosaic virus .... H. E. Williams, S. H. Smith, and F. W. Schwenk 1305
Increases in peroxidase isoenzyme activity in bean leaves exposed to low doses of ozone
C. R. Curtis and R. K. Howell 1306
Postharvest chemical treatments for control of blue mold of apples in storage
D. H. Spalding and R. E. Hardenburg 1308
Improved techniques for initiation of bacterial brown spot of bean in the greenhouse
S. M. Saad and D. J. Hagedorn 1310
Root distribution as a factor influencing symptom expression of Verticillium wilt of cotton
D. J. Phillips and S. Wilhelm 1312
Weed hosts of the SFR strain of Pseudomonas solanacearum, causal organism of bacterial wilt of bananas
L. A. Berg 1314
Association of a mycoplasma with haywire disorder of potatoes ..... J. S. Semancik and J. Peterson 1316
Inheritance of resistance to tobacco etch and cucumber mosaic viruses in Capsicum frutescens
E. P. Barrios, H. I. Mosokar, and L. L. Black 1318

No. 11—NOVEMBER

MICHAEL SHAPOVALOV, 1880-1969 ..... L. SHAPOVALOV and J. LESLEY 1319
ABSTRACTS OF THE FIFTY-FIFTH ANNUAL MEETING OF THE PACIFIC DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 1320
Influence of fungi on cotton seed deterioration prior to harvest
R. W. RONCADORI, S. M. MCCARTER, and J. L. CRAWFORD 1326
Factors affecting Stromatinia root rot of gladiolus ..... M. K. BEUTE 1329
Disease complexes in tobacco involving Meloidogyne incognita and certain soil-borne fungi
N. T. POWELL, P. L. MELÉNDEZ, and C. K. BATTEN 1332
Effectiveness of the chromatographic method for detecting exocortis virus infection in Poncirus trifoliata
A. W. FELDMAN, G. D. BRIDGES, R. W. HANKS, and H. C. BURNETT 1338
Importance of Phytophthora spp. and aeration in root rot and growth inhibition of orange seedlings
L. J. KLOTZ, L. H. STOLZY, C. K. LABANAUSKAS, and T. A. DEWOLFE 1342
Existence of chlamydospores of Alternaria porri f. sp. solani as overwintering propagules in soil
P. K. BASU 1347

XUM

Prevention of Dutch elm disease in large nursery elms by soil treatment with benomyl . . . . . E. B. SMALLEY 1351
Responses of fungal hyphae to soil fungistasis . . . . . S. C. HSU and J. L. LOCKWOOD 1355
Studies on the mode of action of the phytoalexin phaseollin . . . . . H. D. VANETTEN and D. F. BATEMAN 1363
Floral induction and development in Poa pratenis infected with Ustilago striiformis var. poae and Urocystis agropyri . . . . . C. F. HODGES 1373
Gas exchange studies on the transpiration and photosynthesis of tomato leaves affected by Fusarium oxysporum f. sp. lycopersici . . . . . J. M. DUNIWAY and R. O. SLATYER 1377
Properties of germination inhibitors from stem rust uredospores P. J. ALLEN, R. N. STRANGE, and M. A. ELNAGHY 1382
Amsoy soybean seed germination inhibited by Pseudomonas glycinea J. F. NICHOLSON and J. B. SINCLAIR 1390
Effects of nitrogen compounds on resistance of Gossypium arboreum seedlings to Colletotrichum gossypii KATHARINA BOLLENBACHER and N. D. FULTON 1394
Chemotherapy of smut and rust pathogens in Poa pratensis by thiazole compounds . . . . . J. R. HARDISON 1396
Effect of phosphate fertilization on yield of mycorrhizal and nonmycorrhizal soybeans . . . . . J. P. ROSS 1400

PHYTOPATHOLOGICAL NOTES
Effect of ozone on sterols and sterol derivatives in bean leaves . . . . . H. TOMLINSON and S. RICH 1404
Tolerance of Phaseolus lunatus to bacterial brown spot D. J. HAGEDORN, R. E. RAND, and S. M. SAAD 1406
Evidence for a single coat protein in southern bean mosaic virus . . . . . J. H. HILL and R. J. SHEPHERD 1408
Variation in pathogenicity of Cephalosporium gregatum isolates . . . . . L. E. GRAY 1410
Chlamydospore formation in sporangium-free liquid cultures of Phytophthora parasitica . . . . . P. H. TSAO 1412
A simple method for producing Cercospora arachidicola conidial inoculum . . . . . D. H. SMITH 1414

No. 12—DECEMBER

Control of Fusarium wilt of tomato with lime and soil fumigants . . . . . J. P. JONES and A. J. OVERMAN 1415
Mechanical transmission, host range, and physical properties of the beet yellow vein virus E. G. RUPPEL and J. E. DUFFUS 1418
Methods of preservation of Corynebacterium insidiosum isolates in relation to virulence and colony appearance on a tetrazolium chloride medium . . . . . R. B. CARROLL and F. L. LUKEZIC 1423
Influence of low temperature during cottonseed germination on growth and disease susceptibility S. M. McCARTER and R. W. RONCADORI 1426
Pectate and pectin gels for differentiation of Pseudomonas sp. and other bacterial plant pathogens D. C. HILDEBRAND 1430
Pathogenesis and halo formation of the tobacco brown spot lesion . . . . . C. E. MAIN 1437
Determination of losses in soybeans caused by Rhizoctonia solani H. TACHIBANA, D. JOWETT, and W. R. FEHR 1444
Nullification of antagonism of Phoma betae by Bacillus subtilis var. niger in soil and in a simulated rhizosphere F. S. SCHÖNBECK and W. A. KREUTZER 1447
Summer death of French bean: new hosts of the pathogen, vector relationship, and evidence against mycoplasmal etiology . . . . . J. W. BOWYER and J. G. ATHERTON 1451
Rate and extent of colonization of naturally and artificially inoculated American elms by Ceratocystis ulmi J. H. HART and W. R. LANDIS 1456
Light and antifungal polyacetylene compounds in relation to resistance of safflower to Phytophthora drechsleri C. A. THOMAS and E. H. ALLEN 1459
Control of Ustilago striiformis and Urocystis agropyri in Poa pratensis by thiophanate fungicides J. R. HARDISON 1462
Herbaceous host plants of Western X-disease agent . . . . . D. D. JENSEN 1465
Evaluation of a method used to estimate loss in yield of potatoes caused by late blight W. C. JAMES, L. C. CALLBECK, W. A. HODGSON, and C. S. SHIH 1471
Triglycerides and cercosporin from Cercospora beticola: fungal growth and cercosporin production C. BALIS and M. G. PAYNE 1477
Cercospora leaf spot as a predisposing factor in storage rot of sugar beet roots . . . . G. A. SMITH and E. G. RUPPEL 1485
Phytotoxicity of T-2 toxin produced by Fusarium tricinctum W. F. O. MARASAS, E. B. SMALLEY, J. R. BAMBURG, and F. M. STRONG 1488
Tolerance and uptake of 1,2-dibromoethane by nematode-trapping fungi . . . . . R. MANKAU and J. IMBRIANI 1492
Differences among lines and varieties of maize in susceptibility to damage by storage fungi E. MORENO-MARTINEZ and C. M. CHRISTENSEN 1498
Inheritance of stem and leaf rust resistance in agent and Agrus cultivars of Triticum aestivum F. J. GOUGH and O. G. MERKLE 1501

Vegetation injury from the interaction of nitrogen dioxide and sulfur dioxide
D. T. TINGEY, R. A. REINERT, J. A. DUNNING, and W. W. HECK 1506
Influence of planting media and soil sterilization on the uptake of benomyl by American elm seedlings
L. R. SCHREIBER, W. K. HOCK, and B. R. ROBERTS 1512
Factors affecting aphid transmission of maize dwarf mosaic virus to corn ..... J. C. TU and R. E. FORD 1516

PHYTOPATHOLOGICAL NOTES
Benomyl controls rice white tip disease .....G. E. TEMPLETON, T. H. JOHNSTON, and J. T. DANIEL 1522
Sclerotinia blight of Stephanotis flowers ..... R. D. RAABE 1524
Index for 1971 ..... *1*
Errata *36*
Tables of Contents for 1971 i

INDEX

For Volume 61

XUM

INDEX FOR VOLUME 61

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in boldface. A special listing is made of "new diseases, species, and varieties". Pages of errata are in brackets.

Abawi, G. S., 127, (130), 883, 1042, 1164
Abney, T. S., 1125
Abu-El-Haj, F., (194)
Acacia
  koa, collar rot caused by Calonectria sp., 1322
  mearnsii, black butt disease, 144
Acedo, G. N., 312
Acer saccharum (see also **maple, sugar-**)
  lead, mercury, and sodium contamination in cities, 912
  wood decay and discoloration associated with analyses and Fomes connatus, 132
Acetomonas sp., pink disease of pineapple, temp and moisture requirements for, 908
Acyrthosiphon pisum (see **aphids**)
Adams, P. B., 93, 1149, 1253
Agaricus bisporus
  bacterial blotch, epidemic development, 913
  Verticillium malthousei conidia influenced by, 133
Agrios, G. N., (312)
Agrobacterium spp., polypectate gels for identification, 1430
  tumefaciens
    DNA bacteriophages from properties of, 902
    isolates, comparison of, 337
    nucleic acids of, 335
    tumor-inducing ability, genetic evidence of pleiotrophic factors, 899
Agropyron spp., Pyrenophora trichostoma pathogenic on 28, **31**
Agrostis palustris (see also **bentgrass**)
  stripe smut development in axillary buds, 940, **941**
Ahrens, R. W., (54)
Ailanthus altissima, lead, mercury, and sodium contamination in cities, 912
air pollution (see **pollution, air-**)
Albersheim, P., (897)
Albert, J. J., 883
Albizzia julibrissin (see **mimosa**)
Alexander, L. J., (442), 611
alfalfa
  Ascochyta imperfecta, flavonoid compounds in plants infected with, 65
  bacterial wilt, 256, **258**
    failure of nematode to promote, 1097
    induced resistance to, 887
    preservation of virulence, 688
  fungistatic effect of extract on soil fungi, 1355, **1360**, **1361**
  Meloidogyne incognita egg hatching in root extract, 894
  nematode and bacteria on, interrelationship of, 256, **258**
  Pseudopeziza medicaginis, diseased leaves as ascospore source, 910
  root exudates, influence of clipping on carbohydrates in, 128
  root rot, factors involved in reaction to, 510, **512**
  Xanthomonas alfalfae, protease production by, 361
alfalfa mosaic virus
  alfalfa, resistance in, 369
  antigenicity and infectivity, protection of, 943
  in chickpea, 372, **374**
  chickpea wilt, etiology of, 453, **455**
  strains, component ratio differences, 1159
  Viburnum calico caused by strain of, **1305**
Alfieri, S. A., Jr., (58), 804, 883, 1297
Allen, E. H., 1107, (1459)
Allen, P. J., (648), 1382
Allen, R. M., (903)
Allium (see **onion**)
Alternaria spp.
  sorghum, storage fungi in grain, 767
  sycamore achenes, associated with, 660, **667**
  tenuazonic acid, toxic substance produced by, 913
  alternata
    Nicotiana spp.
      isolation from, 916
      reaction of, 541, **544**
    tobacco
      effect on growth, 911
      relation of leaf age to reaction, 73, **75**, **76**
  porri solani, chlamydospores as overwintering propagules, 1347, **1349**
  solani
    fungicide assay, 130
    sporulation, method of inducing, 239
    temp, effect of life cycle and pathogenesis, 129
  tenuis
    peanuts, relationship of harvesting method to populations in, 1180
    on tobacco, pathogenesis, 1437, **1438**
    toxin, technique for evaluation of activity of, 132
Amburgey, T. L., 883
American Phytopathological Society
  annual meeting abstracts, 883
  division abstracts
    North Central, 1022
    Northeastern, 127
    Pacific, 1320
  fellows, 5
  Ruth Allen award, 4
Amin, P. W., 696
amino acid(s)
  alanine, Verticillium wilt of cotton, effect on, 881, **882**
  cotton resistance to anthracnose, role in, 1394
  methionine, effect on powdery mildew of apple, 346
Ammon, V. D., 883
ammonium, lettuce rib necrosis, effect on, 1324
Anagnostakis, S. L., (169), (1020)
Anderson, A. J., (897)
Anderson, G. W., (366)
Anderson, N. A., 883
Anderson, R. L., 1143
Anderson, W. H., 1027
anoxia (see also **oxygen**)
  Monilinia fructicola conidia, response of, 61
antagonism
  Corynebacterium to Ditylenchus dipsaci on alfalfa, 1097
  Phoma betae nullified by Bacillus, 1447
  Rhizoctonia solani in chitin-amended soil, mode of inhibition of, 1113
  Trichoderma viride and Poria monticola on wood, 124
  Verticillium malthousei conidia germination affected by Agaricus bisporum, 133
  Xanthomonas and saprophytic bacteria on rice leaves, 1321
antibiotics
  Blasticidin S, inhibition of bromegrass mosaic virus, 10
  cycloheximide, bacterial hypersensitive reaction and pathogenesis, differentiation, 906
  oxytetracycline, remission of strawberry June yellows and witches'-broom symptoms, 1137, **1139**
  Pseudomonas morsprunorum, production by, 892
  streptomycin
    effect on fire blight development in artificially injured trees, 915
    Xanthomonas dieffenbachiae, resistance of strains, 898

tetracycline
potato haywire disorder, effect on, 1316
remission of pear decline and peach X-disease symptoms, 904
western X disease, effect on vectors and host plants of, 696
tetracycline HCl, mycoplasmalike bodies, electron microscopic studies, 917
Aphanomyces euteiches
asexual spores, ultrastructure during differentiation, 895
pea root rot
control with Dexon, 978
effect of amendments and fungicides on, 215
S-containing volatiles and cabbage vapors, effect of, 208, **212**
Aphelenchoides besseyi
grass growth stimulated, 740
on rice, control by benomyl, 1522
aphid(s) (see also under insects as vectors and under genera of)
barley yellow dwarf outbreaks, influence of weather on, 1068
cucumber mosaic virus, effect of EDTA on transmission of, 907
tobacco mosaic virus, tracing of labelled-, 15, 16–20
apple
bitter rot, epidemiology and symptomatology, 1028
blue mold, postharvest chemical treatment for, [1308]
collar rot disease, seasonal fluctuation is susceptible to, 1023
fruit rot and leaf blotch caused by Glomerella cingulata, 221, **222**
Monochaetia mali, etiology of, 904
Nectria galligena, chemical control of leaf scar infection by, 1320
peroxyacetylnitrate, influence of, 128
postharvest decay, comparison of enzymes in, 917
powdery mildew
control with triarimol, 884
effect of methionine on, 346
influence of S and Ca accumulation in leaves, 1099, **1100–1102**
rust, basidiospore discharge, 951
scab
ascospores, sensitivity to dodine, 128
control with
Difolatan, 893
triarimol, 884
periderm limits development, 890
virus, characteristics of new, 431, 432
apple chlorotic leaf spot virus, antigen, soluble, related to infection, 887
apricot, pores in leaf cuticles, identification and distribution of, 1323
Apt, W. J., (1323)
Arachis hypogaea (see peanut)
Aragaki, M., (1321), (1323)
Arceuthobium pusillum (see dwarf mistletoe)
Armillaria mellea, sugar maple, enhanced growth on root extract from, 915
Armstrong, G. M., 820, 884
Armstrong, J. K., (820), (884)
Arneson, P. A., 344
Arnold, W. R., 884
Arny, D. C., 54, 1170
Arthrobotrys spp., tolerance to dibromoethane, 1492
Ascochyta
imperfecta, alfalfa, flavonoid compounds in infected, 65
tritici, wheat, new leaf-spot disease on, 675, 677–679
ash (see **Fraxinus spp.**)
ash ringspot virus, nematode transmission, 129
Ashworth, L. J., Jr., 488, (1134), 1245, 1320
Aslam, M., 884
asparagus, crown rot, association of Fusarium moniliforme with, 891
aspen, Hypoxylon mammatum, alteration in sugar translocation incited by, 366
Aspergillus spp.
soil fungistasis, response to, 1355, **1360, 1361**
sorghum, storage fungi in grain, 767
flavus
aflatoxin
production reduced in presence of DMSO, 907
synthesis inhibition by DMSO, 380
conidial germination, C and N requirements for, 905
cotton boll infection, relationship of insects to, 488, **490, 492**
cotton boll rot, control with benomyl, **1134, 1135**
peanut cotyledon, antifungal compound from, 901
peanut pods, effect of nematode and curing time on infection of, 1038
peanuts
proliferation in, 1194
relationship of harvesting method to populations in, 1180
rice, invasion of rough-, in storage, 910
niger
cotton boll infection, insects related to, 488, **490, 492**
pea, toxicity of extract from infected, 894
spore germination, effect of triarimol on, 896
repens and ruber, sycamore achenes, associated with, 660, **667**
aster, Fusarium wilt fungus, races of, 820
aster yellows (see also **mycoplasma**)
chemotherapy, buffers affecting tetracycline, 130
leafhopper transmission, relation of age, sex, and mating to, 657
pseudocolonies on solid agar, 902
tetracycline, effect of, 917
Atherton, J. G., (1451)
Athow, K. L., (439), (755), (933)
Aureobasidium sp., sycamore achenes, associated with, 660, **667**
Awoderu, V. A., (703)
axenic culture, Tieghemiomyces parasiticus, 885
Ayers, W. A., 1188
azalea (see also **Rhododendron spp.**)
Cylindrocladium spp., pathogenicity of, 883

Bacillus sp., sugar maple seedlings, role in inoculated, 896
subtilis niger, antagonistic to fungi, 1447
bacteria (see also under specific genera)
bacteriophages from Agrobacterium tumefaciens, 902
hypersensitivity and pathogenesis using cycloheximide, 906
seed-borne, inhibitor of germination, 1390
selective medium for enumerating Erwinia spp., 425
serology of pseudomonads, 443, **446–449**
soft rot of potato seed pieces induced by soil-borne fungi, 1324
soil, medium for isolation of soft rot from, 1022
spp. differentiated by polypectate gels, 1430
storage in liquid N, 904
strain interaction in pathogenesis, 987
taxonomy
electrophoretic comparison of pseudomonads, 984
fluorescent pseudomonads of bean, 852
virulence, preservation of, in sterile soil, 688
bacterial diseases, cotton boll diseases, effect of structural integrity on, 1245

XUM

Bain, O. M., (1025)
Baker, R., (895), 1280
Baldulus tripsaci, transmission of corn stunt mycoplasma, 240
Balis, C., 1477
Bamburg, J. R., (1488)
banana
bacterial wilt, weed hosts of Pseudomonas solanacearum SFR strain, 1314
leaf spot, ascospore survival, 139
postharvest rot fungi, sensitivity to chlorine, 344
Bancroft, J. B., (918), (1059)
Banfield, W. M., (129)
Banttari, E. E., 1249
Barker, K. R., (1239)
Barksdale, T. H., (849)
barley
bromegrass mosaic virus, inhibition of multiplication, 10
Curvularia sp., establishment of, 128
ergot, biology and control on male sterile, 1075
Helminthosporium sp., establishment of, 128
mildew, transfer of S from host to parasite, 896
powdery mildew resistance, genes for, 617
Septoria leaf blotch pathogen, cryogenic storage of, 1027
snow mold, role of basidial stage, 889
spot blotch pathogen, genetic factors for lesion induction, 1052
barley stripe mosaic virus, replicative form RNA, characterization, 907
barley yellow dwarf virus
aphid transmission, isolate variation in, 753
outbreaks, factors influencing, 1068
transmission by stages of the greenbug, 749
Barnes, G. L., 1180
Barnett, H. L., (885), (897)
Barrios, E. P., 1318
Barron, G. L., (42)
Bartels-Schooley, J., 816
Bartnicki-Garcia, S., (901)
Basu, P. K., 1347
Bateman, D. F., (912), (915)
Bates, J. J., 884
Bath, J. E., (894)
Batten, C. K., (1332)
Bauske, R. J., 741
Bdellovibro bacteriovorus, bacterial blight of soybean, inhibition of, 1025
Beachy, R. N., 877, 884
Beam, H. W., 884
bean (see also lima bean and **Phaseolus vulgaris**)
anthracnose, induced resistance to, 1110, 1111
bacterial brown spot, technique for initiation in greenhouse, 1310
benomyl
transport into plant organs, 91, 92
uptake, 132
Fusarium-infected hypocotyl, phenol and phytoalexin accumulation in, 887
Fusarium root rot, measuring severity, 590
halo blight
pathogens, variation in, 852
systemic symptoms, 580
ozone
effect on steroid content of leaves, 132, 1404
injury
influenced by air velocities, 1209
reduced with benzimidazole, 906
peroxidase isozymes activated by, 1306
peanut stunt virus, 328, 329
peroxidase induction and photoreversal, 893
phaseollin, mode of action of, 1363, 1368
phytoalexins, Fusarium and Thielaviopsis, induced by, 322
Pseudomonas phaseolicola infection enhanced with nucleotide, 905
Pseudomonas syringae pathogenicity influenced by isolate source, 908
Pythium stem blight of, 898
Pythium ultimum, behavior in spermosphere, 165
Rhizoctonia solani-infected tissue, antifungal compound from, 912
rust, effect
of oxycarboxin on, 884
on transpiration and stomatal response, 114
Sclerotinia sclerotiorum, histopathology in hypocotyl, 901
southern bean mosaic virus, distribution and fate in seed, 903
tobacco mosaic virus
effect of
leaf detachment on susceptibility, 22, 26, 354, 356
pokeweed inhibitor on retention of, 918
ultrasonic inoculation of, 1015, 1016
white mold, epidemiology of, 669
bean common mosaic virus, local lesion host for, new, 1026
Bean, G. A., 380, (907)
bean leaf beetle, cowpea strain of southern bean mosaic virus, hemolymph as reservoir, 538
bean pod mottle virus
soybean mosaic virus, interaction with, on soybean, 763 764, 900
strain, properties of a, 831, 832
bean yellow mosaic virus
chickpea, 372, 374
chickpea wilt, etiology of, 453, 455
pea, common gene for resistance to WMV-2, 846, 847
bearded iris mosaic virus, characteristics of, differentiation from BIMV, 926, 928, 930, 931
beets
Cercospora beticola, pathogenic specialization of, 1081
damping-off, mode of action of PCNB in soil against, 1322
beet yellow vein virus, transmission, host range, and properties, 1418, 1419
Belamcanda chinensis (see **aphids**)
Bell, D. K., 1038
Belser, W. L., Jr., (283)
benomyl (see also **fungicides, specific**)
uptake by elm seedlings, 1512
white tip disease of rice controlled by, 1522
Benson, N., (1099)
bentgrass (see also **Agrostis palustris**)
benomyl, translocation of, 1024, 1198
benzimidazole (see **fungicides, specific**)
Beraha, L., 885
Berg, L. A., 1314
Berger, R. D., 885
Bermudagrass, Meloidogyne graminis, influence on sex differentiation of, 916
Berry, C. R., 231
Berry, W. L., (1323)
Beta vulgaris (see **sugar beet**)
Betula sp.
Ceratocystis ulmi, downward movement of spores, 127
peroxyacetylnitrate, influence of, 128
papyrifera (see **white birch**)
Beute, M. K., 1329
Biehn, W. L., 127, 242, 745
Billeter, B. A., (885)

Binder, F. L., (892), 885
biological control
Phytophthora root rot of papaya, 780, 781
Rumex rust as control agent of curly dock, 102, 104
birch
birch cyst nematode, immunoelectrophoretic comparison among Heterodera spp., 751
yellow, wounds, discoloration and decay associated with, 896
Birchfield, W., 885
birdsfoot trefoil
Myrothecium leaf spot, 127
Stemphylium spp., resistance to, 494
Bisogno, C. D., (892)
Black, L. L., (1318)
Black, L. M., (896), (902)
Blazquez, C. H., 885
Bloom, J. R., (128), (894)
Bloomberg, W. J., 467
Blount, V. L., (916)
Blowers, D. R., (128)
blueberry
highbush, shoestring and stunt-diseased plants, electron microscopy of, 894
stunt, mycoplasmalike organisms in infected plants, 127, 233, 234, 235
bluegrass (see Poa pratensis)
blue spruce (see Picea pungens)
Body, D., (1209)
Bollenbacher, K., 1394
Boller, R. A., (910)
Boothroyd, C. W., 747, 885
Bootsma, A., 1022
boron (see fungicides, specific)
Borum, D. E., (964)
Bose, E., (905), (1323)
botran (see fungicides, specific)
Botrytis sp., tobacco disease complexes involving nematode, 1332, 1333, 1334
allii, onion, interference microscopy of epidermal cell nuclei, 724
cinerea
growth response of strains to DCNA, 900
growth and sporulation, relationship of light to, 895
soil fungistasis, response to, 1355, 1360, 1361
spore liberation under controlled environment, 131
Bowman, T., (916)
Bowyer, J. W., 1451
Boyle, A. M., (1293)
Boyle, J. S., 127, 886
Bozarth, G. A., 1140
Bozarth, R. F., 127, 532, 886, (1322)
Brathwaite, C. W. D., 317, 476
Braun, J. W., 685, (721)
Braverman, S. W., 127, (128), (427), 886
Bremia lactucae, lettuce downy mildew resistance, inheritance of, 578
Bridges, G. D., (1338)
Brinkhoff, L. A., (881)
brome grass, Pyrenophora trichostoma pathogenic on, 28, 31
bromegrass mosaic virus
barley, inhibition of multiplication with antibiotics, 10
distribution in corn, wheat, oats, and peas, 1024
Brookhouser, L. W., 409
Browder, L. E., (884), 886
Brown, C. M., (488)
Brown, G. E., 559
Brown, I. F., Jr., 886
Brown, M. F., (883)
Brown, T. S., Jr., 886
Bruehl, G. W., 792
Brunton, E. W., (896)
Buchenauer, H., 433, 1320
Buck, G. J., (45)
Buddenhagen, I. W., (1321)
Burgis, D. S., (888)
Burkholder, E. C., (891)
Burleigh, J. R., (891)
Burnett, E., (728), (858)
Burnett, H. C., (1338)
Burroughs, R., 767
Busch, L. V., (128)
Bushnell, W. R., 376
Bussel, J., 61
Butzonitch, I. P., 1022
Byther, R. S., (691), 1320

cabbage
Aphanomyces euteiches, effect of vapors on, 208, 212
black rot, inheritance of resistance to, 917
turnip mosaic virus, failure to recover, 1023
Xanthomonas campestris, growth and movement in natural fluids in relation to infection, 919
cacao, Phytophthora palmivora, survival during dry season, 975
Calavan, E. C., (990), (1321)
Calbeck, L. C., (1471)
calcium
apple leaves, influence of powdery mildew on accumulation in, 1099, 1100–1102
bacterial spot of pepper, suppression of electrolyte loss, 484
Calderone, R. A., (904)
Caldwell, R. L., (903)
Caldwell, R. W., 1022
Callistephus chinensis, aster yellows-diseased plants, buffers affecting tetracycline chemotherapy of, 130
Calonectria sp.
Acacia koa, collar rot of, 1322
papaya collar rot, characterization and pathogenicity of pathogen, 1323
Calpouzos, L., (887), 1022
Calvert, O. H., (1143)
Cameron, H. R., (984)
Campana, R., 127, 887
cantaloupe, Verticillium spp., pathogenicity of isolates, 435
Capsicum (see pepper)
captafol (see fungicides, specific)
captan (see fungicides, specific)
carbohydrates
alfalfa root exudates, influence of clipping on, 128
wheat, role in resistance to snow mold, 792
carbon, Aspergillus flavus conidial germination, requirements for, 905
carbon dioxide
effects on Phytophthora spp., growth of, 787
fixation and incorporation into Uromyces phaseoli uredospores, 400
Phymatotrichum omnivorum sclerotial formation, changes during, 858
Phytophthora spp., effects on sporulation of, 807
carboxin (see fungicides, specific)
Cardoso, C. O. N., 887
Carica papaya (see papaya)
Carlson, C. E., 887
Carlson, R. V., (904)
carnation
bacteria, tissue maceration by, 476
bacterial-induced permeability alterations, 317

XUM

Gibberella sp., occurrence of perithecia, 743, 744
Helminthosporium maydis and related spp., pathogenicity of, 891
carnation etched ring virus, incorporation of thymidine into, 681, 682, 683
Carpophilus spp., cotton boll infection, insects related to, 488, 490, 492
Carroll, R. B., 688, 887, 1423
carrot
dieback of roots, 586
postharvest decay, selective medium for enumerating bacteria, 425
Carter, J. C., 441
Carthamus tinctorius (see safflower)
Cassia obtusifolia, strawberry anthracnose, reservoir for, 896
Castro F., J., 283
Catlin, J. E., (873)
cauliflower, turnip mosaic virus, failure to recover, 1023
cauliflower mosaic virus
DNA, size and morphology of, 188, 190, 191
local lesion host for, Datura stramonium, 901
cedar rust, basidiospore discharge, 951
celery
Cercospora apii spores trapped, factors determining, 885
postharvest decay, selective medium for enumerating bacteria, 425
cellobiase (see enzymes, specific)
cellulase (see enzymes, specific)
Cephalosporium gregatum
growth and sporulation, variability among isolates, 1025
pathogenicity, variation in isolates, 1410
soybean brown stem rot, influence of air temp on, 1205
soybean, etiology in, 909
soybean seedling protection, systemic fungicide, 523, 524
Ceratocystis
fagacearum
bur oak transpiration during pathogenesis, 893
disease index, numerical rating for, 1143
insect transmission, 1185, 1186
red oaks, distribution within, 1003
fimbriata, black rot of sweet potato, control, 1145
paradoxa, pineapple, field control of asexual propagules of, 1323
ulmi
benomyl for, factors affecting, 1512
control with soil-injected fungicide and surfactants, 913
growth rate, in elms, 1455
polygalacturonase production, effect of pectin source and sugar on, 745
soil treatment with fungicide to control in nursery, 1351
spore movement in
American elm, effect of gamma radiation on, 887
hardwoods, 127
synnemata induction in, 914
Ceratosphaeria grisea, perfect stage of Pyricularia grisea, 83, 85
Cercospora
apii, spores trapped, factors determining, 885
arachidicola
inoculum production, simple method for, 1414
peanut leaf spot fungus, aerobiology of, 912
beticola
leaf spot as affecting storage rot, 1485
pathogenic specialization of, 1081
substances from, toxic to sugarbeet leaves, 1477, 1482
sugarbeet
effect of wetness and air temp on infection, 546
infection relative to susceptibility, 463, 464
systemic fungicide against, activity of, 738
nicotianae, tobacco, effect of chemical constitutents of cured leaf, 913
Cercosporidium personatum, conidia, aerobiology of, 912
cercosporin, toxin from Cercospora beticola, 1477
Ceris canadensis, ozone, influence of, 133
Certoma trifurcata (see bean leaf beetle)
Cetas, R. C., 887
Chaetomium globosum, southern pine stakes, influence of season on infection of, 1013
Chairez, R., 887
Chaplin, J. F., (913)
chemotherapy
stem crown gall of poplar, 129
tetracycline, effect of buffers on, 130
Chen, M., 279, 598
Chen, T. A., 127, 233
Cheo, P. C., 869, 1010
cherry (see also Prunus spp.)
necrotic ringspot virus, properties of, 532, 533–536
tart, triarimol, disease control with, 899
cherry leafroll virus, golden elderberry virus, related to, 1222, 1223, 1227
chestnut, blight, genetics and nutritional requirements of causal agent, 169
Chiang, H. S., 887
chickpea
viruses infecting, four, 372, 374
wilt, etiology of virus-induced, 453, 455
Chidester, J. L., (1015)
Childers, J. R., (964)
Chinn, S. H. F., 98
chlorine, banana postharvest rot fungi, sensitivity of, 344
chloroneb (see fungicides, specific)
Choudhury, M. M., 888
Christensen, C. D., (884), (899)
Christensen, C. M., (1498)
Christmas cactus, basal stem and root rot of, 804, 805
chromatography, exocortis virus infection, detection of, 1338
chrysanthemum
Verticillium wilt, 128
viruses, tissue implantation for transmission of, 429, 430
chrysanthemum chlorotic mottle virus
new disease, 415, 416, 418
properties of, 899
symptom expression, effect of temp on, 895
chrysanthemum stunt virus, chrysanthemum, ultrastructure of infected, 653, 654
Chrysomyxa weirii, on blue spruce, 131
Chu, A. I., 1320
Cicer arietinum (see chickpea)
citron, exocortis virus-infected, comparative anatomy of, 990, 991, 992
citrus (see also orange)
Likubin disease, mycoplasmalike bodies associated with, 598
Penicillium digitatum spore germination affected by volatile oils, 889
Phytophthora parasitica, trunk penetration by zoospores, factors, 1233, 1236
pores in leaf cuticle, identification and distribution of, 1323
postharvest stem-end rot, 559, 560, 561
stubborn disease
isozymes in, 903
mycoplasma associated with, culture of, 1321
citrus tristeza virus, electron microscopy of, 279, 280–282
Civerolo, E. L., (1270)
Cladosporium sp., sycamore achenes, associated with, 660, 667

cucumerinum
cucumber, inheritance of resistance in, 1218
spore germination, effect of triarimol on, 896
fulvum, tomato leaf mold, activity of benomyl against, 1024
Clark, M. C., (911)
Claviceps purpurea, male sterile barley and wheat, control and biology on, 1075
Clostridium sp., oak, associated with discolored tissue in, **122**
clover, red-
failure, factors involved in, 129
rust, resistance to, 889
Stemphylium sarcinaeforme, screening for resistance to, 886
clover yellow mosaic virus, distribution in roots of corn, wheat, oats, and peas, 1024
clover yellow vein virus, coriander, natural infection of, 333, **334**
Cobb, F. W., Jr., (920)
Coccomyces hiemalis, tart cherry, control on, with triarimol, 899
Cochliobolus
carbonum (see also **Helminthosporium** carbonum)
fungicide tolerance, inheritance of, 458, 471
heterostrophus (see **Helminthosporium** maydis)
miyabeanus (see **Helminthosporium** oryzae)
sativus (see also **Helminthosporium** sativum)
genetics, factors for lesion induction, 1052
wheat root rot, effect of MMDD on, 98
Cochran, G. W., (1015)
Cohen, S., 253
Cohen, Y., 265, (275), 594, 736
Cole, H., Jr., (131), (132), (458), (471), (906)
Coleosporium asterum, virus transmission, 1325
Colladonus montanus, vector for western X disease, 1465
Colletotrichum
coccodes, selective medium for assay in soil, 891
destructivum, sporulation and growth, effect of light, in culture, 911
fragariae, inoculum reservoir, Cassia obtusifolia as, 896
gossypii, cotton, role of N compounds in resistance in, 1394
graminicola, corn, host responses and ultrastructural changes in, 917
higginsianum, turnip root rot, ecology of, 913
lindemuthianum, bean, induced resistance in, 1110, **1111**
Collins, J. J., 888
Comstock, J. C., 888, 1022
control (see also **fungicides**)
antisporulant chemicals, effect on Verticillium, 1266, **1267**
biological-, root rot of papaya, 1322
cultural-, cotton boll infection, 488, 490, **492**
Nectria galligena on apple, chemical control of, 1320
Penicillium decay of oranges with imines, 891
pineapple butt rot in the field, 1323
controlled environment, spore liberation by Botrytis cinerea, 131
Converse, R. H., 1104, (1137)
Cook, A. A., 484, 1320, (1323)
Cook, R. J., (905), (911)
copper, benomyl activity, effect on, 1323
Coppolino, J. B., (133)
Corbett, M. K., (129)
coriander, clover yellow vein virus, natural infection by, 333, **334**
corn
bromegrass mosaic virus distribution in roots, 1024
brome mosaic virus, fixation enhancement of leaf cells, 1025
clover yellow mosaic virus distribution in roots, 1024
Cochliobolus carbonum, fungicide tolerance, inheritance of, 458, 471
Colletotrichum graminicola, host response and ultrastructural changes, 917
crazy top, etiology of, 913
eyespot
controlled relative humidity for study on leaf segments inoculated with, 1022
new disease in North America, 54, **55**, **56**
Helminthosporium carbonum, exchange of materials between, 888
maize dwarf mosaic virus
distribution in roots, 1024
factors affecting aphid transmission, 1516
reservoir for, winter wheat as a, 885
root rot, predisposition to, 800, **802**
mosaic isolates from, 389, **391**, **392**
Penicillium sp., pathogenicity on ears, 1022
root rot, maize dwarf mosaic virus, predisposition by, 800, **802**
southern corn leaf blight
host-selective toxin, 1022
remote sensing of, 908
in seeds, **427**
survival in Georgia, 901
transmission of causal agent on seed, **[747]**, **748**
spiral nematode, populations, influence of fertilizer and cropping on, 888
stalk rot
influence of nutrition on, 1125
influenced by Texas male sterile cytoplasm, 891
storage fungi of, varietal differences, 1498, **1499**
yellow leaf blight, cause of, 1170, **1171**
corn stunt
agent
Johnson grass, an overwintering host of, 908
leafhopper vector of, 888
mycoplasma, transmission by leafhopper, 240
tetracycline, effect of, 917
Corynebacterium spp.
carnation, effect on, 476
carnation tissue, permeability alterations in, 317
polypectate gels for identification, 1430
insidiosum
alfalfa
failure of nematode to promote wilt of, 1097
induced resistance in, 887
synergism with Meloidogyne on, 256, **258**
methods of preservation, 1423
virulence preservation in sterile soil, 688
michiganense
Lycopersicon spp., resistance in, 972
survival in soil and tomato tissue, 890
Coryneum carpophilum, culture of, environment for, 829
Cosenza, B. J., (122)
Costonis, A. C., 717
Cotoneaster spp.
Erwinia amylovora, wind dissemination from pear, **741**
ozone, influence of, 133
cotton
anthracnose, role of N compounds in resistance to, 1394
boll diseases, structural integrity relative to, 1245
boll rot
control with benomyl, 1134, **1135**
pectic enzymes produced by Diplodia gossypina, 1118
bolls, Aspergillus flavus, relationship of insects to infection, 488, 490, **492**
Diplodia gossypina, composition of boll surface in relation to resistance to, 915
disease control with fungicides, 783

germination and disease affected by low temp, 1426, **1428**
root disease caused by Stachybotrys atra, 1320
root rot, influence of temp on, 728
seed deterioration prior to harvest, influence of fungi on, 1326
spiral nematode, populations, influence of fertilizer and cropping on, 888
tobacco mosaic virus, effect of plant hormones on replication, 869
Verticillium wilt
control with
acidic fungicides, 1320
soil fumigants, 1324
systemic fungicide, 433
thiabendazole, 964
effect of alanine on, 881, **882**
enzymes in, 198
influence of root distribution on, **1312**
relation of air temp to, 204
Couch, H. B., 888
Covey, R. P., Jr., 346, (1099)
Cowling, E. B., (660)
cowpea, rust infection, haustorial sheath formation, 383, **385**
cowpea mosaic virus, genetic complementation between nucleoproteins, 918
cranberry
false blossom, mycoplasmalike organisms in infected plants, 127, 233, **234**, **235**
storage microorganisms, N suppression of, 335
Crawford, J. L., (1326)
Crill, J. P., 888
Crill, P., 369
Cronartium
fusiforme
black oak, interaction with C. quercum on, 1055, **1056**
slash pine, influence of dew and atmospheric moisture on infection of, 909
quercum, black oak, interaction with C. fusiforme on, 1055, **1056**
ribicola
Pinus monticola tissue, effect of growth regulators on, **507**
teliospore germination, effect of low temp on, 899
western white pine, blister rust in tissue culture, 773, **774–777**
crop residues, lettuce root rot, noninfectious, effect on, 1153, **1156**, **1158**
Crosby, F. L., (912)
Crosier, W. F., 128, 427
cucumber
bacterial wilt, physiological response of varieties, 518, **520**
downy mildew pathogen, factors affecting sporulation, 594
melon mosaic virus, resistance to, 253
ozone injury influenced by air velocities, 1209
powdery mildew, inheritance of resistance to, 1218
Pseudoperonospora cubensis
epidemiology of, 736
lesion development by, 265
cucumber mosaic virus
antigenicity and infectivity, protection of, 943
chickpea, 372, **374**
chickpea wilt, etiology of, 453, **455**
in jasmine, 228, **229**
muskmelon decline, 130
pepper, inheritance of resistance in, 1318
tobacco, mixed infection with TMV, **759–761**
transmission by aphids, effect of EDTA on, 907
Cucumis sativus (see **cucumber**)
Cunfer, B. M., (792), 889
Cunningham, B. A., (897)
Cuppels, D. A., 1022
Curl, E. A., (884)
curly dock, biological control with Rumex rust, 102, **104**
curly top virus, tomato, resistance in, 550, 1257
Currier, W. W., (968)
Curtis, C. R., (893), 1306
Curvularia sp.
barley and wheat, establishment on, 128
tobacco disease complexes involving nematode, 1332, **1333**, **1334**
lunata, soil fungistasis, response to, 1355, **1360**, **1361**
Cuscuta (see **dodder**)
Cylindrocladium spp., microsclerotia, factors affecting production, 897
avesiculatum sp. nov., Ilex, leaf diseases of, 58, **59**
floridanum
peach, associated with short life of, 1095, **1096**
peach root rot, influence of soil temp on, 915
scoparium
azalea, pathogenicity to, 883
peach, associated with short life of, 1095, **1096**
theae, azalea, pathogenicity to, 883
Cymbidium mosaic virus, strains of, 1322
Cytospora cincta
resistance to, induced
in peach, 685
in prune, 721
Czabator, F. J., (889)

Dactylaria haptotyla, tolerance to dibromoethane, 1492
Daft, G. C., 889
Daines, R. H., 1145
Dalbulus elimatus (see **leafhopper**)
Damsteegt, V. D., (916)
Danesh, D., (372), (453)
Daniel, J. T., (1522)
Darby, W. B., (917)
DASS (see **fungicides, specific**)
Datura stramonium, cauliflower mosaic virus, local lesion host for, 901
Davies, F. L., (645)
Davis, P. L., 889
dawn redwood (see **Metasequoia glyptostroboides**)
Day, P. R., 1020
DCNA (see **fungicides, specific**)
Dean, J. L., 526
DeGroot, R. C., 889
Demski, J. W., 308
deoxyribonucleic acid, cauliflower mosaic virus, 188, **190**, **191**
Desjardin, P. R., (990)
Dewey, J. E., (887)
DeWolfe, T. A., (1342)
Dexon (see **fungicides, specific**)
Diachun, S., 889
DIALNOSE, computer assisted disease diagnosis by telephone, 1023
Dianthus caryophyllus (see **carnation**)
dibromoethane, tolerance to, by nematode-trapping fungi, 1492
Dickerson, O. J., (341)
Dickey, R. S., (317), (476)
Dietz, W. P., (891)

Difolatan (see **fungicides**, specific)
dikar (see **fungicides**, specific)
Dimock, A. W., (131), 415, 429, (899), (903)
Dimond, A. E., (127), (242), (745)
Diplodia
gossypina
cotton boll surface relation to resistance, 915
cotton seed deterioration prior to harvest, 1326
pectic enzyme production, 1118
natalensis, spores, pycnidial release and survival of, 559, **560**, **561**
pinea, pine, infection of three spp., 409, 412
disease control (see **control** and **fungicides**)
Dithane M-45 (see **fungicides**, specific)
Ditylenchus dipsaci, alfalfa, failure to promote bacterial wilt of, 1097
DMTT (see **fungicides**, specific)
Dochinger, L. S., (129)
dodder, mycoplasma transmission from ash, 151, **152–154**
Dodds, J. A., 889
dodine (see **fungicides**, specific)
Doney, D. L., 40
Dorworth, C., 890
Dothiorella sp., dawn redwood, canker of, 913
Douglas, D. R., 239
Douglas fir
ectomycorrhizae, additive effect on seedling growth, 911
Fusarium oxysporum, disease caused by, 467
Swiss needle cast, etiology, impact, and distribution in Michigan, 1023
Dothistroma pini, Pinus nigra, resistance in, 149
Doupnik, B., Jr., 890, (1038)
Dow, R. L., (901)
Drake, C. R., (883), 890
Drummond, D. B., 128
Dubin, H. J., (1320)
Dueck, J., 890
Duffus, J. E., (1418)
Duniway, J. M., 114, 890, 1377
Dunkle, L. D., 649
Dunleavy, J. M., (763)
Dunning, J. A., (1506)
Durbin, R. D., (114)
Dutch elm disease, colonization rate of pathogen, 1456
dwarf mistletoe
distribution of three spp. in Colorado, 1324
pine, regression analysis of infection, 1325
Dwinell, L. D., 1055

eastern white pine, ozone and SO_2 on, effect of, 717
Ebron, T. T., (703)
Echandi, E., 328, 890
Eckert, J. W., 891
ecology
microbial succession, on sugar maple, 552, 556, **557**
soil changes affected by leaking natural gas, 892
turnip root rot, 913
Edgington, L. V., 42, (91), 1022
Edmunds, L. K., (1024)
eggplant, Verticillium spp., pathogenicity of isolates, 435
Eichhornia azurea (see **water hyacinth**)
Eide, C. J., 1151
elderberry, viruses, sap transmissible, 132
electron microscopy (see also **ultrastructure**)
bearded iris mosaic virus, 926, 928, 930, 931
blueberry diseased with shoestring and stunt, 894
carnation etched ring virus, 681, 682, 683
carnation mottle virus, 681, 682, 683
cauliflower mosaic virus, 681, 682, 683
DNA of, 188, **190**, **191**
citrus tristeza virus, 279, **280–282**
fixation enhancement of brome mosaic virus, 1025
golden elderberry virus, 1222, **1223**, **1227**
mycoplasma
in dodder and ash, 151, **152–154**
periwinkle in, 1177, **1178**
potato haywire disorder, **1316**
mycoplasmalike bodies
associated with Likubin-diseased citrus, **598**
effect of tetracycline on, 917
in Vaccinium spp., 127
mycoplasmalike organisms in blueberry and cranberry, 233, **234**, **235**
necrotic ringspot virus of peach and cherry, 532, **533–536**
oat roots, ultrastructural changes caused by victorin, 641, **642**, **643**
TMV
in aphid, 15, **16–20**
in tobacco leaf cells, **759–761**
western X disease of Prunus spp., 1036, **1037**
wheat spindle streak mosaic virus, **331**, **332**, 569, **571**
electrophoresis (see also **techniques**)
bean leaf peroxidase isozymes, effect of ozone on, **1306**
Cymbidium mosaic virus, strains of, 1322
isozymes from Victoria-resistant oat lines, **1147**
Phytophthora spp. zoospores, response of, 898
protein coat of southern bean mosaic virus, **1408**
Pseudomonas spp., comparison of plant pathogens, 984
stubborn diseased citrus, isozymes in, **903**
Ellingboe, A. H., (896), (908), (1030)
Elliston, J. E., 1110
elm (see also **Ulmus spp.**)
benomyl uptake by seedlings, factors affecting, 895, 1512
Dutch elm disease prevention in nursery with benomyl, 1351
vessel development and spore movement in, 887
elm mosaic virus
in Iowa, 1024
physical properties of, 903
Elnaghy, M. A., (1382)
Endo, B. Y. 395
Endo, R. M., 891, (900)
Endogone, soybean, effect of P fertilizer on yield in mycorrhizal, **1400**, **1401**
endopolygalacturonase (see **enzymes**, specific)
endopolygalacturonate trans-eliminate (see **enzymes**, specific)
Endothia parasitica, genetics and nutritional requirements of, 169
Engelhard, A. W., 891
English, H., (443), 1320
enzymes (general) (see also **enzymes**, specific)
cellulolytic, production by Stereum gausapatum, 134
Erwinia carotovora, production by forms of, 885
oxidative
Pelargonium leaves, effect of HF on, 1277, **1278**
tobacco, inactivation by TMV, 293
ozone, peroxidase activity increased by, **1306**
proteolytic
Verticillium albo-atrum, production by, 904
Xanthomonas alfalfae, production by, 361
enzymes (specific) (see also **enzymes**, general)
cellobiase, Stereum gausapatum, characteristics of, 134
cellulase
characteristic of Stereum gausapatum, 134
Corynebacterium, production by, 476
endopolygalacturonase, evidence against involvement in cotton wilt, 198
endopolygalacturonate trans-eliminase, Corynebacterium, production by, 476

ornithine carbamyl transferase, Pseudomonas sp. toxin on, effect of, 1324
ortho-diphenol oxidase, apple postharvest decay by Penicillium and Physalospora, comparison, 917
pectic lyases, potato "pink eye" pathogen, produced by, 893
peroxidase
apple postharvest decay by Penicillium and Physalospora, comparison, 917
bean isozymes activated by ozone, **1306**
induction and photoreversal in bean leaves, 893
rust-infected wheat leaves, activity in, 897
phenylalanine ammonium lyase
activity changes during TMV lesion formation in tobacco, 1261
strawberry red stele disease, involved in resistance, 515, **516**
polygalacturonase
Ceratocystis ulmi, production by, 745
effect of galactose on production of by Fusarium oxysporum lycopersici, 242
polygalacturonate trans-eliminase, Diplodia boll rot of cotton, associated with, 1118
RNA polymerase from Rhizopus stolonifer, 893
trehalase, activity in soil, 912
Epicoccum sp., sycamore achenes, associated with, 660, 667
epidemiology
apple bitter rot, **1028**
barley yellow dwarf outbreaks, factors affecting, 1068
Botrytis leaf blight of onion, role of dew and temp, 910
Epishow for early blight progression, 131
Erwinia amylovora, wind dissemination among Rosaceae, **741**
mushroom bacterial blotch, 918
Phytophthora blight of macadamia racemes, 1130, 1131
potato late blight, 275
pseudomonads on soybean in field, 903
Pseudomonas glycinea on soybean leaves, 715
Pseudoperonospora cubensis
approach to, 736
on cucumber, 265
Scleroderris lagerbergii, 890
soil-borne pathogens, 1280
stem blight of Vinca minor, 959, **960**
systems analysis and the dynamics of, 600
wheat pathogens, vertical concentration above a field, 891
Epstein, A. H., 891, (1024)
Eriobotrya japonica (see loquat)
Erwin, D. C., (198), (433), (901), 964, (1084), (1266), (1320)
Erwinia spp.
polypectate gels for identification, 1430
selective medium for enumerating, 425
turnip root rot, ecology of, 913
amylovora
pear, effect of streptomycin on artificially injured, 915
tobacco, chloroplast proteins in hypersensitive leaves, 897
wind dissemination among Rosaceae, **741**
carotovora
enzyme production by, 885
soil, medium for isolation from, 1022
rubrifaciens, walnut tree exudate, survival in diseased, 909
tracheiphila, cucumber, physiological response of varieties, 518, **520**
Erysiphe spp.
triarimol, studies of activity of, 886
virus transmission, 1325
cichoracearum, cucumber, inheritance of resistance in, 1218
graminis, wheat, vertical concentration above a field, 891
graminis hordei
barley, genes for resistance in, 617
primary infection, transfer of S from host to parasite during, 896
graminis tritici, conidia, ribosomes from nongerminated, 1030
etiology, stripe smut in Agrostis palustris, 940, **941**
Euonymous sp., ozone, influence of, 133
Euphorbia pulcherrima (see poinsettia)
Evans, I. R., 1023
Evers, R. A., (441)
Eversmeyer, M. G., 891
exocortis virus
citron, comparative anatomy of virus-infected, 990, **991**, **992**
trifoliate orange, chromatographic detection of infection of, 1338

Fakir, G. A., 660
Farley, J. D., 260, 891
fatty acids, ozone effect on bean leaves, 1404
Fehr, W. R., (1444)
Feldman, A. W., 1338
Felix, L. S., 875
ferban (see fungicides, specific)
ferns, TMV, capacity for replicating, 1010
Ferris, J. M., (888)
Filipek, D. M., 892
fire blight (see Erwinia amylovora)
Fisher, V. J., (916)
flax, crinkle, histology and ultrastructure of, **1249**, **1250**, **1252**
Flentje, N. T., (883)
Fletcher, J. T., (130)
Fogle, H. W., (1270)
Foley, D. C., (1125)
Fomes
annosus
Norway spruce
effect of phenolic extracts from, 841
response of sapwood to infection, 301, **304**
southern pine stumps, effect of borax on fungus in, 269
connatus
phenolic compounds, effect on growth, 552
on sugar maple, 556, **557**
sugar maple wood decay and discolor, 132
igniarius, basidiospore germination relationship to host specificity, 917
igniarius populinus, basidiospore germination on aspen pith, 886
marmoratus, spore sampling, sampler modified for, **250**
Forbes, I., (575)
Ford, K. F., 1023
Ford, R. E., (45), (636), (800), 892, (1026), (1516)
Forer, L. B., 128, (133)
Forsyth, F. R., (335)
Forsythia, ozone, influence of, 133
Fox, J. A., (916)
Francki, R. I. B., (919)
Frank, J. A., (584), 954
Fraxinus spp.
Ceratocystis ulmi, downward movement of spores, 127
peroxyacetylnitrate, influence of, 128
americana, witches'-broom, mycoplasma transmission from, 151, **152-154**
Frazier, N. W., (757)
Frederick, R. J., (130)

Freeman, T. E., 892
French, R. C., 892
Fry, W. E., 494, 501
Fudl-Allah, A. E. A., 990, 1321, (1321)
Fujisawa, I., 681
Fukuki, K. A., 1321
Fulton, N. D., (1394)
fungi
ascospore discharge and survival, 139
basidiospore formation, nuclear phenomena preceding, 883
chemotaxonomy, toxic spectrum of benzimidazole compounds, 42
haustorial parasite, nutrition and metabolism of, 885
homothallism relative to heterothallism, 169
lipids of, polar, 894
sclerotia, influence of temp on survival, 728
soil-borne, induction of potato seed piece decay by, 1324
spore germination
effect of RNA, teliospores, 645
effects of root exudate on, 812
in soil, 1355, **1360**, **1361**
volatile stimulator, effect of, 892
of wood decay fungi on wood, 88
sporulation, 169
factors affecting, 559, **560**, **561**
light quality requirements for, 70, **71**
taxonomy of smuts, 225
fungicides (general) (see also control and fungicides, specific)
Aphanomyces root rot of peas, effect on, 215
application techniques to control cotton diseases, 783
assay, spore germination and appressorial formation, 130
basidiomycetes, basidiospore discharge, 951
chemotaxonomy, 42
conversion products, biological activity of, 905
dips, sweet potato black rot, for control of, 1145
disease loss estimates, in potato late blight, use in, 1471
Glomerella cingulata on apple, against, 221, **222**
mode of action in Fusarium sp., 816
new, systemic against smut of grass, 936
phytoalexin induction in soybean, 907
resistance
Nectria haematococca, inheritance of, 1093
Ustilago maydis, mutant of, 914
soil, effectiveness of methods of application, 1323
soil-borne pathogens, control of, 804, 805
soil-injected for control of Dutch elm disease, 913
spray schedule timing, residue monitoring for, 885
systemic-
Cercospora leaf spot of sugarbeet, activity against, 738
Dutch elm disease, factors affecting seedlings, 1512
foliar spray for control of Verticillium wilt of cotton, 1320
model system for studying, 1022
movement and absorption into cotton bolls, 1134, **1135**
oxathiins, molecular structure vs. activity in grass rust and smut, 731
soil application to control disease in tree nursery, 1351
soybean, uptake by, 523, **524**
thiazole compounds to control rust and smut in Kentucky bluegrass, 1396
translocation in
bentgrass, 1198
soybean seedlings, 1301
Verticillium wilt of cotton, control of, 433
thiophanates for bluegrass smut, 1462
tolerance
in Cochliobolus carbonum, inheritance of, 458, 471
of Fusarium sp., 816
fungicides (specific) (see also fungicides, general)
benomyl
American elm, effect of soil on uptake by, 895
apple
blue mold control in storage, [1308]
Glomerella cingulata, 221, **222**
bean plants, uptake by, 132
bean white mold control, 669
bentgrass, translocation in, 1024, 1198
biological activity of conversion products, 905
Cercospora leaf spot of sugarbeet, 638
copper on activity, effect of, 1323
cotton bolls
absorption and movement in, 1134, **1135**
structure related to absorption, 1245
cotton diseases, control of, 783
Dutch elm disease prevention by soil treatment, 1351
dwarf pea plants, distribution and metabolic fate of, 910
ergot on male sterile wheat and barley, control of, 1075
fungitoxic spectrum of, 42
Fusarium sp., tolerance of, 816
peach, control of postharvest decay of, 916
pineapple butt rot control in the field, 1323
Pinto bean response to ozone, effect on, 131
soybean seedlings, translocation in, 1301
sweet potato black rot, control of, 1145
tomato wilt and leaf mold, activity against, 1024
transport into plant organs, 91, **92**
Verticillium wilt of cotton, control, 433, 1320
benzimidazole
compounds, fungitoxic spectrum of, 42
Fusarium sp., tolerance of, 816
ozone injury of bean, reduction, 906
boron, Fomes annosus in stumps of southern pine, effect on, 269
botran, bean white mold control, 669
captafol (see also Difolatan)
apple scab, control with single application, 893
captan, against Glomerella cingulata on apple, 221, **222**
carboxin
soybean seedlings, translocation in, 1301
Ustilago maydis, effect of, on mitochondrial activity of, 902
chloroneb
control of Phytophthora rots of Christmas cactus, 804, **805**
soybean seedlings, translocation in, 1301
Ustilago maydis, resistant mutant of, 914
DASS, effect of Aphanomyces euteiches, 215
DCNA
Botrytis cinerea, growth response of, 900
peach, control of postharvest decay, 916
Demosan (see chloroneb)
Dexon
control of Phytophthora rots of Christmas cactus, 804, **805**
pea root rot, control of, 978
1,4-dichloro-2,5-dimethoxybenzene (see chloroneb)
2,6-dichloro-4-nitroanaline (see botran and DCNA)
alpha-(2,4-dichlorophenyl)-alpha-phenyl-5-pyrimidine-methanol (see triarimol)
Difolatan (see also captafol)
pineapple butt rot control in the field, 1323
dikar, against Glomerella cingulata on apple, 221, **222**
p-(dimethylamino)benzenediazo sodium sulfonate (see DASS and Dexon)

3,5-dimethyl-tetrahydro-1,3,5,2H-thiadiazine-2-thione (see DMTT)
Dithane M-45, control of Phytophthora rots of Christmas cactus, 804, 805
DMTT, effect on Aphanomyces euteiches, 215
dodine
resistance in Nectia haematococca, inheritance of, 1093
Venturia inaequalis
resistance, 132
sensitivity of ascospores, 128
EL-273 (see triarimol)
5-ethoxy-3-trichloromethyl-1,4-thiadiazole (see Terrazole)
ferbam
against Glomerella cingulata on apple, 221, 222
sweet potato black rot, effect of temp on control of, 1145
furidazol
fungitoxic spectrum of, 42
Fusarium sp., tolerance of, 816
maneb
against Glomerella cingulata on apple, 221, 222
Cercospora leaf spot of sugarbeet, 738
manganese ethylene bisdithiocarbamate (see Dithane M-45)
mertect, sweet potato black rot, control of, 1145
methyl bromide, effect of soil moisture in control of damping-off organisms, 194, 195
methylisothiocyanate (see MIT)
methylmercury dicyanidiamide (see MMDD)
MIT, effect on Aphanomyces euteiches, 215
MMDD, wheat seedling root rot and growth response, effect on, 98
oxathiins, rust and smut on grasses, molecular structure vs. activity, 731
oxycarboxin, bean rust, effect on, 884
Panogen PK (see MMDD)
PCNB, mode of action in soil, 1322
pentachlorophenol, as a wood preservative, 182
SMDC, effect on Aphanomyces euteiches, 215
sodium N-methyldithiocarbamate (see SMDC)
sodium-para-(dimethylamino)benzenediazosulfonate (see Dexon)
TBZ
soybean, uptake by, 523, 524
Verticillium wilt of cotton, control of, 433
TCNP, systemic fungistatic against smut of grasses, 936
Terrazole
control of rots of Christmas cactus, 804, 805
tomato, systemicity in, 1024
thiabendazole
American elm, effect of soil constituents on uptake by, 895
apple blue mold control in storage, [1308]
bean white mold control, 669
bunt of wheat, control of common and dwarf, 1071
cotton
diseases, control of, 783
translocation and analysis in, 964
fungitoxic spectrum of, 42
Fusarium sp., tolerance of, 816
tomato, systemicity in, 1024
Verticillium wilt of cotton controlled with foliar spray, 1320
2-(4-thiazolyl)benzimidazole (see mertect, TBZ, and thiabendazole)
thiram
Sclerotium rolfsii, effect on growth and sclerotial production in, 1140
tolerance in Cochliobolus carbonum, 471
triarimol
apple scab and powdery mildew, efficacy in control of, 884
Aspergillus niger and Cladosporium cucumerinum, effect on, 896
powdery mildew fungi, activity against, 886
tart cherry disease control, 899
1,1,1-trichloro-3-nitro-2-propanol (see TCNP)
triphenyl tin acetate, Cercospora leaf spot of sugarbeet, activity against, 738
fungistasis (see soil, fungistasis)
Funke, H. E., 1023
furidazol (see fungicides, specific)
Fusarium spp.
cotton seed deterioration prior to harvest, 1326
peanuts, relationship of harvesting method to populations in, 1180
populations
in cultivated and noncultivated soils, 1026
estimations in soil, method for, 1320
soil fungistasis, response to, 1355, 1360, 1361
sorghum, storage fungi in grain, 767
sweet potato, isolated from moldy, 890
sycamore achenes, associated with, 660, 667
culmorum, wheat, foot rot development relationship to water stress, 905
moniliforme, asparagus crown rot, associated with, 891
nivale, wheat, factors affecting resistance in, 792
oxysporum
Douglas fir, disease of, 467
tomato, root rot, 900
oxysporum batatas, relation of inoculum and soil types to severity of, 1049
oxysporum callistephi, pathogenic races of, 820
oxysporum cepae
ecology and pathology in organic soils, 883
onion, cultivars, histopathology of four, 127, 1164, 1166, 1168
populations in organic soils, 1042, 1044
oxysporum lycopersici
growth and sporulation, effect of glucose and amino acids on, 897
polygalacturonase production and pathogenesis, 242
polysaccharide-degrading ability, inhibition of, 897
race 2, fumigants for, 1415
tomato
colonization of resistant and susceptible isolines, 902
interaction with other pathogens of, 897
susceptible and resistant isolines, spore transport, 627, 629, 834, 839
water relations in infected, 890
tomato leaves, physiological changes in affected, 1377
tomato wilt
correlated with chemically induced injury, 127
symptomless carriers of, 1213
oxysporum melonis, fungicide tolerance, 816
oxysporum perniciosum, mimosa wilt, effect of root exudates, 812
oxysporum pisi
races of, 884
wilt of peas, technique for study, 342
oxysporum rhois, F. oxysporum callistephi, a race of, 820
roseum 'Graminearum'
carnation, occurrence of perfect stage on, 743, 744
F-2 and perithecia production, inhibition of, 900
F-2, regulation of perfect stage by, 918
solani, phaseollin biosynthesis in excised bean pods, 79
solani phaseoli
bean

phytoalexins induced, 322, 887
root rot, measurement, 590
tricinctum, toxin from, effect on pea, 1488, **1490**

Gain, R. E., 892
Gallegly, M. E., (907)
Gallimore, M. D., (892)
Garber, E. D., (885)
Garber, R. H., 204
Gardner, B. R., (1324)
Gardner, M. W., (1152)
Gardner, W. S., (1025)
Garner, J. H., 892
Garnett, A. L., 1036
Garraway, M. O., (887)
Garren, K. H., 596
Gates, J. E., 1023
Geissinger, C. M., (415), (429)
genetics (see also **resistance** and **tolerance**)
Agrobacterium tumefaciens, pleiotrophic factors in tumor-inducing ability, 899
Cochliobolus carbonum, fungicide tolerance, 458, 471
Cochliobolus sativus, factors for lesion induction on grasses, 1052
Endothia parasitica, 169
Helminthosporium maydis pathogenicity on grasses, genes for, 131
Lenzites trabea, nuclear phenomena preceding basidiospore formation, 883
Nectria haematococca curcurbitae, avirulence and dodine resistance, 1093
Phytophthora spp., UV light-induced mutants of, 283, **285–287**
Thanatephorus cucumeris, heterokaryon formation, 883
Ustilago maydis
factor causing interstrain lethality, 50
meiotic products of natural infection, 1020, 1021
George, A. G., (1320)
Georgopoulos, S. G., (1093)
Geotrichum candidum, inhibition by Pseudomonas spp., 443, **446–449**
geranium
benomyl transport into plant organs, 91, 92
Helminthosporium maydis and related spp., pathogenicity of, 891
Gerard, J. S., (1010)
germination (see **fungi**, spore germination)
Gertman, E., (253)
Ghabrial, S. A., 892
Gibberella
roseum, carnation, perithecia on, 743, **744**
zeae, corn, root rot predisposed by maize dwarf mosaic virus, 800, **802**
Gibbs, S. D., (893)
Gill, C. C., (749)
Gill, D. L., 58
Gillespie, T. J., (1022)
Gilmer, R. M., (132), (1036)
Gilpatrick, J. D., 128, (132), 893
Gipson, I., 347
gladiolus, Stromatinia root rot, factors affecting, 1329
Gleditsia sp.
ozone, influence of, 133
peroxyacetylnitrate, influence of, 128
Gloeosporium sp., foliar disease of native plants, influence of limestone dust on, 131
Glomerella
cingulata
apple bitter rot, epidemiology and symptomatology, **1028**
apple necrotic leaf blotch and fruit rot, **221**, **222**
benomyl transport into plant organs, bioassay for, 91, **92**
soil fungistasis, response to, 1355, **1360**, **1361**
gossypii, cotton seed deterioration prior to harvest, 1326
Glycine max (see **soybean**)
golden elderberry virus, properties and host range of, 1222, **1223**, **1227**
Gong, C., 893
Gonzalez, L. C., 825
Gooding, G. V., Jr., 943, (1032), 1303
Goodman, R. N., 893, (897)
Gordon, D. T., (389)
Gossypium hirsutum (see **cotton**)
gossypol, antisporulant properties of, 1266, **1267**
Gottlieb, D., (645)
Gough, F. L., 1501
Graham, C. L., (916)
Graminella nigrifrons (see **insects as vectors**)
Granados, R. R., 240
Graphium sp., maple and birch, associated with wounds of, 896
Grasham, J. L., (507)
grasses
nematode
a new pathogenic sp. of, 885
stimulated growth, 740
smuts, host specialization, 225
Grau, C. R., 1023
Gray, L. E., 523, 1410
Green, R. J., Jr., 888, (1024)
Gregory, G. F., 893, 1003
Griffin, G. D., (256)
Griffin, G. J., (905)
Gross, H. L., 631
Grosso, J. J., 945
Guignardia bidwellii, native plants, influence of limestone dust on disease of, 131
Guinn, G., (881)
Gymnosporangium spp., basidiospore discharge, 951

Habeck, H., 893
Hadwiger, L. A., (79), 893
Hagar, S. S., 893
Hagedorn, D. J., (369), (825), (878), (908), (928), 1024 (1025), (1310), 1406
Hall, H. R., (886)
Hall, I. V., (335)
Hall, R., 128
Halstead, B. E., 749
Hamilton, R. A., (1320)
Hamilton, R. I., (889), (903)
Hamlen, R. A., 128, 894
Hammerschlag, F., (627)
Hanchey, P., 33
Hancock, J. G., (157), (165), 894
Hankin, L., 50
Hanks, R. W., (1338)
Hansen, A. J., 1222
Hanson, E. W., (369)
Hardenburg, R. E., (1308)
Harder, D. E., 1201
Hardison, J. R., 731, 1396, 1462
Harein, P. K., (900)
Harman, G. E., (128), 894, 1032
Harris, H. B., (308)
Harsh, S. B., (897)
Hart, J. H., 1456
Hartmann, J. X., 894

Hartnett, J. P., 1153
Harvey, A. E., 507, 773
Hawkins, W. H., (873)
Hawn, E. J., (1097)
hawthorne, rust, basidiospore discharge, 951
Heagle, A. S., 1209
Hearon, S. S., (653), (900)
heat
Monilinia fructicola conidia, response of, 61
TMV, inactivation of, 1032
Heath, M. C., 383
heat treatment, sugarbeet seed, elimination of contaminants of, 894
Hebert, T. T., 83, (329), (814), (1032)
Heck, W. W., (1209), (1506)
Hedra sp., ozone, influence of, 133
Helianthus annuus (see **sunflower**)
Helicotylenchus dihystera, fertilizer and cropping influence on populations, 888
Helminthosporium spp.
barley seed, establishment on, 128
pathogenicity to carnation, snapdragon, and geranium, 891
soil fungistasis, response to, 1355, **1360**, **1361**
sorghum, establishment on, 128
wheat, establishment on, 128
carbonum (see also **Cochliobolus carbonum**)
corn, exchange of materials with tissue of, 888
toxin, selective stimulation of ion uptake by, 918
maydis
pathogenicity
to carnation, snapdragon, and geranium, 891
genes conditioning, 131
race T
cultural differentiation from C, 1321
host-selective toxin, characteristics of, 1022
seed transmission, **427**, **[747]**, **748**
survival in Georgia, 901
remote sensing of, 908
temp, light, and humidity, influence of, on, 901
toxin production, influence of transmissible disease on, 900
oryzae, toxin production induced by disease, 420, **421–423**
papulosum, pear blister canker, 312, **314**, **315**
pedicellatum, corn root rot predisposition by maize dwarf mosaic virus, 800, **802**
sacchari
sugarcane eye spot disease, determining reaction using host-specific toxin, 1320
toxin, characterization and use of, 691, **693**, **694**
sativum (see also **Cochliobolus sativus**)
Kentucky bluegrass, influence of nutrition on leaf spot of, 888
victoriae
oats, isozymes from blight-resistant lines, **1147**
victorin, oat roots, effect on, **641**, **642**, **643**
Helms, J. A., 920
Helton, A. W., (685), 721, (829)
hemlock, limestone dust, influence on foliar diseases, 131
Hendrix, J. W., 894
Henis, Y., (1113)
Henson, L., (889)
herbicides, Sclerotium rolfsii, effect on growth and sclerotial production of, 1140
Herr, L. J., 894
Hess, S. L., 79
Heterodera sp., grass, a new sp. on, 885
betulae, immunoelectrophoretic comparison with other spp., **751**
glycines
immunoelectrophoretic comparison with other spp., **751**
soybean
nodulation capacity, influence on, 1239
nucleic acid synthesis at infection site, 395, **396–398**
ultrastructure of syncytium on roots, 347, **348**, **351**, **352**
schachtii
sugarbeet
damping-off, synergism with Pythium, 917
leaf growth, effect on, 40
virginiae, tobacco, pathogenicity to cultivar of, 903
Hibben, C. R., 129, 151
Hibino, H., (1177)
Hildebrand, D. C., 580 (852), 1430
Hill, J. H., 1408
Hillis, W. E., (841)
Hine, R. B., 1134, (1245)
Hirai, T., (22)
Hiruki, C., (862), 895, (914)
Hirumi, H., (902)
histology, Fusarium basal rot of four onion cultivars, 1164, **1166**, **1168**
histopathology
bean hypocotyl infection by Sclerotinia sclerotiorum, 901
Cercospora beticola in sugarbeet, 463, **464**
citron, exocortis virus-infected, 990, **991**, **992**
flax crinkle, **1249**, **1250**, **1252**
onion leaves infected with Pseudomonas cepacia, 898
Pelargonium spp. response to Xanthomonas pelargonii, 915
tomato Fusarium wilt, 834, **839**
Hite, R. E., 895
Hoch, H. C., 895
Hock, W. K., 129, 895, (1512)
Hodges, C. F., 940, 1373
Hodges, G. H., (945)
Hodgson, W. A., (1006), (1471)
Hoffmann, J. A., 225, 1071
Hofstra, G., (128)
Hoitink, H. A. J., (909)
hoja blanca virus, planthopper vector, relationship to, 916
Holdaway, B. F., 1321, (1323)
Holtzmann, V., 1321
Honda, Y., 759
Hooker, W. J., (1022)
Hooper, G. R., (331), (894)
Hora, F. K., (707), (899)
Hora, T. S., 895
Hordeum (see **barley**)
Horsfall, J. G., 129, (130), (901)
Horst, R. K., (415), (429), 895, (899)
Hosford, R. M., Jr., 28
host-parasite relations
apple, to powdery mildew, influence of Ca and S, 1099, **1100–1102**
bean, to anthracnose, induced resistance in, 1110, **1111**
black oak, to fusiforme and eastern gall rusts, 1055, **1056**
blister rust-infected tissue culture
growth regulator effects, 507
western white pine tissue, 773, **774–777**
cowpea, to rust, haustorial sheath formation, 383, **385**
cucumber, to Pseudoperonospora cubensis, 265
onion, to Botrytis allii, epidermal nuclei, interference microscopy, 724
potato, to Phytophthora infestans, 275
soybean, to cyst nematode
nucleic acid synthesis, 395, **396–398**
relation to nodulation, 1239

strawberry roots, to Pythium, 711, 712
sugarcane, to Helminthosporium sacchari, host-specific toxin, 691, 693, 694
tomato, to TMV, dynamics, symposium, 611
host range
golden elderberry virus, 1222, 1223, 1227
Phytophthora isolates from Arizona, 1293, 1294
Pseudomonas solanacearum SFR strain, weed hosts of, 1314
spotted wilt virus isolates from Hawaii, 1323
host specialization, Tilletia fusca, 225
host specificity, Polyporus betulinus, 905
Houseworth, L. D., 896
Houston, D. R., 896
Howard, C. M., 896
Howell, R. K., (1306)
Howland, R., 896
Hsieh, S. P. Y., 1321
Hsu, H. T., 896
Hsu, S. C., 896, 1355
Huang, J. S., 897
Huhtanen, D. P., 1137
Huisingh, D., (1239)
Hull, R., (909)
humidity
effect on, Helminthosporium maydis, 901
relative, controlled for study of eyespot on corn leaf segments, 1022
Humphrey, H. N., 1152
Hunt, O. J., 256
Hunter, B. B., 897
Hunter, J. E., (905), 1130
Hurlimann, J. H., (1323)
hypersensitivity
bacterial differentiation from pathogenesis with cycloheximide, 906
bacterial reaction, influence of exogenous cytokinins on, 904
black oak to Cronartium fusiforme, 1055, 1056
pepper to Xanthomonas vesicatoria, 484
potato to late blight, rishitin and phytuberin accumulation associated with, 968
tobacco to bacteria
properties of chloroplasts in leaves, 897
role of NH_2, 893
tobacco to TMV, metabolic changes associated with, 293, 1261
tuber reaction to late blight, 174
hypertrophic mitochrondrial virus, of apple, characteristics of, 431, 432
Hypoxylon mammatum, aspen, alteration of sugar translocation in, 366

incense-cedar, mistletoe, resistance to, 875
Igwegbe, E. C. K., 1321, (1321)
Ilex spp., leaf disease caused by Cylindrocladium avesiculatum, 58, 59
Imbriani, J., (1492)
Inman, R. E., 102
inoculum concentration, gladiolus root rot, effect on, 1329
inoculum density
onion white rot, effect on, 1253
soil-borne pathogens, epidemiology of, 1280
insects as vectors (see also aphids, leafhoppers, and under genera of)
ambrosia beetles, oak wilt not transmitted by, 1185, 1186
aphids
for barley yellow dwarf virus, 749, 753
for iris mosaic virus, 926, 928, 930, 931
for maize dwarf mosaic virus, factors, 1516
for mosaic and ringspot viruses of orchids, 582
for pea seed-borne mosaic virus, 825
Aspergillus flavus infection in cotton bolls, 488, 490, 492
bean leaf beetle
bean pod mottle virus, strain of, 831, 832
cowpea strain of southern bean mosaic virus, hemolymph reservoir, 538
chickpea wilt, virus-induced, 373, 374, 453, 455
hoja blanca virus, 142, 916
leafhoppers
summer death of French bean, 1451
western X disease, tetracycline effect on vector and host, 696
mycoplasma
corn stunt, 240, 888
psylid transmission from pear, 1177, 1178
oat blue dwarf virus, artificial membrane acquisition of, 1230
resistance to, as factor in tomato, 1257
interference microscopy, onion epidermal cell nuclei, response to Botrytis allii, 724
iris, bearded iris mosaic virus, transmission, purifications, inclusions, 926, 928, 930, 931
Ishii, M., (582), 1322

Jackson, A. O., (919)
James, W. C., 1471
jasmine, viruses in, 228, 229
Jaworski, C. A., (849)
Jellum, M. D., (308)
Jenifer, F. G., 129
Jennings, P. R., 142
Jensen, D. D., (696), 1465
Jensen, K. F., 134
Johnson grass
corn stunt agent, an overwintering host for, 908
mosaic virus isolates from, 389, 391, 392
Johnson, L. B., 897
Johnston, T. H., (1522)
Jones, A. L., 897, 1023
Jones, B. L., 406
Jones, J. P., 897, 1415
Jones, O. H., (890)
Jones, T. M., 897
Jowett, D., (1444)
Judd, R. W., Jr., 129
Juniperus sp., ozone, influence of, 133
Jutila, J. W., (873)

Kabatiella zeae, corn eyespot, a new disease in North America, 54, 55, 56
Kado, C. I., (899)
Kadooka, J. Y., 898
Kaiser, W. J., 372, 453
Kaloostian, G. H., 1177
Kantzes, J. G., (898)
Kappas, A., 1093
Kapur, S. P., 1322
Katan, J., (1113), 1213
Kawamoto, S. O., 898
Kedar, N., (253)
Keen, N. T., 198, 1084, 1266
Keil, H. L., 898, (915)
Kelman, A., (1022)
Kennedy, B. W., (715), 879, (903)
Kentucky bluegrass (see also Poa pratensis)
leaf spot, influence of nutrition on, 888
rust and smut pathogens, chemotherapy of, 1396
smuts, systemic fungicide against, 936
stripe and flag smuts, effect on flowering, 1373, 1375

XUM

Khan, H. A., 129
Khew, K. L., (42), 898, 1322
kidney bean, red-, potato virus M-infected cells, wall thickenings in, 862, **863–866**, 914
Kilgore, W. W., (905)
Kim, K. S., (347)
Kim, S. H., 898
Kinman, M. L., (1026)
Kirkpatrick, B. L., (1025)
Klarman, W. L., (380), (907)
Klein, M., 130, (917)
Kline, D. M., 1052
Klotz, L. J., 1342
Ko, W. H., 437, 707, 780, (898), 899, 1322
Koenigs, J. W., 269, 899
Kohut, R., 130
Koike, H., 1090
Kommedahl, T., (1026)
Knauss, J. F., 898
Kosuge, T., (919)
Kraft, J. M., (342)
Kramer, C. L., (891), (951)
Krebill, R. G., 899
Kress, L. W., 130
Kreutzer, W. A., (1447)
Kroetz, M. E., (909)
Krupinsky, J. M., (675)
Kryczynski, S. P., (895), 899
Kúc, J., (174), (178), (968), (1110)
Kulfinski, F. B., 237, 724
Kummert, J., 10
Kunimoto, R. K., (1130)

Labanauska, C. K., (1342)
Lacasse, N. L., (131), (132), (906)
Lade, D. H., (884), 899
Laemmlen, F. F., 1322
Lai, M., 248
Lambe, R. C., (913)
Lamborn, C. R., 1015
Landis, W. R., (1456)
Landow, R. K., 900
Langenberg, W. G., 15
Langley, R. A., 899
Larsen, M. J., (631)
Larsen, P. O., 337
late blight, potato, disease loss estimates of, 1471
Laviolette, F. A., 439, 755, (933)
Lawson, R. H., 653, 900
leafhopper (see also **insects as vectors** and under genera of)
  aster yellows, transmission of, relation of age, sex, and mating to, 657
  vector preference as resistance factor in tomato, 1257
Leary, J. V., 900, 1030
Leath, K. T., 70
Leben, C., (889)
Lee, C. R., 900
Lee, Y. S., 900
Lehman, P. S., 1239
Lenzites
  saeparia
    southern pine stakes, influence of season on infection of, 1013
    spore germination on wood, 88
  trabea
    basidiospore formation, nuclear phenomena preceding, 883
    southern pine, pentachlorophenol as wood preservative, 182
    spore germination on wood, 88
Leptosphaerulina
  briosiana, sporulation, light quality requirements, 70, 71
  crassiasca, ascospores, aerobiology of, 912
Leptotrochila medicaginis, alfalfa inoculum, diseased leaves as source of, 910
Lesley, J., (1319)
Lesnaw, J. A., (907)
LeTourneau, D., (339)
lettuce
  downy mildew resistance, inheritance of, 578
  internal rib necrosis associated with ammonium ion concentration, 1324
  root rot, noninfectious, production under controlled condition, 1153, **1156**, **1158**
Lewis, J. A., (108), 208, (215)
Libocedrus decurrens (see **incense-cedar**)
light
  Botrytis cinerea sporulation, relationship to, 895
  effect on
    Colletotrichum destructivum, growth and sporulation in culture, 911
    Cylindrocladium spp., microsclerotial development, 897
    Helminthosporium maydis, 901
    Mycosphaerella ligulicola ascospore dispersal, 903
    Pseudoperonospora cubensis
      lesion development on cucumber, 265
      sporulation of, 594
    Puccinia graminis tritici spore production, 120
    Stemphylium solani, mutant of, 575, **576**
    virus-infected chrysanthemum, phytoferritin in, 653, **654**
  Leptosphaerulina briosiana, quality required for sporulation, 70, **71**
  photoreversal of peroxidase in bean leaves, 893
  Puccinia recondita uredospore germination inhibited, 887
  stem rot of safflower affected by, 1459
Ligustrum japonicum, charcoal rot fungus-nematode interaction, 1297, **1298**
lilies, soil fungicides, effectiveness of methods of application, 1323
lima bean (see also **bean** and **Phaseolus vulgaris**)
  bacterial brown spot, tolerance to, 1406
  Phytophthora phaseoli, resistance to, 916
  Pseudomonas syringae, reaction to, 1024
Lin, F. K., 645
Lindberg, G. D., 420, 900
Linderman, R. G., (883)
Lindsey, D. L., 901
Linn, M. B., (1024)
Linum usitatissimum (see **flax**)
Lippman, E., 901
Liquidambar styraciflua (see also **sweetgum**)
  peroxyacetylnitrate, influence of, 128
Liriodendron tulipifera, peroxyacetylnitrate, influence of, 128
Lister, R. M., (887), (892)
Littrell, R. H., 901
loblolly pine (see **pine, loblolly**)
Locke, J. C., 1024
Lockhart, C. L., 335
Lockwood, J. L., (1355)
Long, D. L., 1230
Long, M., (1266)
Loonan, D. V., (546), (1068)
Lopez-Abella, D., (333)
loquat, canker caused by Pseudomonas sp., **248**
Lorbeer, J. W., (127), 130, (898), (910), (1024), (1153), (1164)
Lotus corniculatus (see **birdsfoot trefoil**)

Lucas, G. B., (541), 1041
Luke, H. H., (1147)
Lukens, R. J., (129), 130, 901
Lukezic, F. L., (128), (688), (887), (894), (1423)
Lumsden, R. D., 901
Lung, M., 901
lupine, gray leaf spot pathogen, mutant of, 575, 576
Lycopersicon esculentum (see tomato)
Lyda, S. D., 728, 858

macadamia, Phytophthora blight, a new disease, 1130, 1131
Mace, M. E., 627, 834, 902, (916)
MacKenzie, D. R., (131), 471, 458
Macko, V., 902
MacNab, A. A., 130
MacNeill, B. H., 130, (816)
Macrophomina
  phaseoli, soybean, ultrastructural determination of infection of, 883
  phaseolina
    Ligustrum japonicum, interaction with Meloidogyne on, 1297, 1298
    slash pine black root rot, factors affecting, 184

Macrosiphum euphorbiae (see aphids)
Macrosteles fascifrons (see leafhopper)
Madson, M. E., (1022)
Main, C. E., 518, 1437
maize (see corn)
maize dwarf mosaic virus
  corn
    factors affecting aphid transmission, 1516
    predisposition to root rot, 800, 802
  distribution in corn, wheat, oats, and peas, 1024
  grain sorghum, association with small seed disease of, 1024
  host range, 1059
  isolates from corn, Johnson grass, and sorghum, 389, 391, 392
  purification and serology of, 1059
  sugarcane mosaic virus, comparison with, 1026
  winter wheat as a reservoir, 885
Malus (see apple)
Manasse, R. J., 902
maneb (see fungicides, specific)
mango, woody gall and scaly bark, 1320
Manion, P., (917)
Manji, B. T., (905), 1323
Mankau, R., 1492
Manning, W. J., 131
maple
  phenols in tissue, extractable, 914
  red-, wounds, discoloration and decay associated with, 896
  sugar- (see also Acer saccharum)
    Armillaria mellea growth enhanced on root extract, 915
    bacteria in inoculated seedlings, role of, 896
    succession of microorganisms, 552, 556, 557
    white rot, 556, 557
Maramorosch, K., (130), 902, (917)
Marasas, W. F. O., 1488
Markham, C. R., (575)
Markham, R., (909)
Marks, G. C., 510
Marlatt, R. B., 740
Martin, M. W., (550), (1257)
Martinez-Lopez, G., 902
Martinson, C. A., (1023)
Massie, L. B., (131)
Mathieson, B., (890)
Mathre, D. C., 902, (1075)
Matsui, C., (279), (354), (598), (681), (759)
Maxwell, D. P., 902
May, C., 599
Mayhew, D. E., 636, (903), 1024
McCarter, S. M., (849), (1326), 1426
McCartney, W. O., (248)
McCoy, R. E., 131, 903
McCracken, F. I., 250
McCrum, R. C., 290
McDaniel, G. L., 45, (903)
McDonald, J. G., 903
McElroy, F. D., 586
McFarlane, J. C., 1323
McIntyre, G. A., (893)
McKenry, M. V., 903
McKinney, H. H., (945)
McMeans, J. L., (488), (1134)
Medicago sativa (see alfalfa)
Meiners, J. P., (225)
Meister, C. W., 903
Meléndez, P. L., (1332)
Mellor, F. C., 246
Meloidogyne
  arenaria, peanut, effect on Aspergillus infection of pods, 1038
  graminis, sex differentiation, environmental influence on, 916
  hapla, alfalfa, effect on bacterial wilt in, 256, 258
  incognita
    alfalfa, egg hatching in root extract of, 894
    tobacco disease complexes involving fungi, 1332, 1333, 1334
    tomato, interaction with other pathogens of, 897
  javanica, Ligustrum japonicum, interaction with Macrophomina phaseolina on, 1297, 1298
melon mosaic virus, cucumber, resistance in, 253
Menser, H. A., (945)
Merkle, O. G., (1501)
Merrill, W., (886), (905), (1185)
mertect (see fungicides, specific)
Metasequoia glyptostroboides, Dothiorella canker of, 913
methyl bromide (see fungicides, specific)
Mew, T. W., 715, (879), 903
Meyer, W. A., 584, (1024), 1198
Milbrath, G. M., (1320), 1323
Millar, R. L., (494), (501)
Miller, J. W., (804)
Miller, L. I., 903
Miller, P. R., (1041)
Millikan, D. F., (1023)
mimosa, Fusarium wilt, effect of root exudate on, 812
mint, Verticillium spp. pathogenicity of isolates, 435
Minton, N. A., (1038)
Minz, G., (463)
Miranda, M., (61)
Mircetich, S. M., 357, 1270
Mirocha, C. J., (400), (913), (918)
mistletoe, incense-cedar, resistance in, 875
MIT (see fungicides, specific)
Mitchell, D. J., 787, 807
Mitchell, J. E., (510), (895), 978
Miyakawa, T., (279), (598)
MMDD (see fungicides, specific)

moisture (see also soil, moisture, and water)
  Botrytis leaf blight of onion, role in epidemiology of, 910
  effect on
    Cercospora apii, number of spores trapped, 885

Cercospora leaf spot of sugarbeet, 546
late blight infection of potato, 275
Mycosphaerella ligulicola ascospore dispersal, 903
Mycosphaerella musicola ascospore survival, 139
Pseudoperonospora cubensis, sporulation of, 594
humidity, postinoculation, relation to bacterial blight development in soybean, 879
mushroom bacterial blotch, effect of dew on epidemiology of, 918
pink disease of pineapple, requirements for, 908
Moline, H. E., 903, 1024
Monacrosporium spp., tolerance to dibromoethane, 1492
Monilinia spp., growth of, medium for selective, 906
fructicola
conidia, response to anoxia and heat, 61
peaches and nectarines, contamination in packing houses, 912
tart cherry, control on, with triarimol, 899
Monochaetia mali, apple, etiology in, 904
Moore, B. J., (194), 831
Moore, L. D., (888), (908)
Moore, L. W., 904
Moreno-Martinez, E., 1498
Moria disease (see pear, decline)
Morin, C. W., (248)
Morrison, R. H., (883)
Morton, H. L., (1023)
Moseman, J. G., 617
Mosokar, H. I., (1318)
Mucor sp., sorghum, storage fungi in grain, 767
ramannianus, soil fungistasis, response to, 1355, 1360, **1361**
Muller, G. J., 1024
Muller, I., (753)
mung bean, halo blight of, 909
Munnecke, D. E., 194
Murakishi, H. H., (877), (884), (906)
Murray, J. J., (256)
Musa (see banana)
muskmelon, cucumber mosaic virus, decline caused by, 130
Mussell, H. W., 515, 904
mycoplasma (see also aster yellows)
citrus stubborn disease culture of, and inclusions, 1321
dodder transmission, 151, **152–154**
Likubin-diseased citrus, bodies associated with, **598**
pear decline, associated with, 1177, **1178**
pear scions, infectivity following dormancy, 1324
potato haywire disorder, **1316**
pseudocolonies on solid agar, 902
in sieve tubes of plants infected with blueberry stunt and cranberry false blossom, 233, **234**, **235**
strawberry June yellows and witches'-broom, cause of, 1137, **1139**
summer death of Phaseolus vulgaris caused by, 1451, **1452**
tetracycline, electron microscopic studies of effect of, 917
transmission
by leafhopper, relation of age, sex, and mating to, 657
tissue implantation for, 429, **430**
in Vaccinium spp., 127
western X disease
cause(?) for, host range, 1465, **1467**, **1469**
effect of tetracycline on vectors and plant host, 696
X-disease of Prunus spp., associated with, 1036, **1037**
mycorrhizae
Douglas fir, effect of ecto-mycorrhizae on seedling growth, 911
soybean, effect of P fertilizers on, **1400**, **1401**
Mycosphaerella
ligulicola, ascospore dispersal, relationship of moisture and light to, 903
musicola, ascospore survival, 139
mycotoxin (see toxins)
Myrothecium verrucaria
birdsfoot trefoil, leaf spot, 127
soil fungistasis, response to, 1355, **1360**, **1361**
Myzus persicae (see also **aphids**)
vector for maize dwarf mosaic, transmission factors, 1516
Naik, R., 904
Nakagaki, Y., 22, 354
Namba, R., 582
Natti, J. J., 669
necrotic ringspot virus
peach and cherry, comparative properties from, 532, **533–536**
peach isolate, properties of, 127
Prunus spp., incidence in pitted trees, 1270, **1272**, **1274**, **1275**
nectarine (see also **Prunus spp.**)
contamination in packing houses, 912
Nectria haematococca curcurbitae, inheritance of avirulence and dodine resistance, 1093
Nelson, G. A., 1097
Nelson, P. E., 743, (915)
Nelson, R. R., 131, (458), (471), (1052), (1170)
nematicide(s)
diffusion, effect of soil factors on, 903
Pratylenchus penetrans on potato, granular formulations against, 887
nematodes (see also under genera of)
foliar, grass growth stimulated, 740
immunoelectrophoretic comparison of three plant parasites, **751**
new sp. on grass, 885
nematode-trapping fungi, tolerance to dibromoethane, 1492
Nemec, S., 711
Neocosmospora vasinfecta, soybean, disease of, 906
Neurospora
crassa, lipids of, polar, 894
tetrasperma, soil fungistasis, response to, 1355, **1360**, **1361**
new diseases, species, and varieties
apple, hypertrophic mitochrondrial virus, **431**, **432**
Ascochyta leaf spot, on wheat, 675, **677–679**
Calonectria collar rot on Acacia koa, 1322
chrysanthemum chlorotic mottle virus, 415, **416**, **418**
eyespot of corn, in North America, 54, **55**, **56**
Ilex leaf disease caused by Cylindrocladium avesiculatum, **58**, **59**
nematode on grasses, 885
Neocosmospora vasinfecta on soybean, 906
Phyllosticta maydis, 1170, **1171**
Phytophthora blight of macadamia, 1130, **1131**
"short life" of peach, Cylindrocladium spp. associated with, 1095, **1096**
Verticillium dahliae on soybean, 565, **566**
Newman, F. S., (873)
Niblett, C. L., 1024
Nicholson, J. F., 904, 1024, (1198), 1390
Nicotiana spp. (see also **tobacco**)
Alternaria alternata
isolation of, 916
reaction to, 541, **544**
Niles, R. M., 131, 562
Nishijima, W. T., 1323
nitrogen
Aspergillus flavus conidial germination, exogenous requirements for, 905
effect on, black root rot of slash pine, 184

microorganisms on cranberry, suppression of, 335
soybean nodulation influenced by cyst nematode, 1239
nitrogen dioxide, air pollutant with SO_2, 1506, 1508
Nodulisporium hinnuleum, sycamore achenes, associated with, 660, **667**
noninfectious diseases, lettuce root rot, 1153, 1156, 1158
Norman, C., 904
Novacky, A., 904, (906), (1147)
nucleic acid (see also **ribonucleic acid**)
synthesis in nematode-infected soybean roots, 395, **396–398**
Nuque, F. L., (703)
nutrition
Coryneum carpophilum, effect in culturing of, 829
stalk rot development of corn, influence on, 1125
Nyland, G., 904

oak
black-, fusiform and eastern gall rusts, interaction of, 1055, **1056**
bur-, wilt, transpiration during pathogenesis, 893
English-, ozone, influence of time and concentration, 130
microorganisms and patterns of discoloration, successions of, 910
oak wilt
insect transmission of, 1185, 1186
numerical index for rating trees with, 1143
pin-, lead, mercury, and sodium contamination in cities, 912
red-, wilt pathogen, distribution within a tree, 1003
oat blue dwarf virus
flax, histology and ultrastructure in, **1249**, **1250**, **1252**
Macrosteles fascifrons, membrane acquisition and transmission by, 1230
oats
barley yellow dwarf virus outbreaks, factors affecting, **1068**
bromegrass mosaic and clover yellow mosaic viruses distribution in roots, 1024
crown rust
tolerance derived from Avena sterilis, 911
tolerance of mutant to, 1064
maize dwarf mosaic virus distribution in roots, 1024
ozone injury influence by air velocities, 1209
Victoria blight, resistant lines, isozymes from, 1147
victorin, ultrastructure of changes caused by, 641, **642**, **643**
obituaries
Gideon Herman Boewe, 441
George Flippo Gravatt, 599
Helen Hart, 1151
Clarence John Humphrey, 1152
Lee Homer Person, 1041
Michael Shapovalov, 1319
Harry Curtis Young, 442
Oda, M. K., (1322)
Oderwald, D. R., (913)
Ogawa, J. M., 905, (1323)
Olah, A. F., 65
Olszewska, D., (290)
Omrod, D. J., (586)
Onesirosan, P. T., 975
onion
Botrytis allii, interference microscopy of epidermal cell nuclei in response to, 724
Botrytis leaf blight, role of dew and temp in epidemiology of, 910
Fusarium basal rot, histopathology of four cultivars, **1164**, **1166**, **1168**
Fusarium oxysporum cepae populations in organic soils, 1042, **1044**
pink root, bioassay
for causal agent of, 1299
of inoculum in soil, 146
Pseudomonas cepacia, histology of leaves infected with, 898
Pyrenochaeta terrestris, root compound inhibitory to, 906
white rot, effect of inoculum density and soil factors on, 1253
wilt, pathological histology of infected plants, 127
Ophiobolus graminis, wheat, influence of N fertilizer on take-all of, 911
orange (see also **citrus**)
Penicillium decay, control with imines, 891
root rot and growth inhibition, importance of Phytophthora spp. and aeration in, 1342, **1344**
orchid, viruses, failure of aphid transmission, 582
ornithine carbamyl transferase (see **enzymes, specific**)
Orosius argentatus, vector for French bean summer death, 1451
ortho-diphenol oxidase (see **enzymes, specific**)
Oryza sativa (see **rice**)
Otta, J. D., 443, 1025
Ou, S. H., 703
Overman, A. J., (897), (1415)
Owens, R. G., (132)
oxathiins (see **fungicides, specific**)
oxycarboxin (see **fungicides, specific**)
oxygen (see also **anoxia**)
effects on Phytophthora spp., growth or sporulation of, 787, 807
ozone
bean, reducing injury with benzimidazole, 906
bean leaves, effect on sterols in, 1404
effect on
bean leaf peroxidase isozymes, **1306**
bean leaves steroid content, 132
eastern white pine in rural environment, 717
woody ornamentals, 133
English oak, influence of time and concentration on, 130
injury
influenced by air velocities, 1209
to vegetation, identification of, 918
pine, relative sensitivity to three spp., 231
Pinto bean, effect of benomyl on response in, 131
poplar, influence of time and concentration on, 130
tobacco
capacity of leaf extracts to react, 914
used for virus studies, effect on, 945, **947–949**
tulip poplar, influence of time and concentration on, 130

Pachysandra sp., ozone, influence of, 133
Pack, M. R., (913)
Pacumbaba, R. P., 341
Pady, S. M., 951
Paine, R. L., 905
Palmer, B. C., 984
Panopoulos, N. J., 905
Papavizas, G. C., 108, (208), 215, (1253)
papaya
collar rot pathogen, characterization and pathogenicity of, 1232
Phytophthora palmivora, direct observation on soil, 437, **438**
postharvest fungal diseases, role of BITC in resistance, 905
root rot, biological control of, 780, **781**, 1322

Papendick, R. I., 905
Pappelis, A. J., (237), (724)
parasexuality, Endothia parasitica, 169
Partridge, J. E., (1084)
Pass, T., 905
pathogenic races (see **physiologic races**)
pathogenicity
Calonectria sp. to papaya, 1323
Cephalosporium gregatum, variation in isolates, 1410
fungi to sycamore achenes, 660, **667**
Phytophthora spp. to carrot, 586
pseudomonads, halo blight group of fluorescent, 852
Sclerotium cepivorum, variation in, 1253
Ustilago maydis, meiotic products from natural infections of, 1020, **1021**
pathogenesis, Pseudomonas solanacearum, effect of strain interaction, 987
Patil, S. S., 905, (1324)
Paulson, G. A., 959
Paulus, A. O., (1134)
Pavek, J. J., (239)
Pawuk, W. H., 131
Paxton, J. D., (954), 1025
Payne, M. G., (1477)
PCNB (see **fungicides**, specific)
pea
Aphanomyces euteiches, effect of S-containing volatiles and cabbage vapors on, 208, **212**
Aphanomyces root rot, effect of amendments and fungicides on, 215
Aspergillus ruber, toxicity of extract from plants infected with, 894
benomyl, distribution and metabolic fate of, 910
bromegrass mosaic and clover yellow mosaic viruses distribution in roots, 1024
Fusarium wilt, technique for study of, **342**
maize dwarf mosaic virus distribution in roots, 1024
resistance to BYMV and WMV-2, common gene for, 846, **847**
root rot control, effect of Dexon in, 978
wilt of, from toxin of Fusarium tricinctum, 1488, **1490**
pea leaf roll virus
chickpea, 372, **374**
chickpea wilt, etiology of, 453, **455**
pea seed-borne mosaic virus
purification of, partial, 1025
transmission by three aphid spp., 825
pea streak virus, peas, xylem translocation in, 892
peach (see also **Prunus spp.**)
blight pathogen, culturing of, 829
contamination in packing houses, 912
Cylindrocladium floridanum root rot, influence of soil temp on, 915
Cytospora cincta, induced resistance to, 685
necrotic ringspot virus, properties of isolate, 127
postharvest decay, control of, 916
Pseudomonas syringae, serology and pathogenicity, 443, **446–449**
ringspot, properties of, 532, **533–536**
short life, association of Cylindrocladium spp. to, 1095, **1096**
tree decline, role of Pythium spp. in, 357
western X disease, effect of tetracycline on vectors and host plants of, 696, 904
Peaden, R. N., (256)
peanut
aflatoxin
production, reduction in presence of DMSO, 907
relationship of harvesting method to, 1180
antifungal compound in cotyledons, 901
Aspergillus flavus
effects of nematode and curing time on, 1038
proliferation, 1194
relationship of harvesting to populations of, 1180
leaf spot fungi, aerobiology of, 912
pod breakdown pathogen, persistence in soil, 596, **597**
peanut mottle virus, purification and characterization of severe strain, 914
peanut stunt virus, bean stunt incited by, 328, **329**
pear
decline
mycoplasma associated with, 1177, **1178**
remission of symptoms with tetracycline, 904
Erwinia amylovora, nature of aerial strands of, 898
fire blight
effect of streptomycin on artifically injured trees, 915
nature of aerial strains of, 898
wind dissemination of water-borne bacteria, 741
Helminthosporium blister canker, etiology and histopathology, 312, **314, 315**
scion infectivity following dormancy, 1324
Peckham, J. C., (890)
pectic lyases (see **enzymes**, specific)
Pectinophora gossypiella, cotton boll infection, insects related to, 488, **490, 492**
Pedersen, M. W., (256)
Pelargonium spp., Xanthomonas pelargonii, histopathology of cultivars in response to, 915
hortum (see **geranium**)
zonale, hydrogen fluoride effect on oxidative enzymes, 1277, **1278**
Pelcher, L. E., 906
Pellissier, M., 131, 132, 906
Penicillium spp.
apple postharvest decay, comparison of enzymes in, 917
corn ear, pathogenicity on, 1022
peanuts, relationship of harvesting method to populations in, 1180
soil fungistasis, response to, 1355, **1360, 1361**
sorghum, storage fungi in grain, 767
tobacco disease complexes involving nematode, 1332, **1333, 1334**
wheat seedling root rot, effect of MMDD on, 98
atrovenetum, soybean, bioassay for systemic fungicide translocation on, 1301
chrysogenum, viruslike particles of, properties of, 886
digitatum
orange decay, control with imines, 891
spore germination affected by volatile components of citrus fruit, 889
expansum, apple blue mold, control in storage, [1308]
Penney, R. W., (912)
pentachlorophenol (see **fungicides**, specific)
Pepin, H. S., (586)
pepper
bacterial spot, Ca suppression of electrolyte loss, 484
postharvest decay, selective medium for bacteria, 425
periwinkle (see **Vinca minor**)
Perl, M., (594)
Pero, R. W., 132
peroxidase (see **enzymes**, specific)
peroxyacetylnitrate, woody plants, influence on, 128
Perry, V. G., (740)
Pestalotia sp., sycamore achenes, associated with, 660, **667**
Peterson, C. A., 91
Peterson, C. E., (1218)
Peterson, G. W., 149, (409)

Peterson, J., (1316)
Peterson, J. L., (129), (812)
Pew, W. D., (1324)
Peyronellaea sp., sycamore achenes, associated with, 660, **667**
Pfeiffer, J., (908)
Pfleger, F. L., 906, 1299
pH
Coryneum carpophilum, effect on culturing of, 829
effect on Pythium aphanidermatum oospore germination, 1149
Phaeocryptopus gäumanni, Douglas fir, etiology, impact, and distribution in Michigan, 1023
Phaseolus
aureus (see **mung bean**)
vulgaris (see also **bean** and **lima bean**)
phaseollin, biosynthesis of, 79
summer death of, from mycoplasma(?), 1451, **1452**
phenols
exocortis virus infection, chromatographic detection of, 1338
Norway spruce extracts, effects of Fomes annosus, 841
Puccinia graminis uredospore germination inhibitor, 1382
tobacco metabolism changes associated with resistance to TMV, 1261
phenolic compounds, succession of microorganisms on maple, effect on, 552
phenylalanine ammonium lyase (see **fungicides, specific**)
Phialophora melinii, phenolic compounds, effect on growth, 552
Phillips, D. J., 906, 1312
Phillips, D. V., 1205
Phlox divaricata, Cercospora omphakodes, disease development caused by, 129
Phoma sp., sycamore achenes, associated with, 660, **667**
betae
antagonism of nullified by bacteria, 1447
sugarbeet seed, heat therapy for elimination from, 894
exigua exigua, Vinca minor, stem blight of, 959, **960**
Phomopsis sp., sycamore achenes, associated with, 660, **667**
Phoradendron bolleanum pauciflorum (see **mistletoe**)
phosphate, soybean yield, effect on mycorrhizal and nonmycorrhizal, **1400**, **1401**
phosphorus, effect on black root rot of slash pine, 184
photosynthesis, tomato leaves, gas exchange affected by Fusarium, 1377
Phragmidium sp., virus transmission, 1325
Phycomyces blakeleeanus, lipids of, polar, 894
Phyllosticta
maydis, corn, cause of yellow leaf blight of, 1170, **1171**
zeae, corn leaf segments inoculated with, 1022
Phymatotrichum omnivorum
cotton, disease development and sclerotial formation, influence of temp on, 728
sclerotial formation, changes in CO_2 level during, 858
Physalospora obtusa
apple postharvest decay, enzymes in, 917
growth in culture, effects of pH and N on, 883
Physarum polycephalum, TMV, inhibitor of, 636, **639**

physiologic races
Cercospora beticola, pathogenic specialization of, 1081
Fusarium oxysporum pisi, 884
Puccinia recondita in Kenya, 1201
physiology of disease
Alternaria tenuis on tobacco, 1437, **1438**
bacterial spot of pepper, 484
bacterial wilt of cucumber, response of varieties, 518, **520**
barley mildew, transfer of S from host to parasite, 896
bean rust, effect on stomatal response and transpiration, 114
blister rust-infected tissue cultures, effect of growth regulators on, 507
cotton resistance to anthracnose, role of N compounds in, 1394
flavonoid compounds in alfalfa infected with Ascochyta imperfecta, 65
gas exchange affected by Fusarium in tomato leaves, 1377
lettuce rib necrosis, effect of NH_4 ions on, 1324
oak wilt pathogenesis in bur oak, transpiration during, 893
ozone on cell membrane, effect of, 1404
phenol metabolism during TMV local lesion formation, 1261
Phytophthora-infected safflower, antifungal compound from, 1107
Podophyllum rust, changes in epidermal cell nuclei, 237
potato late blight
biochemical response of tuber to disease, 174
suppressing and inducing resistance, 178
powdery mildew of apple, influence on S and Ca accumulation, 1099, **1100–1102**
seedling blight of rice, pathogenicity of healthy and diseased isolates, 420, **421–423**
steroid content of bean leaves, effects of ozone on, 132
sunflower infected with Sclerotinia sclerotiorum, cell permeability changes, 894
tobacco resistance to TMV, metabolic changes associated with, 293
tomato infected with PSTV, metabolic changes in, 1322
translocation change in Hypoxylon-infected aspen, 366
Verticicladiella infection of ponderosa pine, 920
virus-infected chrysanthemum, phytoferritin accumulation in, 653, **654**
physiology of microorganisms
Aspergillus flavus, aflatoxin inhibition, 380
bacteria, polypectate gels for spp. identification, 1430
Ceratocystis ulmi, polygalacturonase production, 745
Endothia parasitica, nutritional requirements of, 169
Fomes connatus, effect of gallic acid and preceding fungus on growth of, 552
Fusarium oxysporum, polygalacturonase production, 242
Helminthosporium carbonum on corn tissue, exchange of materials, 888
Phialophora melinii growth on phenolic compounds, 552
Physalospora obtusa, effect of pH and N on, 883
Phytophthora spp.
chemotactic responses of, 1322
effects of CO_2 and O_2 on growth of, 787
Puccinia graminis uredospore germination inhibitors, 1382
Puccinia graminis tritici, axenic culture of, 994, **996–999**
Stemphylium spp., cyanide tolerance of, 494, 501
Stemphylium solani, mutant of, 575, **576**
Stereum gausapatum, cellulase production, 134
Tieghemiomyces parasiticus, 885
Uromyces phaseoli
CO_2 fixation and incorporation into uredospores, 400
germ tube
elongation, effect of peptones on, 131
formation, effect of peptones on, 562
uredospores, uridine incorporation into, 244
Verticillium spp., growth on trehalose and polyols, 339
phytoalexins (see also **toxins**)
bean hypocotyl, accumulation in Fusarium-infected, 887
6a-hydroxyphaseollin induced in soybean hypocotyl, 1084, **1086**, **1087**
phaseollin

XUM

biosynthesis in excised bean pods, 79
induced by Fusarium and Thielaviopsis in bean, 322
mode of action, 915, 1363, **1368**
Phytophthora-infected safflower, from, 1107
production, nature of molecules which promote, 893
soybean
hydroxyphaseollin induction with fungicides, 907
inducer in, 954, 1025
roots, detection in, **584**
strawberry resistance to red stele disease, involved in, 515, **516**
Phytophthora spp.
genetics of, 283, **285–287**
isolates from Arizona, 1293, **1294**
mutants, UV light induction of auxotrophic, 283, **285–287**
orange root rot, importance in, 1342, **1344**
polar lipids of, 894
sporulation, effects of CO_2 and O_2 on, 807
zoospores
chemotactic responses of, 1322
electrostatic response of, 898
cactorum
apple, seasonal fluctuation on, 1023
enzyme activity, effect of beta-sitosterol on, 904
stimulation by fatty acids, 892
capsici, growth, effects of CO_2 and O_2 on, 787
cinnamomi, sporangium production, effect of soil solution and bacteria on, 1188
citrophthora, growth, effects of CO_2 and O_2 on, 787
drechsleri
safflower
antifungal compound from infected-, 1107
resistance to, 1459
fragariae, strawberry, resistance in, 515, **516**
infestans
oospore production, viability, and germination related to establishment of F_2 cultures, 907
potato
disease loss estimates of, 1471
epidemiology, systems analysis and dynamics of, 600
factors affecting infection, 275
general resistance, 620
host-parasite interaction, 174
rishitin and phytuberin accumulation in, 968
suppression of hypersensitive reaction in, 178
virus-inhibiting polysaccharide, 1006
megasperma, alfalfa, factors affecting tolerance in, 510, **512**
megasperma sojae
oospore-oogonium wall complex, chemical composition of, 901
soybean, phytoalexin inducer in, 954, 1025, 1084, **1086, 1087**
nicotianae parasitica
black wattle, black-butt disease, 144
macadamia, epidemiology and symptomatology on, 1130, 1131
parasitica
chlamydospore formation in liquid culture, 1412
Christmas cactus, basal stem and root rot of, 804, 805
citrus, inoculation with zoospores, 1233, 1236
isolates from Arizona, identification of, 1293, **1294**
survival in soil, 1321
palmivora
cacao plantation, survival during dry season, 975
chlamydospore production, 898
growth, effects of CO_2 and O_2 on, 787
macadamia, epidemiology and symptomatology on, 1130, 1131
papaya, direct observation on roots, 437, **438**
papaya root rot, biological control of, 780, **781**, 1322
parasitica nicotianae
tobacco root protein content following heat treatment and inoculation, 908
tobacco, ultrastructural changes in infested roots, 33, **35–37**
phaseoli, lima beans resistant to, 916
Picea
abies (see also spruce, Norway)
lead, mercury, and sodium contamination in cities, 912
pungens, Chrysomyxa weirii on, 131

Pieris sp., ozone, influence of, 133
Pierre, R. E., 322
Pinckard, J. A., (915), (1118)
pine (see also **Pinus spp.**)
Austrian, Diplodia pinea, infection by, 409, **412**
dwarf mistletoe
distribution in Colorado, 1324
infection, regression analysis of, 1325
jack, sensitivity to ozone and SO_2, 231
loblolly, root rot, effect of borax on, 269
longleaf, logs, surface stain of wetted, 889
ponderosa
infection by Diplodia pinea, 409, **412**
Verticicladiella wagenerii infection, effect on host physiology, 920
red
sensitivity to ozone and SO_2, 231
Scleroderris lagerbergii, epidemiology of, 890
rusts, black oak for identifying inoculum of, 1055, **1056**
Scotch, infection by Diplodia pinea, 409, **412**
slash (see also **Pinus elliottii**)
root rot, effect of borax on, 269
rust, influence of moisture on infection, 909
southern, organisms infecting, influence of season on, 1013
white
blister rust in tissue culture, 773, **774–777**
sensitivity to ozone and SO_2, 231
wood decay fungi, spore germination on wood, 88
pineapple
butt rot, field control of, 1323
pink disease, temp and moisture requirements for infection, 908
Pineda T., A., (142)
Pinkas, Y., 906
Pinto bean, benomyl, response to ozone, effect on, 131
Pinus spp. (see also **pine**)
ozone, effect of age, time, and concentration, 130
pentachlorophenol as a wood preservative, 182
salt spray damage, roadside, 128
Trichoderma viride and Poria monticola antagonism on sapwood, 124
elliottii (see also **pine, slash**)
black root rot, factors affecting, 184
monticola, blister rust-infected tissue, effect of growth regulators on, 507
nigra
Dothistroma pini, resistance to, 149
lead, mercury, and sodium contamination in cities, 912
ponderosa (see **pine, ponderosa**)
strobus (see **eastern white pine**)
taeda (see **pine, loblolly**)
Pirone, T. P., (901), 907
Pisum sativum (see **pea**)
Pittarelli, G. S., (541)
plant hormones, virus replication in cotton, effect on, 869

Plasmopara halstedii, sunflower, inheritance of resistance in, 1026
Platanus
occidentalis (see sycamore)
xacerifolia, lead, mercury, and sodium contamination in cities, 912
Plavsic-Banjac, B., (902)
Poa pratensis (see also Kentucky bluegrass)
systemic fungicides, rust and smuts, relationship of molecular structure to activity against, 731
Ustilago and Urocystis smuts of, fungicides for, 1462
Podophyllium peltatum, rust, effect on epidermal nuclei, 237
Podosphaera
leucotricha
on apple, inhibition by methionine, 346
apple leaves, influence on S and Ca accumulation in, 1099, 1100–1102
fungicide control, efficacy of, 884
oxyacanthae, tart cherry, control in, with triarimol, 899
poinsettia
benomyl transport into plant organs, 91, 92
soil fungicides, effectiveness of methods of application, 1323
Polak, Z., (569)
Politis, D. J., (917)
pollutants
limestone dust, influence on foliar diseases, 131
ozone, conifers, effect of age, time, and concentration, 130
pollution
air-
effect on, eastern white pine, 717
fluoride, effect of, on pollen germination and pollen tube growth, 913
fluorides in Montana, effect on plants, 887
hydrogen fluoride, oxidative enzymes of Pelargonium leaves, effect on, 1277, 1278
identification of injury to vegetation, 918
N and SO_2, interaction, 1506, 1508
ozone
effect on bean leaf peroxidases, 1306
plant injury influenced by air velocities, 1209
tobacco used for virus studies, effect on, 945, 947–949
lead, mercury, and sodium contamination of urban trees, 912
salt spray damage to roadside trees, 128
polygalacturnase (see enzymes, specific)
polygalacturonate trans-eliminase (see enzymes, specific)
polyols, effect on, Verticillium spp., growth of, 339
Polyporus
amarus, cultural characteristics of, 592
betulinus, host specificity, 905
versicolor
lipids of, polar, 894
spore germination on wood, 88
polysaccharide, virus inhibitor from Phytophthora infestans, 1006
Poncirus trifoliata, exocortis virus infection, chromatographic detection of, 1338
Poovaiah, B. W., 1277
poplar
ozone, influence of time and concentration of, 130
stem crown gall, chemotherapeutic control of, 129
Populus sp.
Ceratocystis ulmi, downward movement of spores, 127
peroxyacetylnitrate, influence of, 128
tremuloides (see aspen)
monticola
antagonism with Trichoderma viride on pine, 124
spore germination on wood, 88
Porter, D. M., 1194
postharvest disease
apple blue mold, chemical control of, [1308]
banana, sensitivity of fungi to chlorine, 344
cranberries, N suppression of microorganisms, 335
papaya, role of BITC in resistance in, 905
vegetables, bacteria, selective medium for enumerating, 425
potassium, effect on black root rot of slash pine, 184
potato
bacterial seed piece decay induction by fungi, 1324
early blight, Epishow for prediction of epidemic progression, 131
haywire disorder, mycoplasma associated with, 1316
late blight
disease loss estimates for, 1471
epidemiology, systems analysis and dynamics of, 600
fungus, induction of rishitin by, 968
host-parasite interaction, 174
infection, factors affecting, 275
resistance, general, 620
suppression of hypersensitive reaction, 178
phytuberin accumulation in, specificity of, 968
pink eye, pectic lyases produced by Pseudomonas fluorescens characteristics of, 893
Pratylenchus penetrans, formulation of nematicides against, 887
soft rot induced in seed pieces by soil-borne fungi, 1324
tomato ringspot virus, experimental infection of, 885
potato leaf roll virus, strains, heat-stable, 246
potato spindle tuber virus
diagnostic symptoms enhanced with manganese, 900
local lesion host for, 1034
tomato
low molecular weight RNA from infected-, 911
metabolic changes in infected-, 1322
potato virus M
red kidney bean, cell wall thickenings in infected-, 862, 863–866, 914
serology, immunodiffusion assay, 873
spread, restrictive, callose deposition and wall thickening, 895
potato virus X
antigenicity and infectivity, protection of, 943
microslide serological detection, 290, 291
Phytophthora infestans, polysaccharide inhibitor from, 1006
serology, 290, 291
potato virus Y
antigenicity and infectivity, protection of, 943
pinwheel inclusions, sequential development of, 900
tobacco, effect on quality and yield, 588
potato yellow dwarf virus, concentrations revealed by infectivity assay on vector cell monolayer, 896
Powell, D., (892), (904)
Powell, N. T., 1332
Prabhu, A. S., 120
Pratt, A., (127)
Pratylenchus
penetrans
potato, granular formulations for use on, 887
Verticillium albo-atrum, interactions with, 888
zeae, sugarcane, effect of temp on interrelationship with Pythium on, 1321
Price, R. D., 753
Presley, J. T., (204)
Pring, D. R., 907

Provvidenti, R., (846)
prune, Cytospora canker, induced resistance to, 721
Prunus spp. (see also **cherry, nectarine, and peach**)
Ceratocystis ulmi, downward movement of spores, 127
stem pitting, transmission of, 1270, 1272, 1274, 1275
X-disease, mycoplasma associated with, 1036, 1037
persica (see peach)
Pseudomonas spp.
amino acid synthesis in phytopathogens, impaired, 909
host range, 852
loquat canker, 248
polypectate gels for spp. differentiation, 1430
serology of, 443, 446–449
soybean in the field, epiphytic on, 903
sugar maple seedlings, role in inoculated, 896
taxonomy, comparison by electrophoresis, 984
caryophylli
carnation
effect on, 476
permeability alterations in tissue, 317
cepacia, onion, histology of infected leaves, 898
fluorescens, pectic lyases produced by potato pathogen, 893
glycinea
on soybean
blight, inhibited by
Bdellovibrio bacteriovorus, 1025
germinating seeds, 904, 1390
blight, postinoculation humidity effects, 879
growth on leaf surfaces, 715
seedling infection, 889
ultrastructure of infected leaves, 890
morsprunorum, antibiotic production by, 892
phaseolicola
bean
enchancement of infection with 3′:5′-cyclic AMP, 905
isolation from systemically infected-, 580
mung bean, halo blight of, 909
toxin, chemical groups involved in enzyme binding, 1324
pisi
hypersensitive reaction, role of NH_2 in, 893
tobacco, hypersensitive reaction, influence of exogenous cytokinins on, 904
solanacearum
SFR strain, weed hosts of, 1314
tobacco pathogenesis influenced by strain interaction, 987
tomato transplants, early harvest, reduction by, 849
syringae
bean
bacterial brown spot, initiation in greenhouse, 1310
pathogenicity influenced by isolate source, 908
cell length and colony type, relationship of, 1025
lima bean
reaction of, 1024
tolerance in, 1406
pathology and serology of, 443, 446–449
tolaasi, mushroom bacterial blotch, epidemic development of, 918
Pseudoperonospora cubensis
cucumber, lesion development on, 265
epidemiology, 736
sporulation, factors affecting, 594
Pseudotsuga (see **Douglas fir**)
Psylla pyricola, mycoplasma transmission from pear, 1177, 1178
Puccinia
antirrhini, uredospore germination, self-inhibitor of, 902
coronata
oats
mutant, tolerance of a, 1064
tolerance derived from Avena sterilis, 911
graminis
wheat
epidemiology, systems analysis and dynamics of, 600
vertical concentration above a field, 891
graminis tritici
artificial culture, 376
infection structure differentiation, 649, 650
resistance of wheat to, 1501
spore production, influence of temp and light on, 120
uredospore
axenic culture from, 994, 996–999
germination affected by volatile stimulator, 892
germination, properties of self-inhibitors, 1382
wheat on experimental plots, effect of harvest technique on, 1022
helianthi, uredospore germination, self-inhibitor of, 902
podophylli, Podophyllum, changes in epidermal cell nuclei, 237
recondita
pathogenicity data, computer analysis, 886
physiologic specialization, in Kenya, 1201
uredospore germination, inhibited by light, 887
wheat
epidemiology, systems analysis and dynamics of, 600
peroxidase activity in infected leaves, 897
resistance, sources of in Kenya, 1201
vertical concentration above a field, 891
recondita tritici
aggressiveness of, 884
resistance of wheat to, 1501
semidwarf hard red spring wheat, inheritance of resistance in, 912
striiformis
Kentucky bluegrass, chemotherapy with thiazole compounds in, 1396
systemic fungicides, molecular structure vs. activity, 731
wheat, epidemiology, systems analysis and dynamics of, 600
Puhalla, J. E., (50), 169
Puranik, S. B., 1075
Putter, J., (275)
Pyracantha spp.
Erwinia amylovora, wind disemmination from pear, 741
ozone, influence of, 133
Pyrenochaeta terrestris
bioassay for, in soil, 146, 1299
onion root compound inhibitory to, 906
wheat, a form pathogenic on, 28, 31
Pyricularia
grisea, perfect stage of, 83, 85
oryzae, races, resistance in, 703, 704
Pyrus communis (see **pear**)
Pythium spp.
bean, stem blight of, 898
competitive saprophytic ability of, 357
polar lipids of, 894
population in soil, selective medium for, 357
tobacco disease complexes involving nematode, 1332, 1333, 1334

aphanidermatum
oospore germination, affected by time, temp, and pH, 1149
oospores, survival and germination of, 1324
soybean, effect of temp on infection of, 933
sugarbeet damping-off, additive effect with Heterodera, 917
debaryanum
carrot root dieback, 586
soybean, effect of temp on infection of, 933
tryptophol and IAA production in culture, 918
graminicola
sugarcane
effect of temp on relationship with nematode on, 1321
synergism with SCMV, 1090, 1091
irregulare
inoculum density relationships, 1280
peach tree roots, 357
myriotylum, in soil, persistence, 596, **597**
perniciosum, strawberry roots, mode of entry into, 711, **712**
ultimum
methyl bromide, effect of soil moisture with, 194, **195**
peach tree roots, 357
soybean
effect of temp on pathogenicity on, 933
relationship of inoculum to infection, 439
sporangial germination in bean spermosphere, 165
sugarbeet damping-off, synergism with Heterodera, 917
survival and population dynamics in soil, 157, **159**, **161**
vexans, peach tree roots, 357

Quercus spp.
Ceratocystis ulmi, downward movement of spores, 127
peroxyacetylnitrate, influence of, 128
prinus and rubra, Clostridium associated with discolored tissue of, **122**
Quiniones, S. S., 763

Raabe, R. D., 1323, 1524
races (see **physiologic races**)
radioautography, TMV ingested by aphid, 15, 16–20
radish, postharvest decay, selective medium for counting bacteria, 425
Raffray, J. B., (578)
Ragetli, H. W. J., (431)
Raghu, K., (645)
Rahm, M. L., (891)
Ramakrishnan, L., 244
Rambo, G. W., (380), 907
Rand, R. E., (1024), (1406)
Ranney, C. C., 783
Rao, H. R. G., (900)
Raphanus sativus (see **radish**)
raspberry, tomato ringspot virus, spread and effect of, in field, 1104, **1105**
Read, R. A., (149)
Redington, C. B., 812
Reddy, D. V. R., 907
Reddy, M. N., 361
Reilly, J. J., 907
Reinert, R. A., (1506)
Renwick, J. A. A., (902)
resistance (see also **genetics** and **tolerance**)
alfalfa
to alfalfa mosaic virus, 369
to bacterial wilt, induced, 887
to Phytophthora megasperma, 510, **512**
barley, to mildew, 617
bean
to anthracnose, induced in, 1110, **1111**
to Fusarium and Thielaviopsis, compounds associated with, 322
cabbage, to black rot, inheritance, 917
corn, to storage fungi, 1498
cotton
to Colletotrichum gossypii, role of N compounds in, 1394
to Diplodia gossypina, relation of boll surface to resistance, 915
seeds, to disease and low temp, 1426, **1428**
to Verticillium, related to antisporulant properties of gossypol, 1266, **1267**
to Verticillium wilt
effect of temp on, 204
influence of root distribution on symptom expression, **1312**
cucumber
to bacterial wilt, 518, **520**
to melon mosaic virus, 253
to powdery mildew, 1218
incense-cedar, to mistletoe, **875**
lettuce, to downy mildew, inheritance, 578
lima beans, to Phytophthora phaseoli, 916
Lycopersicon spp., to bacterial canker, 972
Nectria haematococca, to dodine, inheritance of, 1093
Norway spruce, to Fomes annosus, role of phenols in, 841
oats
to Victoria blight, isozymes in resistant lines, **1147**
to victorin effects, 641, **642**, **643**
onion, to Pyrenochaeta terrestris, compound in roots of resistant cultivars, 906
papaya, to postharvest diseases, role of BITC, 905
pea, to BYMV and WMV-2, common gene in, 846, **847**
peach, to Cytospora cincta, induced in, 685
pepper, to tobacco and cucumber mosaic viruses, inheritance in, 1318
Pinus nigra, to Dothistroma pini, 149
plant improvement, interactions, and applications in, 600
potato, to late blight
association of terpenoid accumulation with, 968
general resistance, 620
hypersensitive reaction in tuber, 174
suppression of, 178
prune trees, to Cytospora canker, induced in, 721
red clover
ro rust, 889
to Stemphylium sarcinaeforme, 886
rice, to blast, 703, **704**
safflower, to Phytophthora drechsleri, 1107, 1459
semidwarf hard red spring wheat, to leaf rust, inheritance, 912
soybean
to Phytophthora megasperma, phytoalexin induced, 1084, **1086**, **1087**
Phytophthora rot, role of phytoalexin inducer in, 954
to stem rot pathogens, 565, **566**
spruce, to Fomes annosus, 301, **304**
strawberry, to red stele disease, 515, **516**
sugar beet, to Cercospora beticola, 463, **464**
sunflower, to downy mildew, inheritance, 1026
tobacco, to TMV, metabolic changes associated with, 293, 1261
tomato
to curly top virus
breeding lines, 550

XUM

vector preference as factor, 1257
to Fusarium wilt, 627, 629
multiple disease resistance in, 888
to TMV, 611
Ustilago maydis mutant, to chloroneb, 914
wheat
to leaf rust in Kenya, 1201
to leaf and stem rusts, 1501
to snow mold, factors affecting, 792
Reynolds, J. E., (891)
Rhizoctonia solani (see also **Thanatephorus cucumeris**)
bean, antifungal compound from, 912
herbicides in soil, effect of, 884
inhibition in chitin-amended soil, mode of, 1113
inoculum density relationships, 1280
methyl bromide, effect of soil moisture with, 194, 195
PCNB, mode of action in soil, 1322
peanuts, relationship of harvesting method to populations in, 1180
phaseollin, effect of, 915, 1363, 1368
quantitative determination in soil, medium for, 707
soil populations, selective medium for, 899
soybean
bioassay for systemic fungicide translocation on, 1301
hypocotyl elongation, inhibition of, 1023
losses from, 1444
virulence repression with 3-O-methyl glucose, 916
water hyacinth, blight of, 892
Rhizopus sp., cotton boll infection, insects related to, 488, 490, 492
stolonifer, ribonucleic acid polymerase from, 893
rhizosphere, Phoma betae vs. Bacillus subtilis, 1447
Rhododendron spp. (see also **azalea**)
ozone, influence of, 133
Rhus typhina (see **sumac**)
Ribiero, O. K., 907
ribonucleic acid (see also **enzymes, specific, and nucleic acid**)
of Agrobacterium tumefaciens, 337
Ustilago maydis teliospores, in germination of, 645
rice
Aspergillus flavus, invasion in storage by, 910
blast
perfect stage of, 83, 85
resistance to, 703, 704
hoja blanca disease, effect on insect vector, 142
seedling blight caused by healthy and diseased fungal isolates, 420, 421–423
white tip disease, benomyl for, 1522
Xanthomonas oryzae and saprophytic bacteria, interaction on leaves, 1321
Rice, E., (1084)
Rice, R. E., (488)
Rich, A. E., (131), (132), (552), (556), (562)
Rich, S., (132), (914), (1404)
Riggs, R. D., (347), (751)
Ring, R., (127)
Roberts, B. R., (1512)
Roberts, D. D., 342
Roberts, K. O., (1320)
Robinia sp., Ceratocystis ulmi, downward movement of spores, 127
Rochow, W. F., (753)
Rodriguez-Kabana, R., (888), (912)
Rohrbach, K. G., 908, (1130), 1323
Romaine, C. P., (885)
Romine, M., (895)
Roncadori, R. W., 1326, (1426)
root rot (see **soil, soil-borne pathogens, soil microorganisms**)
rose, tobacco ringspot virus, isolation of, 45, 46
Rosenkranz, E., (888), 908
Ross, A. F., (293), (1261)
Ross, J. P., (900), 1400
Rosso, S. W., (892)
Rotem, J., (265), 275, (594), (736)
Rouser, G., (894)
Rowan, S. J., 184
Rubio-Huertos, M., (681)
Rumex crispus (see **curly dock**)
Ruppel, E. G., 1418, (1485)
Russell, J. D., (1324)
rust (see under genera of)
rye, Pyrenophora trichostoma pathogenic on, 28, 31

Saad, S. M., 908, (1024), 1310, (1406)
Saccromyces fragilus, lipids of, polar, 894
Saettler, A. W., (1026)
safflower
Phytophthora drechsleri, antifungal compound associated with infection by, 1107
resistance of, to Phytophthora drechsleri, 1459
Safir, G. R., 908
Sagen, J. E., (1324)
St. Augustine grass, virus-infecting, identification, characterization, and transmissibility of, 908
Saladini, J. L., 908
salt, roadside trees, damage to, 128
Sambucus
canadensis (see **elderberry**)
nigra aurea, virus isolated from, properties of, 1222, 1223, 1227
Sanden, G. E., 908
Sands, D. C., 909
Sanford, J. B., (380)
Santamour, F. S., (913)
Santo, G. S., (1321)
sassafras, limestone dust, influence on foliar diseases, 131
satellite virus, tobacco necrosis virus, relationship to, 129
Sauer, D. B., (767)
Schaad, N. W., 909
Scharen, A. L., 675
Scheffer, R. P., (888), (918)
Scherff, R. H., 1025
Schick, F. J., (1320)
Schipper, A. L., Jr., 366
Schizophyllus commune
lipids of, polar, 894
southern pine stakes, influence of season on infection of, 1013
spore germination on wood, 88
Schmidt, R. A., 909
Schmitthenner, A. F., 909
Schneider, H., (1177), 1324
Schneider, I. R., 909
Schneider, R. W., 909, 1025
Schoenewiess, D. F., (959)
Schönbeck, F., 1447
Schooley, J., (1022)
Schreiber, L. R., (895), 1512
Schroeder, H. F., (15)
Schroeder, H. W., 910
Schroeder, W. T., 846
Schroth, M. N., (580), 852, (905)
Schwenk, F. W., 1159, (1305)
Schwochau, M. E., (79)
Scleroderris lagerbergii, epidemiology of, 890
Sclerophthora macrospora, corn crazy top, etiology of, 913
Sclerospora sorghi, sorghum, infection of leaves, mode, 406, 407
Sclerotinia

borealis, wheat, factors affecting resistance in, 792
sclerotiorum
bean, epidemiology and control on, 669
bean hypocotyls, histopathology of, 901
blight of Stephanotis flowers from, 1524
hyphal tips ultrastructure, influence of growth media on, 902
sunflower, cell permeability changes in infected, 894
Sclerotium
bataticola (see also **Macrophomina** phaseolina)
peanuts, relationship of harvesting method to populations in, 1180
cepivorum, onion, effect of inoculum density and soil environment on white rot of, 1253
rolfsii
growth and sclerotial production, effect of pesticides on, 1140
inoculum density relationships, 1280
Scopolia sinensis, TMV, local lesion host for, 1034

Scopulariopsis sp., sorghum, storage fungi in grain, 767
Scott, H. A., (538), 751, (831)
seed
cotton, role of temp in disease, 1426, 1428
wheat, thiabendazole for bunt, 1071
Segall, R. H., 425
Semal, J., (10)
Semancik, J. S., 910, 1316
Semeniuk, G., 910
Septoria passerinii, conidia, cryogenic storage of, 1027
Sequeira, L., 578
serology
alfalfa mosaic virus, component ratio differences, 1159
antiserum production in goats, 873
bean pod mottle virus, properties of a strain, 831, 832
genomic masking between two unrelated viruses, 889
jasmine viruses, 228, 229
necrotic ringspot virus from peach and cherry, 532, 533–536
nematodes, comparison of three plant-parasitic, 751
potato virus M, immunodiffusion assay for, 873
potato virus X, microslide Ouchterlony technique, 290, 291
Pseudomonas syringae, 443, 446–449
soil-borne wheat mosaic virus, 341
tobacco ringspot virus from rose, 45, 46
tobacco streak virus, strain of, 1303
sesame, Thielaviopsis root rot, effect of soil temp and amendments on, 93
Shafer, J. F., 600
Shain, L., 301, 841
Shanmugasundaram, S., 1218
Shapovalov, L., 1319
Shaw, J. G., 910, (918)
Shear, G. M., (890)
Shepard, J. F., 873
Shepherd, R. J., 188, (1408)
Sherf, A. R., (130)
Sherwood, R. T., (65)
Shigo, A. L., 122, 910
Shih, C. S., (1471)
Shipton, P. J., (905)
Shoemaker, P. B., 910
Shortle, W. C., (132), 552, (556)
Siegel, M. R., 910
Siemer, S. R., 146, 590
Sievert, R. C., 588, 911
Sill, W. H., Jr., (341)
Simons, M. D., 911, 1064
Simons, T. J., 293, 1261
Sims, J. J., (964), (1084)
Sinclair, J. B., (523), (584), (904), (909), (1024), (1025), (1198), (1301), (1390)
Sinclair, W. A., 911
Singh, D., 881
Singh, R. P., 333, (900), 911, (1006), 1034
Sisler, H. D., (914)
Skelly, J. M., (1185)
Skotland, C. B., 435
Skovmand, B., (1027)
Slack, S. A., 538
Slana, L. J., (73), 911
Slatyer, R. O., (1377)
Slykhuis, J. T., 569
Smalley, E. B., (54), (914), 1351, (1488)
SMDC (see **fungicides, specific**)
Smiley, R. W., 911
Smith, D. A., 912
Smith, D. H., 912, 1414
Smith, G. A., 1485
Smith, R. E., 912
Smith, S. H., (1159), (1305)
Smith, S. N., 1049
Smith, W. H., 912
Smith, W. L., Jr., 912
Smolik, J. D., 1025
Smoot, J. J., (889)
smut (see under genera of)
smut grass (see **Sporobolus poiretii**)
snapdragon
Helminthosporium maydis and related spp., pathogenicity, 891
rust uredospore germination, self-inhibitor of, 902
Snazelle, T. E., 1059
Sneh, B., 1113
Snyder, W. C., (260), (1049)
Sobers, E. K., (58), (883)
Sogatodes oryzicola, hoja blanca virus, effect on insect vector, 142
soil
aeration, root rot of orange, importance in, 1342, 1344
amendments
Aphanomyces euteiches
effect on, 215
effect of cabbage decomposition on, 208, 212
chitin, mode of inhibition on Rhizoctonia solani, 1113
spiral nematode, effect on populations of, 888
Thielaviopsis root rot of sesame, effect on, 93
bacteria, medium for isolation of pectolytic soft rot, 1022
conditions, effect on lettuce root rot, noninfectious disease, 1153, 1156, 1158
constituents, fungicide uptake by elm, effect on, 895
ecology, effect of leaking natural gas on, 892
fertilization, effect on black root rot of slash pine, 184
fumigants
black root rot of slash pine, effect on, 184
chloropicrin control of cotton wilt, 1324
damping-off organisms, effect of moisture, 194, 195
methyl bromide control of cotton wilt, 1324
fungicides
analysis in, 964
mode of action of PCNB, 1322
fungistasis
fungal hyphae, response of, 1355, 1360, 1361
volatile factor, water solubility of, 895
fungus-colonized, trehalase activity in, 912
moisture (see also **moisture** and **water**)
effect on
control of Pythium sp. and Rhizoctonia sp. with

fumigant, 194, **195**
Pythium ultimum, sporangial germination of, 157, **159**, **161**
seed exudate, 165
stem blight of Vinca minor, effect on, 959, **960**
technique for control of, 165
Thielaviopsis basicola endoconidia and chlamydospore effect on survival of, 108
nematicide diffusion, effect of factors on, 903
pH, onion white rot, effect on, 1253
porosity, nematicide diffusion, effect on, 903
organic matter
Fusarium oxysporum cepae
ecology and pathology in, 883
population of, 1042, **1044**
Fusarium oxysporum diseases of Douglas fir, 467
solutions, Phytophthora cinnamomi sporangium production, effect on, 1188
temperature, effect on
black root rot of slash pine, 184
Cylindrocladium floridanum root rot of peach, 915
nematicide diffusion, 903
onion white rot, 1253
Stromatinia root rot of gladiolus, 1329
Thielaviopsis root rot of sesame, 93
trehalase activity in, 912
types, Fusarium wilt of sweet potato, relationship to severity of, 1049
water stress and development of Fusarium foot rot of wheat, 905
soil-borne pathogens (see also soil microorganisms)
Cylindrocladium spp. associated with "short life" of peach, 1095, **1096**
epidemiology, analyses involving inoculum density, 1280
Fusarium oxysporum cepae populations in organic soils, 1042, **1044**
Fusarium oxysporum diseases of Douglas fir, 467
Fusarium oxysporum perniciosum, effect of mimosa root exudate on, 812
Fusarium spp. and populations, 1026
Meloidogyne incognita-fungi disease complexes on tobacco, 1332, **1333**, **1334**
Phymatotrichum omnivorum
influence of temp on disease development and sclerotial formation, 728
sclerotial formation, changes in CO_2 during, 858
Phytophthora parasitica on Christmas cactus, control with fungicides, 804, **805**
Phytophthora root rot of papaya, 780, **781**
population estimations, improved method for, 1320
Pyrenochaeta terrestris, bioassay for, 146, 1299
Pythium debaryanum on carrot roots, 586
Pythium myriotylum persistence in soil, 596, **597**
Pythium ultimum, survival, 157, **159**, **161**
Rhizoctonia solani
herbicide effect on, 884
medium for quantitative determination, 707, 899
mode of inhibition in chitin-amended soil, 1113
root rot complex on Ligustrum sp., fungus-nematode interaction, 1297, **1298**
Stromatinia gladiolii root rot of gladiolus, 1329
tomato, interaction of five with, 897
Verticicladiella infection of ponderosa pine, 920
Verticillium wilt of cotton
influence of root distribution on, 1312
microsclerotial germination and sporulation, 260, **263**
Xiphinema americanum transmission of tomato ringspot virus, 1104, **1105**
soil-borne wheat mosaic virus, properties of, 341
soil fumigants, Fusarium wilt of tomato controlled by, 1415
soil microorganisms (see also soil-borne pathogens)
bacteria, Phytophthora cinnamomi sporangial production, effect on, 1188
Colletotrichum coccodes, selective medium for assay, 891
Corynebacterium michiganense, survival of, 890
direct observation, 437, **438**
Phytophthora palmivora survival during dry season, 975
Pythium spp., competitive saprophytic ability of, 357
Solanum tuberosum (see potato)
Solel, Z., 463, 738, 1081
Sommer, N. F., (61)
Sorbus sp., ozone, influence of, 133
americana, peroxyacetylnitrate, influence of, 128
Sorensen, E. L., (361)
sorghum
Curvularia sp., establishment of, 128
downy mildew, mode of infection, 406, **407**
Helminthosporium sp., establishment of, 128
mosaic isolates from, 389, **391**, **392**
small seed disease, association of MDMV with, 1024
storage fungi in high moisture content grain, 767
sugarcane mosaic virus, bioassay of, 526, **528**, **529**
Sorghum halepense (see Johnson grass)
southern bean mosaic virus
bean seed, distribution and fate in, 903
cowpea strain, hemolymph of bean leaf beetle as reservoir, 538
single protein coat, evidence of a, 1408
soybean
bacterial blight
development, relationship of post-inoculation humidity to, 879
inhibition by bacterium, 1025
bean pod mottle virus, properties of a strain, 831, **832**
brown stem rot
influence of air temp on, 1205
variation in pathogenicity of isolates, 1410
virulence of pathogen, 565, **566**
Cephalosporium gregatum
etiology of, 909
systemic fungicide against, 523, 524
charcoal rot, ultrastructure of infection process, 883
cyst nematode
influence on nodulation capacity, 1239
nucleic acid synthesis in infected roots, 395, **396–398**
syncytium development, 347, **348**, **351**, **352**
fungicide, uptake of systemic, 523, **524**
hydroxyphaseollin induction with fungicides, 907,
mycorrhizal and nonmycorrhizal, effect of P on yield in, **1400**, **1401**
Neocosmospora vasinfecta, disease caused by, 906
phytoalexin
detection in roots, **584**, 954
induced by Phytophthora megasperma, 1084, **1086**, **1087**
inducer, 1025
induction with fungicides, 907
Phytophthora root rot, role of phytoalexin in resistance to, 954
Pseudomonas sp., epiphytic in field, 903
Pseudomonas glycinea
growth on leaves, 715
inhibits seed germination, 904, 1390
mechanics of infection by, 889
ultrastructure of leaves infected by, 890
Pythium root rot, relationship of inoculum to infection, 439
Rhizoctonia solani
inhibition of hypocotyl elongation, 1023
on, loss by, 1444

soybean cyst nematode, immunoelectrophoretic comparison, 751
spiral nematode, populations, influence of fertilizer and cropping on, 888
systemic fungicides, translocation in seedlings, 1301
tobacco ringspot virus
effect on chemical composition, 308
longevity in seed, 755
Verticillium dahliae, virulence of, 565, 566
Xanthomonas phaseoli sojensis, ultrastructure of resistant and susceptible isolines, 916
soybean mosaic virus
bean pod mottle virus, interaction with on soybean, 900
soybean, filiform enations in, 763, 764
Spalding, D. H., 1308
Sphaerotheca
fuliginea, cucumber, inheritance of resistance in, 1218
lanestris, virus transmission, 1325
Sporobolus poiretii, foliar nematode stimulates growth, 740
spotted wilt virus, host range of and isolates from Hawaii, 1323
spruce (see also Picea abies)
Norway-
Fomes annosus
effect of phenolic extracts on, 841
in sapwood of, 301, 304
Spurr, H. W., Jr., (916)
squash, root rot pathogen, avirulence inheritance independent of dodine resistance, 1093
Stace-Smith, R., (246), 757, (1104), (1222)
Stachybotrys atra, cotton root disease, cause of, 1320
Stall, R. E., (484)
Stallknecht, G. F., 400
Stanghellini, M. E., 157, 165, 1324
Stankewich, J., (122)
Staples, R. C., (244), (515), (902)
Stark, R., (335)
Statler, G. D., 912
Staub, T., (917)
Stavely, J. R., 73, 541, 911, 913
Steele, A. E., (40)
Steele, J. A., 913
Steiner, G. W., 691, (1320)
Stemphylium spp., cyanide tolerance, 494
loti, cyanide tolerance, 494, 501
sarcinaeforme
red clover, screening for resistance in, 886
soil fungistasis, response to, 1355, 1360, 1361
solani, mutant of, 575, 576
stem rust of wheat (see Puccinia graminis)
Stephanotis floribunda, Sclerotinia blight of, 1524
Stereum gausapatum, cellulolytic enzyme production, 134
Stevenson, W. R., 1025
Stewart, D. M., (376)
Stewart, R. J., (891)
Stipes, R. J., 913
Stokes, D. E., (1297)
Stolzy, L. H., (1342)
stone fruits (see Prunus spp.)
Stoner, M. F., (1320)
storage fungi (see Aspergillus spp. and Penicillium spp.)
Stover, R. H., 139
Strange, R. N., (1382)
strawberry
anthracnose, Cassia obtusifolia as reservoir for, 896
June yellows disease (mycoplasma), remission of symptoms with tetracycline, 1137, 1139
necrotic shock, tobacco streak virus associated with, 757, 758
Pythium perniciosum, mode of entry into roots, 711, 712
red stele resistance, phytoalexinlike compound involved in, 515, 516
witches'-broom disease, remission of symptoms with tetracycline, 1137, 1139
Stretton, H. M., (883)
stripe rust (see Puccinia striiformis)
Stromatinia gladioli, gladiolus root rot, factors affecting, 1329
Strong, F. M., (914), (1488)
Strouse, B., (904)
Studenroth, J. C., (290)
Stuteville, D. L., (361)
sucrose, virus transmission, effect on, 1173
sugar alcohols (see polyols)
sugar beet
beet yellow vein virus of, transmission, hosts, and properties, 1418, 1419
Cercospora beticola, pathogenic specialization of, 1081
Cercospora leaf spot
effect of wetness and air temp on, 546
infection process related to susceptibility, 463, 464
systemic fungicide against, 739
damping-off, synergism of Heterodera and Pythium, 917
Heterodera schachtii effect on leaf growth, 40
host for summer death of French bean, 1451
Phoma betae on, nullified by Bacillus subtilis, 1447
phytotoxins on, from Cercospora beticola, 1477, 1482
Pseudomonas spp., symptoms of, 443, 446-449
seed contaminants, heat therapy for elimination of, 894
storage rots of, affected by Cercospora leaf spot, 1485
sugarcane
eye spot, reaction using host-specific toxin, 691, 693, 694, 1320
nematode-Pythium relationship, effect of temp on, 1321
Pythium graminicola synergism with SCMV, 1090, 1091
sugarcane mosaic virus
host assay of, 526, 528, 529
host range, 1059
isolates from corn, Johnson grass, and sorghum, 389, 391, 392
maize dwarf mosaic virus, comparison with, 1026
purification and serology of, 1059
synergism with Pythium graminicola on sugarcane, 1090, 1091
sugar maple (see Acer and maple, sugar)
sugar pine (see pine)
Suits, G., 908
sulfur
Aphanomyces euteiches, effect of vapors on, 208, 212
apple leaves, influence of powdery mildew on accumulation in, 1099, 1100-1102
sulfur dioxide
air pollutant with nitrogen dioxide, 1506, 1508
effect on eastern white pine, 717
pines, relative sensitivity of three spp., 231, 234, 235
tobacco used for virus studies, effect on, 945, 947-949
Sulzback, C. W., 913
sumac, staghorn, Fusarium wilt, races of, 820
Sumner, D. R., (901), 913
Sun, M. H., 913
Sun, M. K. C., 914
sunflower
downy mildew, resistance, inheritance of, 1026
rust uredospores, germination self-inhibitors, 902
Sclerotinia sclerotiorum, cell permeability changes caused by infection by, 894
survival
Alternaria porri solani chlamydospores as overwintering propagules, 1347, 1349
Phytophthora parasitica in soils, 1321
Sutton, J. C., (1022)

sweetgum (see also **Liquidambar styraciflua**)
wood decay fungi, spore germination on wood, 88
sweet potato
black rot, control with fungicide dips, 1145
Fusaria isolated from, 890
Fusarium wilt, relationship of inoculum density and soil types to severity of, 1049
sweetpotato russet crack virus, pinwheel inclusions, sequential development of, 900
Swenson, K. G., 657
sycamore, fungi associated with achenes of, 660, **667**
symposium, host-pathogen interactions and application in plant improvement, 600
synergism
cotton boll infection, relationship of insects to, 488, 490, **492**
dioxides of N and S, in air pollution, 1506
heat and anoxia, influence in inactivation of Monilinia fructicola conidia, 61
Heterodera and Pythium effect on sugarbeet damping-off, 917
Macrophomina phaseolina and Meloidogyne javanica on Ligustrum japonicum, 1297, **1298**
Meloidogyne and Corynebacterium on alfalfa, 256, 258
Meloidogyne incognita-fungi disease complexes on tobacco, 1332, **1333**, **1334**
ozone-SO_2 effect on tobacco cultivars, 945, **947–949**
Phytophthora-aeration importance on orange root rot, 1342, **1344**
Phytophthora blight of macadamia, a new disease of, 1130, **1131**
Pythium and nematode on sugarcane, effect of temp on, 1321
soybean mosaic virus and bean pod mottle virus in soybean, **763**, **764**
sugarcane mosaic virus and Pythium graminicola on sugarcane, 1090, **1091**
Verticillium albo-atrum and Pratylenchus penetrans on tomato, 888
virus-fungus in corn root rot, 800, **802**
viruses, insects, Fusarium involved in red clover failure, 129
Syringa vulgaris
ozone, influence of, 133
peroxyacetylnitrate, influence of, 128
Szkolnik, M., 132, (893)

Tachibana, H., 565, 1444
Tam, L. Q., 1324
Tang, C. S., (905)
Tattar, T. A., 132, (552), 556, 914
Taxus spp.
lead, mercury, and sodium contamination in cities, 912
ozone, influence of, 133
Taylor, J., 221, 1028
Taylor, P. A., 914
TBZ (see **fungicides**, specific)
TCNP (see **fungicides**, specific)
techniques (see also **electrophoresis**)
antifungal activity, microtechnique for evaluation of, 132
bacteria
bacterial brown spot of bean, initiation of, **1310**
selective medium for enumerating Erwinia spp., 425
virulence, preservation, in sterile soil, 688
bacterial canker of tomato, measuring resistance, 972
bean root rot, measurement of severity, 590
bioassay
of onion pink root inoculum in soil, 146
for Pyrenochaeta terrestris in soil, 1299
for systemic virus, 526, **528**, **529**
chromatographic detection of exocortis virus infection, 1338
computer analysis of leaf rust pathogenicity data, 886
computer-assisted disease diagnosis, 1023
cryogenic storage
bacteria, pathogenic, 904
of fungi, 1027
epidemiology
of Pseudoperonospora cubensis, approach to, 736
systems analysis and dynamics of, 600
fixation enhancement of virus-infected corn leaf cells, 1025
fungicide
application, 783
assay, spore germination and appressorial formation, 130
spray schedule, residue monitoring for timing, 885
Fusarium wilt of peas, study of, **342**
germination (see **fungi**, spore germination)
host-specific toxin for determining sugarcane susceptibility to eye spot, 691, **693**, **694**
inoculation of citrus with Phytophthora zoospores, 1233, **1236**
insect cell monolayers, electronic counter used to study growth of, 902
plant disease information, telephones as computer terminals for, 897
preservation methods for Corynebacterium insidiosum, 1423
purification of wound tumor virus, 907
remote sensing of southern corn leaf blight, 908
selective medium for
Colletotrichum coccodes in soil, 891
determining Rhizoctinia population in soil, 899
Fusarium oxysporum cepae in organic soils, for isolation of, 1042, **1044**
growth of Monilinia spp., 906
isolation of bacteria from soil, 1022
serology (see **serology**)
soil-borne microorganisms, population estimations, 1320
soil fungi, direct observation of, 437, **438**
soil moisture, control, 165
spore germination (see **fungi**, spore germination)
spore production, modified sampler for, **250**
tissue implantation for virus and mycoplasma transmission, 429, **430**
virus inoculation, ultrasonic method for, 1015, **1016**
virus storage, sodium azide as protectant, 943
temperature (see also **physiology of disease**, **physiology of microorganisms**, and **soil, temperature**)
air, brown stem rot of soybean, effect on, 1205
Coryneum carpophilum, effect on culturing of, 829
Cylindrocladium spp., effect on microsclerotia development, 897
effect on
Alternaria solani life cycle and pathogenesis, 129
black rot of sweet potato, control of, 1145
Cercospora apii, number of spores trapped, 885
Cercospora leaf spot of sugarbeet, 546
chrysanthemum chlorotic mottle virus, symptoms, 895
cotton resistance to Verticillium wilt, 204
Helminthosporium maydis, 901
Phytophthora parasitica chlamydospore formation, 1412
potato late blight, 275
Pratylenchus zeae and Pythium sp. on sugarcane, interrelationship of, 1321
Pseudoperonospora cubensis on cucumber, 265
Puccinia graminis tritici spore production, 120

Pythium aphanidermatum oospore germination, 1149
soybean infection by Pythium spp., 933
stem blight of Vinca minor, 959, 960
stem rot of soybean, 565, 566
teliospore germination of Cronartium ribicola, 899
Verticillium malthousei, conidial germination, 128
influence on Phymatotrichum omnivorum sclerotial formation and disease development, 728
low-, cottonseed germination and disease affected by, 1426, 1428
mushroom bacterial blotch, effect on epidemiology of, 918
pink disease of pineapple, requirements for, 908
Templeton, G. E., 1522
Terrazole (see **fungicides**, specific)
Tetrazolium chloride, medium for Corynebacterium insidiosum, 1423
Thanatephorus cucumeris (see also **Rhizoctonia solani**)
heterokaryon formation, 883
Thapliyal, P. N., (584), 1301
Theobroma cacao (see **cacao**)
thiabendazole (see **fungicides**, specific)
Thielaviopsis basicola
bean, phytoalexin induction in, 322
endoconidia and chlamydospores, effect of soil environmental factors on survival, 108
sesame root rot, effect of soil temp and amendments on, 93
soil fungistasis, response to, 1355, **1360**, **1361**
thiophanate-methyl, 1,2-bis(3-methoxycarbonyl-2-thioureido) benzene, for bluegrass smuts, 1462
thiram (see **fungicides**, specific)
Thomas, C. A., (1107), 1459
Thomas, P. E., 550, 1257
Thomason, I. J., (903)
Thomson, T. B., 933
Thurston, H. D., 620
Thyr, B. D., 972
Tieghemiomyces parasiticus, nutrition and metabolism of, 885
Tilletia
caries, controversa, and foetida, wheat, control with thiabendazole on seed, 1071
fusca, host specialization, 225
Tillman, R. W., 914
time, effect on Pythium aphanidermatum oospore germination, 1149
Timian, R. G., (1230)
Tingey, D. T., 1506
tobacco (see also **Nicotiana spp.**)
Alternaria alternata, effect on plant growth, 911
Alternaria tenuis on, pathogenesis, 1437, 1438
bacterial hypersensitivity, structure of chloroplasts in leaves, 897
bacterial wilt, pathogenesis influenced by two strains, 987
brown spot
reaction of spp. to, 541, 544
relation of leaf age to reaction, 73, 75, 76
Cercospora nicotianae infection, effect on chemical constituents of cured leaf, 913
horsenettle cyst nematode, pathogenicity of, 903
Meloidogyne incognita and soil-borne fungi, disease complexes involving, 1332, 1333, 1334
ozone, capacity of leaf extracts to react with, 914
ozone injury influenced by air velocities, 1209
Phytophthora parasitica in roots, ultrastructural changes, 33, 35–37
Phytophthora parasitica nicotianae, root protein content, heat treatment, 908
potato virus Y, inoculation time vs. yield and quality, 588
virus indicator cultivars, effect of air pollutants on, 945, **947–949**
tobacco etch virus
antigenicity and infectivity, protection of, 943
peppers, inheritance of resistance in, 1318
tomato, tolerance in, 907
tobacco mosaic virus
antigenicity and infectivity, protection of, 943
aphid, tracing of ingested in, 15, **16–20**
bean, effect of leaf detachment on susceptibility, 22, **26**, 354, **356**
bean leaves, effect of pokeweed inhibitor on retention by, 918
cotton, effect of plant hormones on replicating capacity in, 869
inhibitors produced by Physarum polycephalum, 636, **639**
local lesion assay, ultrasonic inoculation method for, 1015, **1016**
multiplication, effect of detached leaf on, 22, **26**
nucleic acid synthesis in tobacco tissue culture, 906
replicating capacity, differences among plant spp., 1010
replication in suspension of tobacco leaf cells, 919
RNA, uncoating in tobacco leaves, 910
strains, changes in characteristics, 130
tissue culture, local lesion formation in, **877**
tobacco
distribution in leaf cells, **759–761**
flue-cured, state and infectivity in, 1032
protein from cultured cells, 884
resistance, metabolic changes associated with, 293, 1261
tomato
resistance, breeding for, 611
symptoms in inoculated, field-grown, 127
tobacco necrosis virus
local lesion infection, mechanical injury of epidermal cells in, 1022
satellite virus, nature and origin of, 129
tobacco rattle virus, short particle specifies coat protein, 892
tobacco ringspot virus
inhibitor produced by Physarum polycephalum, 636, **639**
in jasmine, 228, **229**
multidense satellite, 909
rose, isolation from, 45, **46**
soybean, effect on composition and agronomic characteristics of, 308
soybean seed, longevity in, 755
tobacco streak virus
occurrence of strain in North Carolina, **1303**
strawberry, recovery from, 757, **758**
tolerance (see also **genetics** and **resistance**)
lima bean to bacterial brown spot, 1406
oat mutant to crown rust, 1064
tomato
bacterial canker, resistance to, 972
benomyl transport into plant organs, **91**, **92**
collar rot, chlamydospores as overwintering propagules of causal agent of, 1347, **1349**
Corynebacterium michiganense, survival of, 890
curly top virus
resistance to establishment in breeding lines, 550
vector preference, a resistance factor, 1257
disease-resistant varieties, 888
fluoride, effect of, on pollen germination and pollen tube growth, 913
Fusarium-induced root rot, 900
Fusarium oxysporum lycopersici
on, chemical control of, 1415

physiological changes in leaves affected by, 1377
polysaccharide-degrading ability, inhibition of, 897
Fusarium wilt, 834, 839
correlation with chemically induced injury, 127
host colonization, 902
isolines resistant and susceptible to, 627, 629
symptomless carriers of, 1213
Fusarium wilted plants, water relations in, 890
leaf mold, systemic activity of benomyl against, 1024
postharvest decay, selective medium for enumerating bacteria, 425
potato spindle tuber virus
enhancement of symptoms with manganese, 900
low molecular weight RNA from plants infected with, 911
metabolic changes incited by, 1322
soil-borne pathogens, interaction of five, 897
southern bacterial wilt, reduction by early harvest, 849
thiabendazole and Terrazole, systemicity of, 1024
tobacco etch virus tolerance, 907
tobacco mosaic virus
breeding for resistance to, 611
effect on strains of, 130
symptoms in field-grown, 127
Verticillium albo-atrum and Pratylenchus penetrans, interaction of, 888
Verticillium wilt, systemic activity of benomyl against, 1024
wilt, gas exchange affected by, 1377
tomato ringspot virus
potato, experimental infection of, 886
raspberry, rate of spread and effect on, 1104, 1105
Tomlinson, H., 132, 914, 1404
Toole, E. R., 88, 124, 182, 1013
Tosic, M., 1026
Toussoun, T. A., (743)
toxins (see also phytoalexins)
aflatoxin
inhibition of synthesis, 380
peanut
effect of nematode and curing time on pod infection of, 1038
effect of windrow and field exposure on production in, 1194
relationship of harvesting methods to, 1180
from Cercospora beticola, to sugarbeet, 1477
fungal toxin induced by disease, 420, 421–423
fusarial, from moldy sweet potato, 890
from Fusarium tricinctum, pea wilt, 1488
Helminthosporium carbonum, effect on ion uptake, 918
H. maydis, influence of disease on production by, 900
H. maydis race T, host-selective from, 1022
H. sacchari, characterization and use, 691, 693, 694
host-specific, sugarcane eye spot disease, determining reaction to, 1320
Pseudomonas phaseolicola, effect of, on enzymes, 1324
tenuazonic acid produced by Alternaria spp., 913
victorin
isozymes from blight-resistant oat lines, 1147
oat roots, effect on, 641, 642, 643
transpiration, tomato leaves, gas exchange affected by Fusarium, 1377
trehalase (see enzymes, specific)
trehalose, effect on Verticillium spp., growth of, 339
triarimol (see fungicides, specific)
Trichoderma sp., tobacco disease complexes involving nematode, 1332, 1333, 1334
viride
antagonism with Poria monticola on pine, 124
peanut cotyledon, antifungal compound from, 901
peanuts, relationship of harvesting methods to populations in, 1180
soil fungistasis, response to, 1355, 1360, 1361
southern pine stakes, influence of season on infection of, 1013
trichothecane, derivative of, cause of pea wilt, 1488
Trichothecium sp., sorghum, storage fungi in grain, 767
Trifolium pratense (see clover, red)
Tripathi, R. K., (645)
triphenyl tin acetate (see fungicides, specific)
Triticum aestivum (see wheat)
Troutman, J. L., 1324
Trujillo, G. E., 1026
Tsakiridis, J. P., (943)
Tsao, P. H., (1321), 1412
Tu, J. C., 800, 862, (895), 914, 1516
Tuite, J., (1022)
Turner, R. B., (901)
turnip, root rot, ecology of, 913
turnip mosaic virus, cabbage and cauliflower, failure to recover from, 1023
Tweedy, B. G., (884), (896), (1140)
Tylenchorhynchus capitatus, tomato, interaction with other pathogens of, 897
Typhula
incarnata, wheat, factors affecting resistance in, 792
idahoensis
basidial stage, role in life cycle, 889
wheat, factors affecting resistance in, 792

Ullstrup, A. J., (54), (913), (1059)
Ulmus sp., Ceratocystis ulmi, downward movement of spores, 127
americana
Ceratocystis ulmi on, colonization rate, 1456
Dutch elm disease, control with soil-injected fungicide, 913
ultrastructure (see also electron microscopy)
Aphanomyces euteiches, during asexual spore differentiation, 895
apple virus in Chenopodium leaves, 431, 432
chrysanthemum stunt virus-infected plants, 653, 654
corn infected with Colletotrichum graminicola, 917
flax crinkle, 1249, 1250, 1252
Macrophomina phaseoli infection of soybean, 883
mycoplasma, inclusions in citrus stubborn disease, 1321
nematode incited cyst on soybean roots, 347, 348, 351, 352
oat roots, effect of victorin on, 641, 642, 643
red kidney bean, cell wall thickening in potato virus M-infected, 862, 863–866
Sclerotinia sclerotiorum hyphal tips, influence of growth media on, 902
soybean
infected with Pseudomonas glycinea, 890
isolines resistant and susceptible to Xanthomonas, 916
tobacco root infected with Phytophthora parasitica, 33, 35–37
Uriu, K., (1323)
Urocystis agropyri
fungicide against, new systemic, 936
Kentucky bluegrass
chemotherapy with thiazole compounds in, 1396
effect on flowering of, 1373, 1375
on Poa, fungicides for, 1462
systemic fungicide, relationship of molecular structure to activity, 731
Uromyces
phaseoli
bean, effect of oxycarboxin on disease of, 884

bean leaves, effects on transpiration and stomatal response, 114
CO_2 fixation and incorporation into uredospores, 400
germ tube elongation, effect of peptones on, 131
uredospore germ tube formation, effect of peptones on, 562
uredospores, uridine incorporation into, 244
virus transmission, 1325
phaseoli vignae, haustorial sheath formation, 383, **385**
rumicis, curly dock, biological control agent of, 102, **104**
trifolii fallens, red clover, resistance in, 889
Ustilago
maydis
chloroneb-resistant mutant, 914
interstrain lethality, factor causing, 50
meiotic products from natural infection, 1020, **1021**
mitochondrial activities, effect of carboxin on, 902
teliospores, RNA in germination, 645
nuda, fungicide against, new systemic, 936
striiformis
Agrostis palustris, development in axillary buds of, 940, **941**
fungicide against, new systemic, 936
Kentucky bluegrass, chemotherapy with thiazole compounds in, 1396
on Poa, fungicides for, 1462
systemic fungicides, relationship of molecular structure to activity, 731
striiformis poae, Kentucky bluegrass, effect on flowering of, 1373, **1375**
Uyemoto, J. K., 132

Vaccinium (see **blueberry** and **cranberry**)
van der Zwet, T., (898), 915
Van Etten, H. D., (912), 915
Van Etten, J. L., (893)
Varns, J. L., 174, 178, 968
Vaughn, E. K., (146), (590), (906), (1299)
Veech, J. A., (627), (834), (902)
Vega, R. R., 339
Venturia inaequalis
apple, periderm limits development of scab, 890
ascospores, dodine, sensitivity to, 128, 132
fungicide control, efficacy of, 884
Verticicladiella wagenerii, ponderosa pine, effect of infection on physiology of, 920
Verticillium spp.
growth on trehalose and polyols, 339
pathogenicity of isolates from Washington, 435
sorghum, storage fungi in grain, 767
albo-atrum
cotton
control with thiabendazole, 964
effect of air on infection, 204
cotton wilt
control with
fungicides, 433, 1320
soil fumigants, 1324
effect of alanine on, 881, 882
evidence against role of endopolygalacturonase, 198
influence of root distribution on symptoms, **1312**
dimorphism in, 1266, **1267**
enzyme production, proteolytic, 904
microsclerotia, germination and sporulation in soil, 260, **263**
Pratylenchus penetrans, interactions with, 888
soil fungistasis, response to, 1355, 1360, 1361
tomato
benomyl, activity of, on, 1024
interaction with other pathogens of, **897**
dahliae, chrysanthemum wilt symptom development, **128**
malthousei
conidia germination
effect of temp on, 128
influenced by Agaricus bisporus, 133
Viburnum spp.
calico caused by alfalfa mosaic virus, **1305**
ozone, influence of, 133
Vigna sinensis (see **cowpea**)
Vinca minor
mycoplasmalike bodies in, 1177, **1178**
stem blight, epidemiology of, 959, **960**
virulence
bacteria, preservation in sterile soil, **688**
Cephalosporium gregatum isolates on soybean, 1205
Pseudomonas pathogens of bean, mulberry, and soybean, 852
Rhizoctonia solani, repression in, with 3-0-methyl glucose, 916
viruses (see also by common name and under hosts)
acquisition through artificial membrane, 1230
antibiotics, inhibition of multiplication, **10**
antiserum production in goats, **873**
aphid transmission of chickpea wilt, 453, **455**
concentration determination, assay on vector cell monolayers, 896
diagnostic symptoms enhanced with manganese, 900
DNA, size and morphology, 188, **190, 191**
double-stranded RNA plant virus, infectious, 910
genomic masking between two unrelated, possible, 889
graft-transmissible agents, 1270, **1272, 1274**
heat inactivation of TMV, 1032
hosts tested for beet yellow vein virus, **1420**
inclusions, bearded iris mosaic virus, 926, **928, 930, 931**
infectivity, protection of, 943
inhibitor, 636, **639**
polysaccharide from Phytophthora infestans, 1006
insect vectors, effect of hoja blanca virus on, 142
isolates, separation of, 389, **391, 392**
in jasmine, 228, **229**
local lesion
formation in tissue culture, **877**
infections, mechanical injury of epidermis in, 1022
mosaic isolates from corn, Johnson grass, and sorghum, 389, **391, 392**
nematode transmission of, 129
Penicillium chrysogenum, viruslike particles from, 886
pinwheel inclusions, sequential development of, 900
plant hormones, replication, effect on, 869
replicating capacity among plant spp., **1010**
resistance, tomato breeding lines, to curly top, 550
sap transmissible in elderberry, 132
serological activity, protection of, 943
soil-borne, transmission, purification, particle length, factors affecting, 569, **571**
spread, restrictive, callose deposition and wall thickening, 895
strains
alfalfa mosaic
cause of Viburnum calico, **1305**
component ratios, 1159
tobacco streak in North Carolina, **1303**
sucrose, effect on transmission, 1173
synergism, soybean mosaic and bean pod mottle in soybean, **763, 764**
systemic bioassay, 526, **528, 529**
transmission
bean leaf beetle hemolymph as reservoir, 538
effect of sucrose on, 1173

pea seed-borne mosaic virus, 825
by powdery mildews and rusts, 1325
tissue implantation for, 429, 430
ultrasonic inoculation method for local lesion assay, 1015, 1016
Vitanza, V. B., (852)
Vitis vulpina, limestone dust, influence on foliar diseases, 131

Waggoner, P. E., (901)
Wahl, I., (1081)
Wainwright, S. H., 915
Wakeman, R. J., (188)
Waldron, C. C., (507)
Walker, J. C., (518)
Walker, J. T., (129)
Wallin, J. R., (120), 546, 1068
walnut, Erwinia rubrifaciens survival in exudate, 909
Wang, M. C., (1266)
Wang, S.-Y. C., 915, 1118
Wargo, P. M., 915
water (see also moisture and soil, moisture)
Fusarium foot rot of wheat, relationship of water stress to, 905
Fusarium-infected tomato, 890
snow mold of wheat, relation to severity, 792
water hyacinth, Rhizoctonia blight of, 892
watermelon mosaic virus 2, pea, common gene for resistance to BYMV, 846, 847
Waterworth, H. E., 228
Weathers, L. G., (910), (1322)
Weaver, D. J., 915, 1095
Webber, A. J., Jr., 916
weeds, symptomless carriers of Fusarium oxysporum lycopersici, 1213
Weinhold, A. R., 916
Weintraub, M., 431
Wells, H. D., 575
Wells, J. M., (912), 916
Welsh, J. R., (1022)
Welty, R. E., (660), 916
Wergin, W. P., 916
Wertz, H. W., 1185
Wester, C. R. E., 916
western white pine (see pine and Pinus)
western X-disease
host range and vector for, 1465, 1467, 1469
Prunus spp., associated with, 1036, 1037
tetracycline, effect on vectors and plant hosts, 696
wheat
Ascochyta tritici, 675, 677–679
barley yellow dwarf virus outbreaks, factors affecting, 1068
bromegrass mosaic virus distribution in roots, 1024
bunt, common and dwarf, control with thiabendazole, 1071
clover yellow mosaic virus distribution in roots, 1024
Curvularia sp., establishment of, 128
ergot, biology and control on male sterile, 1075
Fusarium foot rot, water stress and development of, 905
Helminthosporium sp., establishment of, 128
leaf rust (see also Puccinia recondita tritici)
aggressiveness in, 884
epidemiology, systems analysis and dynamics of, 600
-infected leaves, peroxidase activity in, 897
resistance
inheritance of, 912
sources of in Kenya, 1201
to, 1501
vertical concentration of pathogen above a field, 891
leaf-spot disease, new, 675, 677–679
maize dwarf mosaic virus distribution in roots, 1024
mildew, vertical concentration of pathogen above a field, 891
Pyrenophora trichostoma on, 28, 31
root rot, effect of MMDD on seedling, 98
rust
artificial culture, 376
influence of light and temp on spore production, 120
snow mold, factors affecting severity, 792
soil-borne mosaic virus, properties of, 341
stem rust
epidemiology, systems analysis and dynamics of, 600
harvest techniques, effect on yield from experimental plots, 1022
infection structure differentiation, 649, 650
resistance to, 1501
uredospore germination inhibitors, 1382
vertical concentration of pathogen above a field, 891
stripe rust, epidemiology, systems analysis and dynamics of, 600
take-all, influence of N fertilizer on, 911
winter-
maize dwarf mosaic virus, reservoir for, 885
snow mold, role of basidium in life cycle, 889
spiral nematode populations, influence of fertilizer and cropping on, 888
wheat spindle streak mosaic virus
soil transmission and electron microscopy, 331, 332
transmission, purification, and particle length, factors affecting, 569, 571
Wheeler, H., (33), 641, 917, 1147
Wheeler, J. E., 1293
Whitcomb, R. F., (240)
white ash (see Fraxinus americana)
White, B. L., (743)
white birch, crown deterioration, dieback, 631, 633
white cedar, salt spray damage, roadside, 128
White, E. R., 905
Whiteside, J. O., 1233
Whitney, E. D., (40), 917
Whitney, H. S., (920)
Wiebe, H. H., (1277)
Wieneke, J., 1099
Wiese, M. V., 331
Wilcox, W. W., 592
Wilhelm, S., (260), (1312), 1324
Williams, A. S., (917)
Williams, E. B., (174), (1110)
Williams, H. E., (1159), 1305
Williams, P. G., 994
Williams, P. H., (902), 917, (1218)
Williams, R. E., 829
Williams, W. T., 1324, 1325
Wilson, D. M., 917
Winch, J. E., 917
wind
Erwinia amylovora, dissemination of waterborne, 741
ozone injury influenced by air velocity, 1209
Windels, C. E., 1026
Winter, H. F., (442)
Wolanski, B. S., (151), 917
Wolf, J. C., (900), 918
Woltz, S. S., 897
Woo, J. Y., (773)
wood decay fungi
antagonism by mold fungi, 124
pentachlorophenol as a preservative, 182
Polyporus amarus, cultural characteristics of, 592

spore germination on wood, 88
Stereum gausapatum, cellulolytic production by, 134
succession of organisms on preservative-treated wood, 1023
Wood, F. A., 133, 918, 1006
Wood, H. A., (886), 918
wood-infecting fungi, southern white pine stakes, influence of season, 1013
wood preservatives, evaluation of, 182
wood-rotting fungi, hydrogen peroxide effect on cellulose, 899
Worf, G. L., (54)
Wortendyke, J. T., (1023)
wound tumor virus, purification, improved method for, 907
Wright, F. S., (1194)
Wuest, P. J., (128), 133, 918
Wyatt, S. D., 918
Wyllie, T. D., (883)

Xanthomonas spp., polypectate gels for identification, 1430
alfalfae, protease production by, 361
campestris, cabbage
growth and movement in natural fluids in relation to infection of, 919
inheritance of resistance in, 917
dieffenbachiae, streptomycin, resistance to, 898
oryzae, rice leaves, interaction with saprophytic bacteria on, 1321
pelargonii, Pelargonium, histopathology of cultivars of, 915
phaseoli sojensis, soybean, ultrastructure of resistant and susceptible isolines, 916
vesicatoria, pepper, Ca suppression of electrolyte loss, 484
Xiphimena americanum
ash ringspot virus, transmission of, 129
tomato ringspot virus, transmission of, **1104, 1105**
Xylaria sp., sycamore achenes, associated with, **660, 667**

Yang, S., (1090)
Yarwood, C. E., 1173, 1325
Yoder, O. C., 918
Yoshii, K., 918
Young, H. C., Jr., 442, (1180)
Young, R. J., (907)

Zabbia, A. J., Jr., (910)
Zadoks, J. C., 600
Zaitlin, M., (337), 919
Zea mays (see corn)
Zehr, E. I., 987
Zeijlemaker, F. C. J., 144
Zentmyer, G. A., (283), (787), (807), (898), (1188), (1322)
Zettler, F. W., (892), (908)
Zeyen, R. J., (890), (1249)
Zimmer, D. E., 1026
Zoller, B. G., 919
Zucker, M. L., (909)
Zummo, N., 389
Zygocactus truncatus (see Christmas cactus)

ERRATUM, VOLUME 60

Page 1718, column 2, substitute Table 2, left, for Table 2, right.

Table 2. Average number of viable microsclerotia of *Macrophomina phaseoli*/g soil in fumigated and nonfumigated nursery soil planted to white fir, ponderosa pine, or left fallow

	Microsclerotia/g soil[a]		
Fumigation treatment	Fir	Pine	Fallow
Nonfumigated check	35	17	17
Trizone,[b] 200 lb./acre	10	1	3
Pathofume,[c] 325 lb./acre	3	2	0

a Each figure is the average of 24 samples, 6 combined samples from each of 4 plots.
b Trizone: 61% methyl bromide, 31% trichloronitromethane, and 8% propargyl bromide.
c Pathofume: 57% methyl bromide and 43% trichloronitromethane.

Table 2. Average number of viable microsclerotia of *Macrophomina phaseoli*/g soil in fumigated and nonfumigated nursery soil planted to white fir, ponderosa pine, or left fallow

	Microsclerotia/g soil[a]		
Fumigation treatment	Fir	Pine	Fallow
Nonfumigated check	35	17	17
Trizone,[b] 200 lb./acre			
Pathofume,[c] 325 lb./acre			

a Each figure is the average of 24 samples, 6 combined samples from each of 4 plots.
b Trizone: 61% methyl bromide, 31% trichloronitromethane, and 8% propargyl bromide.
c Pathofume: 57% methyl bromide and 43% trichloronitromethane.

ERRATA, VOLUME 61

Page 747, column 2, line 21, substitute "W182B" for "W182BN", line 23, substitute "W182B^T" for "W182BN^T".

Page 1309, column 2, line 6, substitute "sandy-loam" for "clay-loam".

Macrophomina phaseoli/g soil in fumigated and nonfumigated nursery soil planted to white fir, ponderosa pine, or left fallow

XUM